

FUNGICIDES JANUARY 2019

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|--|-----------------------------|------------|-------------|---------------|----------------------|-------------|--|
| Afforestation | Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | | Amistar Top | 7897 | Syngenta SA |
| Afforestation | Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | | Indicate 250 SC | 9310 | Universal Crop Protection |
| Afforestation | Wattle rust | azoxystrobin/tebuconazole | SC | 120/200 g/l | | Custodia 320 SC | 9342 | Adama SA |
| Afforestation | Rust | cyproconazole/propiconazole | EC | 80/250 g/l | | Artea | 6820 | Syngenta SA |
| Afforestation | Powdery mildew | fenarimol | EC | 120 g/l | | Rubigan | 5228 | Klub M5 |
| Afforestation | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Afforestation | Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Previcur-N | 3394 | Bayer |
| Afforestation | Powdery mildew; Rust | propiconazole | EC | 250 g/l | | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Afforestation | Powdery mildew; Rust | propiconazole | EC | 250 g/l | | Propizole 250 EC | 7561 | Villa Crop Protection |
| Afforestation | Powdery mildew | propiconazole | EC | 250 g/l | | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Afforestation | Powdery mildew | propiconazole | EC | 250 g/l | | Ppconazole 250 EC | 8627 | Crop Asure |
| Alfalfa | Downy mildew; Leaf spot; Powdery mildew; Rust | azoxystrobin | SC | 250 g/l | 14 days | Amistar | 6230 | Syngenta SA |
| Alfalfa | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Alfalfa | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Alfalfa | Damping off; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 60 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Almonds | Alternaria leaf spot; Anthracnose; Blossom blight; Leaf rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 28 days | Amistar Top | 7897 | Syngenta SA |
| Almonds | Brown rot blossom blight; Green fruit rot | cyprodinil | WG | 500 g/kg | 60 days | Chorus | 5383 | Syngenta SA |
| Apples & Pears | Blossom end rot; Post harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | 14 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Apples & Pears | Blossom end rot; Post-harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | 14 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | 14 | Benomyl | 7291 | Volcano Agrosience /ta Arysta Lifescience SA |
| Apples & Pears | Blossom end rot; Post-harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | 14 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | 14 | Nimrod | 1117 | Adama SA |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | 14 | Notice 250 EC | 9233 | Universal Crop Protection |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | 14 | Nobel 250 EC | 9234 | Villa Crop Protection |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | 14 days | Nobits 250 EC | 9702 | Crop Asure |
| Apples & Pears | Powdery mildew | bupirimate | EW | 250 g/l | 14 | Veto EW | 9656 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | 14 | Veto Plus | 9776 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|--------------------------|-------------------------|-----|----------|---------|---------------------------|-------|---|
| Apples & Pears | Scab | captab | SC | 500 g/l | 14 days | Farmag Captan 500 SC | 10311 | Cedar Falls Properties 130 |
| Apples & Pears | Scab | captab | SC | 500g/l | 14 days | Merpan 50 SC | 5511 | Adama SA |
| Apples & Pears | Scab | captab | SC | 500g/l | 14 days | Captan Flo | 5982 | Arysta Lifescience SA |
| Apples & Pears | Scab | captab | WG | 800 g/kg | 14 days | Merpan 80 WDG | 5456 | Adama SA |
| Apples & Pears | Scab | captab | WG | 800 g/kg | 14 days | Captan 800 WG | 9249 | Meridian Agritech Co |
| Apples & Pears | Post harvest decay; Scab | captab | WG | 800 g/kg | 14 days | Captan 800 WG | 9345 | Sharda International Africa |
| Apples & Pears | Post harvest decay; Scab | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Apples & Pears | Post harvest decay; Scab | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Apples & Pears | Post harvest decay; Scab | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Apples & Pears | Post harvest decay | chlorine dioxide | SL | 20 g/l | | Harvest Wash WT | 7252 | BTC Products and Services |
| Apples & Pears | Specific replant disease | chloropicrin | AL | 1656 g/l | | Tripicrin | 8306 | Nippon Africa Chemicals |
| Apples & Pears | Scab | copper ammonium acetate | SL | 315 g/l | 14 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Apples & Pears | Scab | copper ammonium acetate | SL | 315 g/l | 14 days | Fungi Flow | 6925 | Villa Crop Protection |
| Apples & Pears | Scab | copper ammonium acetate | SL | 316 g/l | 14 days | Copper Count-N | 2602 | Hygrotech Properties |
| Apples & Pears | Scab | copper ammonium acetate | SL | 316 g/l | 14 days | Liquicop | 5586 | Hygrotech Properties |
| Apples & Pears | Scab | copper ammonium acetate | SL | 686 g/l | 14 days | Fungicop | 6298 | Gouws & Scheepers |
| Apples & Pears | Scab | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Apples & Pears | Scab | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Apples & Pears | Scab | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|-----------------------------------|------------------------------------|-----|-------------|---------|-----------------------|-------|---|
| Apples & Pears | Scab | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Apples & Pears | Post harvest decay | Cryptococcus albidus | WP | 840 g/kg | | Yieldplus | 5887 | Rymco trading as Anchor Yeast |
| Apples & Pears | Scab | cuprous oxide | WP | 860 g/kg | | Nordox 86% WP | 8078 | Avima |
| Apples & Pears | Dry eye rot; Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | 74 days | Chorus | 5383 | Syngenta SA |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | 74 days | Mirano 50 WG | 8845 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | 74 days | Choir 500 WDG | 8957 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | 74 days | Chant 500 WDG | 8958 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | 74 days | Cronil 500 WDG | 9018 | Crop Asure |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Sporekill | 7115 | ICA International Chemicals |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Spore-Attack | 8178 | ICA International Chemicals |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Quattro-Kill | 8004 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 250 g/l | | Terminator | 5990 | Agricultural Protection Systems |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Score | 5132 | Syngenta SA |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Dicati | 8414 | Sharda International Africa |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Difen 250 EC | 8535 | Crop Asure |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Divino 250 EC | 9343 | Adama SA |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Granado | 9767 | DNA Crop Protection |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | 14 days | Difenoconazole 250 EC | 10087 | Bitrad Kaap |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | 14 days | Venture 275 EC | 8185 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | 14 days | Quantum 275 EC | 8200 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | 14 days | Saltus 275 EC | 8528 | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | 14 days | Ethos 275 EC | 8740 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|------------------------------------|----------------------------|-----|-------------|----------------------------|-------------------|-------|-----------------------------|
| Apples & Pears | Powdery mildew, Scab | difenoconazole/penconazole | EW | 150/125 g/l | 14 days | Ethos 275 EW | 8742 | Meridian Agritech Co |
| Apples & Pears | Superficial scald | diphenylamine | EC | 310 g/l | | Shield Liquid DPA | 6099 | Chempac |
| Apples & Pears | Scab | dithianon | SC | 400 g/l | 21 days | Inspect 400 SC | 9182 | Villa Crop Protection |
| Apples & Pears | Scab | dithianon | SC | 400 g/l | 21 days | Detect 400 SC | 9238 | Universal Crop Protection |
| Apples & Pears | Scab | dithianon | SC | 400 g/l | 21 days | Expose 400 SC | 9511 | Crop Asure |
| Apples & Pears | Scab | dithianon | SC | 500 g/l | 21 days | Delan 500 SC | 5440 | BASF SA |
| Apples & Pears | Scab | dithianon | WG | 660 g/kg | 21 days | Nugget 660 WDG | 9287 | Villa Crop Protection |
| Apples & Pears | Scab | dithianon | WG | 660 g/kg | 21 days | Sense 660 WDG | 9288 | Universal Crop Protection |
| Apples & Pears | Scab | dithianon | WG | 660 g/kg | 21 days | Scuff 660 WDG | 9508 | Crop Asure |
| Apples & Pears | Scab | dithianon | WG | 700 g/kg | 21 days | Alaris WG | 9102 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyraclostrobin | WG | 120/40 g/kg | 28 | Maccani | 8198 | BASF SA |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyrimethanil | SC | 250/250 g/l | 35 | Dinil 500 SC | 9753 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyrimethanil | SC | 250/250 g/l | 35 | Pyrinon 500 SC | 9754 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyrimethanil | SC | 250/250 g/l | 21 days | Pyrihia 500 SC | 9954 | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | dithianon/trifloxystrobin | WG | 120/40 g/kg | 21 | Combine 160 WDG | 9765 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/trifloxystrobin | WG | 120/40 g/kg | 21 days | Combo 160 WDG | 9766 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/trifloxystrobin | WG | 120/40 g/kg | 21 days | Triflohia 160 WDG | 9970 | Crop Asure |
| Apples & Pears | Scab; Septoria leaf spot | dodine | SC | 400 g/l | 14 days | Syllit 400 SC | 7423 | Arysta Lifescience SA |
| Apples & Pears | Scab | dodine | SC | 400 g/l | 14 days | Antagon | 8842 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | fenarimol | EC | 120 g/l | 21 days | Rubigan | 5228 | Klub M5 |
| Apples & Pears | Scab | fenbuconazole | EW | 50 g/l | 14 days | Indar 50 EW | 5453 | Dow Agrosience SA |
| Apples & Pears | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Apples & Pears | Bitter rot; Blue mould; Grey mould | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Apples & Pears | Bitter rot; Blue mould; Grey mould | fludioxonil | WG | 200 g/kg | 1 day | Target 200 WDG | 10387 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | fluopyram/tebuconazole | SC | 200/200 g/l | 28 days (A); 21 days(P) | Luna Experience | 9436 | Bayer |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EC | 100 g/l | 14 days | Verona | 8179 | Erintrade t/a RT Chemicals |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | 21 days | Galactica | 9286 | Arysta Lifescience SA |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | 14 days | Intensive 100 EW | 9334 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | | Manage 100 EW | 9335 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | 14 days | Verge 100 EW | 9956 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|---|-----------------------|-----|-------------|---------|-------------------------|------|---|
| Apples & Pears | Powdery mildew; Scab | fluxapyroxad | SC | 300 g/l | 56 days | Sercadis | 9800 | BASF SA |
| Apples & Pears | Post harvest decay | imazalil/pyrimethanil | SC | 200/200 g/l | | Philabuster 400 SC | 8220 | Janssen Pharmaceutica t/a Janssen-Cilag |
| Apples & Pears | Calyx-end rot; Post harvest decay | iprodione | SC | 500 g/l | | Rovral Aquaflo | 5140 | FMC Chemicals |
| Apples & Pears | Calyx-end rot; Post harvest decay | iprodione | SC | 500 g/l | | Prodione | 7222 | Nulandis |
| Apples & Pears | Apples and Pears Botrytis and Penicillium rot Pears Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Apples & Pears | Calyx end rot | iprodione | SC | 500 g/l | | Iprone 500 SC | 8452 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | | Iprodione 500 SC | 8459 | Universal Crop Protection |
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | | Taurus 500 SC | 8499 | Villa Crop Protection |
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Apples & Pears | Botrytis rot; Post harvest decay | iprodione | SC | 500 g/l | | Roflo | 9573 | Wentek Chemicals |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | SC | 500 g/l | 45 days | Ardent 50 SC | 7284 | Adama SA |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | SC | 500 g/l | 45 days | Vista Flo | 8208 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | 45 days | Stroby WG | 5687 | BASF SA |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | 45 days | Kreso WDG | 8193 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | 45 days | Kresoxim-Methyl 500 WDG | 8194 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | 45 days | Kreso 50 WG | 8266 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | 45 days | Oxim 500 WDG | 8574 | Crop Asure |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agrosience /ta Arysta Lifescience SA |
| Apples & Pears | Scab | mancozeb | SC | 455 g/l | 14 days | Multizeb 455 SC | 9174 | Villa Crop Protection |
| Apples & Pears | Scab | mancozeb | SC | 455 g/l | 14 days | Newzeb 455 SC | 9175 | Universal Crop Protection |
| Apples & Pears | Scab | mancozeb | SC | 480 g/l | 14 days | Newzeb 480 SC | 9178 | Universal Crop Protection |
| Apples & Pears | Scab | mancozeb | SC | 480 g/l | 14 days | Unizeb 480 SC | 9179 | Villa Crop Protection |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agrosience SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Apples & Pears | Scab | mancozeb | WG | 750 g/kg | 14 days | Newzeb 750 WDG | 8811 | Universal Crop Protection |
| Apples & Pears | Scab | mancozeb | WG | 750 g/kg | 14 days | Villa Unizeb 750 WDG | 8812 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|--------------------------|------------------|-----|-------------|------------|------------------------|-------|---|
| Apples & Pears | Scab | mancozeb | WP | 750 g/kg | 14 days | Cozeb 750 WDG | 8964 | Crop Asure |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 3459 | Dow Agroscience SA |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | 28 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Apples & Pears | Scab; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Manager SC | 3538 | Applied Chemical Products |
| Apples & Pears | Scab; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Apples & Pears | Scab; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Vandal | 8462 | Arysta Lifescience SA |
| Apples & Pears | Scab | metiram | WG | 700 g/kg | 14-21 days | Polyram WG | 5268 | BASF SA |
| Apples & Pears | Scab | myclobutanil | EC | 125 g/l | 14 days | Master 125 EC | 10498 | Sharda International Africa CC |
| Apples & Pears | Powdery mildew; Scab | myclobutanil | EW | 200 g/l | 14 days | Rally 200 EW | 6534 | Dow Agroscience SA |
| Apples & Pears | Powdery mildew; Scab | myclobutanil | EW | 200 g/l | 14 days | Validus 200 EW | 8481 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | 14 days | Topaz 200 EW | 5246 | Syngenta SA |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | 14 days | Penconazole 200 EW | 7492 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | 14 days | Excalibur 200 EW | 7493 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | 14 days | Captain | 7778 | Erintrade t/a RT Chemicals |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | 14 days | Pencomax 200 EW | 7879 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | 14 days | Penconazole 200 EW | 8092 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|---|------------------------------|-----|-------------|-----------|--------------------|-------|-----------------------------|
| Apples & Pears | Powdery mildew; Scab | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 4230 | Agro-Serve t/a Efekto |
| Apples & Pears | Powdery mildew; Scab | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 7686 | Delta Chemicals |
| Apples & Pears | Powdery mildew; Scab | potassium bicarbonate | SP | 850 g/kg | | Agri-Cure SP | 8549 | N Laboratories |
| Apples & Pears | Calyx end rot | procymidone | SC | 250 g/l | | Sumislex SC | 6377 | Philagro South Africa |
| Apples & Pears | Calyx end rot | procymidone | SC | 500g/l | see label | Hit 500 SC | 7575 | Dow Agroscience SA |
| Apples & Pears | Post harvest decay | pyrimethanil | SC | 160 g/l | | Ecofog-160 | 8820 | Chempac |
| Apples & Pears | Post harvest decay (Blue Mould and Botrytis) | pyrimethanil | SC | 400 g/l | | Protector 400 SC | 8606 | ICA International Chemicals |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | pyrimethanil | SC | 400 g/l | 35 days | Support 400 SC | 9282 | Villa Crop Protection |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | pyrimethanil | SC | 400 g/l | 35 days | Source 400 SC | 9283 | Universal Crop Protection |
| Apples & Pears | Post harvest decay | pyrimethanil | SC | 400 g/l | | Pyrimet 400 SC | 9575 | Wentek Chemicals |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | pyrimethanil | SC | 400 g/l | 35 days | Origin 400 SC | 9698 | Crop Asure |
| Apples & Pears | Post-harvest decay; Botrytis spp; Penecillium spp | pyrimethanil | SC | 400 g/l | | Deccothanil 400 SC | 10081 | Citrashine |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | 35 | Flint Star | 8291 | Bayer |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | 35 days | Filum 520 SC | 9755 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | 35 days | Fission 520 SC | 9756 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | 35 days | Pyrifloxy 520 SC | 9955 | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Apples & Pears | Powdery mildew | sulfur | SC | 800 g/l | | Sulfomaxx | 9941 | Ag-Chem Africa |
| Apples & Pears | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 5241 | Sunwood Chemicals |
| Apples & Pears | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 700 g/l | | Sufflo 700 SC | 6433 | Sunwood Chemicals |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|---|---------------------------|-----|---------------------------|------------------------------|--------------------------|-------|---|
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | | ICA Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Apples & Pears | Post-harvest decay; Blue mould; Grey mould | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Apples & Pears | Scab | thiram | WP | 750 g/kg | 14 days | Thiram WP | 4948 | Dow Agroscience SA |
| Apples & Pears | Scab | thiram | WP | 750 g/kg | 14 days | Thiram 75 WP | 6687 | Arysta Lifescience SA |
| Apples & Pears | Scab; Seedling diseases | thiram | WP | 750 g/kg | 14 days | Thiram 750 WP | 7097 | Universal Crop Protection |
| Apples & Pears | Scab | thiram | WP | 800 g/kg | 14 days | Ag-Thiram 800 WP | 8175 | Ag-Chem Africa |
| Apples & Pears | Powdery mildew; Scab | trifloxystrobin | WG | 500 g/kg | 7-14 days | Connect 500 WDG | 9324 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | trifloxystrobin | WG | 500 g/kg | 7-14 days | Unite 500 WDG | 9325 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | trifloxystrobin | WG | 500 g/kg | Apples 7 days; Pears 14 days | Foxy 500 WDG | 9512 | Crop Asure |
| Apricots | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | | Crown Gall Inoculant | 1380 | Stimulant |
| Apricots | Bacterial spot | ascorbic acid/flavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Apricots | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rot; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Apricots | Gum spot; Freckle | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Apricots | Freckle; Gum spot | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Apricots | Freckle; Gum spot | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Apricots | Bacterial canker; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|--|--------------------------|-----|--------------|---------|---------------------------|------|---|
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Demidex | 5094 | Delta Chemicals |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Apricots | Bacterial canker; Gum spot | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Apricots | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copflo Super | 6981 | Ag-Chem Africa |
| Apricots | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Apricots | Bacterial canker; Gum spot | copper sulphate/lime | WG | 170/174 g/kg | 14 days | Cuprofix Disperss | 6784 | Chempac |
| Apricots | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | 2 days | Chorus | 5383 | Syngenta SA |
| Apricots | Brown rot | fenbuconazole | EW | 50 g/l | 1 day | Indar 50 EW | 5453 | Dow Agroscience SA |
| Apricots | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Apricots | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Apricots | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | 3 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Rovral Aquaflo | 5140 | FMC Chemicals |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Prodione | 7222 | Nulandis |
| Apricots | Post harvest decay Botrytis and Monilinia | iprodione | SC | 500 g/l | 3 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Roflo | 9573 | Wentek Chemicals |
| Apricots | Freckle; Gum spot; Rust | mancozeb | SC | 420 g/l | 28 days | Pennfluid | 7733 | Total SA |
| Apricots | Freckle; Gumspot; Rust | mancozeb | SC | 455 g/l | 28 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | 28 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | 28 days | Penncozeb WG | 4655 | Total SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Dithane M-45 | 2741 | Kombat |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---------------------------------|-------------------------|-----|-------------|---------|------------------------|------|---|
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Apricots | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | 28 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Tridex | 5323 | Total SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Apricots | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Tozeb WP | 8526 | Total SA |
| Apricots | Gumspot; Rust | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Apricots | Freckle; Rust | mancozeb | WP | 800 g/kg | 28 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Apricots | Freckle; Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Apricots | Freckle; Gumspot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Vandal | 8462 | Arysta Lifescience SA |
| Apricots | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Apricots | Gum spot | metiram | WG | 700 g/kg | 14 days | Polyram WG | 5268 | BASF SA |
| Apricots | Blossom blight | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Apricots | Blossom blight | prochloraz | WP | 500 g/kg | | Octave | 3406 | FMC Chemicals |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Bumper 250 EC | 6034 | Adama SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Tilt | 6668 | Syngenta SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Propicon 250 EC | 7547 | Volcano Agroscience /ta Arysta Lifescience SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Propizole 250 EC | 7561 | Villa Crop Protection |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Ppconazole 250 EC | 8627 | Crop Asure |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | | Admiral 250 EC | 9358 | Cedar Falls Properties 130 |
| Apricots | Blossom blight | propiconazole | EC | 500 g/l | | Propicon 500 EC | 7506 | Volcano Agroscience /ta Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---|-------------------------|-----|----------|----------|---------------------|-------|-----------------------------|
| Apricots | Post harvest decay Botrytis and brown rot) | pyrimethanil | SC | 400 g/l | 3 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Support 400 SC | 9282 | Villa Crop Protection |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Source 400 SC | 9283 | Universal Crop Protection |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Pyrimet 400 SC | 9575 | Wentek Chemicals |
| Apricots | Post-harvest decay; Botrytis spp; Monilinia spp | pyrimethanil | SC | 400 g/l | 3 days | Deccothanil 400 SC | 10081 | Citrashine |
| Apricots | Rust | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Apricots | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 5241 | Sunwood Chemicals |
| Apricots | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Apricots | Rust | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Apricots | Rust | sulphur | SC | 700 g/l | | Sulflo 700 SC | 6433 | Sunwood Chemicals |
| Apricots | Rust | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Apricots | Rust | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Apricots | Rust | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Apricots | Rust | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WG | 800 g/kg | | Thiram Granuflo 80% | 5983 | D&J Agro Pesticides |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WP | 750 g/kg | 14 days | Thiram WP | 4948 | Dow Agroscience SA |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WP | 750 g/kg | 14 days | Thiram 75 WP | 6687 | Arysta Lifescience SA |
| Apricots | Blossom blight; Gum spot; Green rot | thiram | WP | 750 g/kg | 14 days | Thiram 750 WP | 7097 | Universal Crop Protection |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WP | 800 g/kg | 14 days | Ag-Thiram 800 WP | 8175 | Ag-Chem Africa |
| Artichokes | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 200 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Asparagus | Stemphyllium purple spot | azoxystrobin | SC | 250 g/l | 100 days | Amistar | 6230 | Syngenta SA |
| Asparagus | Crown rot; Spear rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 1 day | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Avocadoes | Anthracnose; Cercospora spot; Dothiorella fruit rot | azoxystrobin | SC | 250 g/l | 28 days | Ortiva | 5968 | Syngenta SA |
| Avocadoes | Anthracnose; Cercospora spot; Dothiorella fruit rot | azoxystrobin | SC | 250 g/l | 28 | Fungaway 250 SC | 8590 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|-------------------------|-----|-------------------------|----------|---------------------------|------|---|
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | 14 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | 120 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | 14 | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | 14 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | 14 days | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Avocados | Fruit spot | carbendazim | SC | 500 g/l | 90 days | Bendazid 500 SC | 6961 | Nulandis |
| Avocados | Fruit spot | carbendazim | SC | 500 g/l | 90 days | Knowin 500 SC | 7027 | Nulandis |
| Avocados | Cercospora spot | carbendazim | SC | 500 g/l | 90 days | Ag-Carbendazim 500 SC | 8870 | Ag-Chem Africa |
| Avocados | Cercospora fruit spot | carbendazim | SC | 500 g/l | 90 days | Zimbo | 9429 | Meridian Agritech Co |
| Avocados | Cercospora spot | carbendazim | SC | 500 g/l | 90 days | Nova CBZ 500 SC | 9819 | AgriNova Trust |
| Avocados | Anthrachnose; Fruit spot; Sooty blotch | copper ammonium acetate | SL | 315 g/l | 14 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Avocados | Anthrachnose; Fruit spot; Sooty blotch | copper ammonium acetate | SL | 315 g/l | 14 days | Fungi Flow | 6925 | Villa Crop Protection |
| Avocados | Anthrachnose; Cercospora spot; Sooty blotch | copper ammonium acetate | SL | 316 g/l | 14 days | Copper Count-N | 2602 | Hygrotech Properties |
| Avocados | Fruit spot | copper ammonium acetate | SL | 316 g/l | 14 days | Liquicop | 5586 | Hygrotech Properties |
| Avocados | Fruit spot | copper ammonium acetate | SL | 686 g/l | 14 days | Fungicop | 6298 | Gouws & Scheepers |
| Avocados | Fruit spot | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Avocados | Fruit spot | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Avocados | Fruit spot | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Avocados | Fruit spot | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Avocados | Fruit spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Avocados | Fruit spot | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Avocados | Fruit spot | copper hydroxide | WP | 770 g/kg | 14 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Avocados | Fruit spot | copper hydroxide | WP | 770 g/kg | 14 days | Funguran-OH | 4445 | Agri Registrations CC |
| Avocados | Fruit spot | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Avocados | Fruit spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Avocados | Fruit spot | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Avocados | Fruit spot | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Avocados | Fruit spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|---|------------------------------------|-----|--------------|-----------|-----------------------|-------|-----------------------------|
| Avocadoes | Anthracoese; Fruit spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Avocadoes | Anthracoese; Fruit spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Avocadoes | Anthracoese; Fruit spot | copper oxychloride | WP | 850 g/kg | 14 | Famig Cu Super | 7087 | Castle Ag-Chem |
| Avocadoes | Fruit spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Super | 6981 | Ag-Chem Africa |
| Avocadoes | Fruit spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Avocadoes | Fruit spot | copper sulphate/lime | WG | 711/289 g/kg | 14 days | Cuprofix Ultra | 8888 | Total SA |
| Avocadoes | Fruit spot | copper/mancozeb | WG | 120/300 g/kg | 14 days | Cuprofix 30 Disperss | 7893 | Total SA |
| Avocadoes | Fruit spot | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Avocadoes | Fruit spot | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Avocadoes | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Avocadoes | Post harvest decay | fatty acids | SC | 250 g/l | | Westfalia Biocoat | 7107 | Hans Merenski |
| Avocadoes | Root & Trunk rot | fosetyl-Al | WG | 800 g/kg | 14 days | Aliette WG | 5689 | Bayer |
| Avocadoes | Root & Trunk rot | metalaxyl | GR | 50 g/kg | 30 days | Kickback 5 GR | 7104 | Bitrad Consulting |
| Avocadoes | Root & Trunk rot | metalaxyl | GR | 50 g/kg | 30 days | Rolim 5 GR | 7608 | Arysta Lifescience SA |
| Avocadoes | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Avocadoes | Root rot | phosphorous acid | SP | 980 g/l | 100 days | Rootmaster 98 | 5252 | Universal Crop Protection |
| Avocadoes | Root rot | potassium phosphite | SL | 777 g/l | 30 | Avoguard 500 SL | 6723 | Nulandis |
| Avocadoes | Root rot | potassium phosphite | SL | 777 g/l | 30 days | Fighter 500 SL | 8677 | Ag-Chem Africa |
| Avocadoes | Post harvest decay | prochloraz | EC | 450 g/l | | Chronos 45 EC | 5589 | Adama SA |
| Avocadoes | Post harvest decay | prochloraz | EC | 450 g/l | | Pakua 450 EC | 7933 | Ag-Chem Africa |
| Avocadoes | Post harvest decay | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Avocadoes | Post-harvest decay; Anthracnose; Stem end rot | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Avocados | Anthracoese; Cercospora spot; Dothiorella fruit rot | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Avocados | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Sporekill | 7115 | ICA International Chemicals |
| Avocados | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Spore-Attack | 8178 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|----------------|-----|----------|-----------|----------------------------|------|--|
| Avocados | Post harvest decay Antracnose Brown rot | prochloraz | EC | 450 g/l | | ICA-Prochloraz 450 EC | 8478 | ICA International Chemicals |
| Avocados | Post harvest decay Anthracnose & Stem-end Rot | thiabendazole | SC | 500 g/l | | ICA - Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Bananas | Post harvest decay; Yellow sigatoka | azoxystrobin | SC | 250 g/l | 1 day | Oriva | 5968 | Syngenta SA |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Bananas | Sigatoka disease | difenoconazole | EC | 250 g/l | 1 day | Score | 5132 | Syngenta SA |
| Bananas | Sigatoka disease | mancozeb | DF | 750 g/kg | 14 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Bananas | Sigatoka disease | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Bananas | Sigatoka disease | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/ta Arysta Lifescience |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Bananas | Sigatoka disease | mineral oil | EC | 840 g/l | | H&R Spray Mist | 6352 | H&R Global Special Products |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|---|----------------------------|-----|-------------|---------------|--------------------------|-------|--------------------------------|
| Bananas | Post harvest decay | prochloraz | EC | 450 g/l | | Chronos 45 EC | 5589 | Adama SA |
| Bananas | Post harvest decay | prochloraz | EC | 450 g/l | | Pakua 450 EC | 7933 | Ag-Chem Africa |
| Bananas | Post harvest decay | prochloraz | EC | 450 g/l | | ICA-Prochloraz 450 EC | 8478 | ICA International Chemicals |
| Bananas | Post harvest decay | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | | ICA-Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | | Ag-Thiabendazole 500 SC | 8733 | Ag-Chem Africa |
| Bananas | Post-harvest decay; Collar rot | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Barley | Leaf rust; Leaf scald, Net blotch, Powdery mildew | azoxystrobin/cyproconazole | SC | 200/80 g/l | 63 days | Amistar Xtra | 8567 | Syngenta SA |
| Barley | Leaf rust; Net blotch; Yellow rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 63 days | Hyper 28 SC | 10305 | Sharda International Africa CC |
| Barley | Leaf rust; Leaf spot | azoxystrobin/cyproconazole | SC | 200/80 g/l | 63 days | Discovery 280 SC | 10325 | Cedar Falls Properties 130 |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 60 days | Improve 250 SC | 9311 | Villa Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 60 days; No F | Estricon 250 SC | 9433 | Crop Asure |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 60 days | Az-Well 250 SC | 10078 | ICA International Chemicals |
| Barley | Leaf blotch; Net blotch | azoxystrobin/tebuconazole | SC | 120/200 g/l | 77 days | Custodia 320 SC | 9342 | Adama SA |
| Barley | Brown leaf rust; Leaf spot; Net blotch; Ramularia leaf spot | bixafen/prothioconazole | EC | 75/150 g/l | 42 days | Aviator Xpro | 10089 | Bayer |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Duett | 5791 | BASF SA |
| Barley | Leaf spot | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Soprano C | 8079 | Adama SA |
| Barley | Leaf spot | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Endura Plus | 9131 | ICA International Chemicals |
| Barley | Leaf spot | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Solo | 9321 | Arysta Lifescience SA |
| Barley | Leaf rust; Leaf spot | carbendazim/flusilazole | SC | 125/250 g/l | 56 days | Clout CM | 8281 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|-----------------------------|-----|-------------|--------------------|---------------------------|-------|---------------------------|
| Barley | Leaf rust; Leaf spot | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Clout CM | 8281 | Meridian Agritech Co |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Sparta SC | 8403 | Villa Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Coloso | 9284 | Arysta Lifescience SA |
| Barley | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | 56 days | Sparta Plus 375 SC | 9499 | Villa Crop Protection |
| Barley | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | 56 days | Flusilazim Extra 375 SC | 9500 | Universal Crop Protection |
| Barley | Leaf rust; Leafspot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Flusicarb 375 SC | 9409 | Crop Asure |
| Barley | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | 56 days | Flusicarb Extra 375 SC | 9562 | Crop Asure |
| Barley | Leaf rust; Leaf spot; Powdery mildew | carbendazim/flutriafol | SC | 150/94 g/l | 56 days; No F | Early Impact | 5175 | Cheminova |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/propiconazole | SC | 125/125 g/l | 56 days | Propazim 250 SC | 7530 | Villa Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/propiconazole | SC | 125/125 g/l | 56 days | Propiconazole Plus 250 SC | 7535 | Universal Crop Protection |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/tebuconazole | SC | 133/167 g/l | 77 days; 77 days F | Folicur C 300 SC | 4602 | Bayer |
| Barley | Leaf rust; Leaf spot; Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 56 days | Ranchero 365 SC | 6331 | Rotam RSA |
| Barley | Leaf rust; Leaf spot, Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 56 days | Rambo | 7292 | Bitrad Consulting |
| Barley | Covered smut; Loose smut | carboxin/thiram | FS | 200/200 g/l | | Vitavax Neutral | 3695 | Arysta Lifescience SA |
| Barley | Covered smut; Loose smut | carboxin/thiram | FS | 200/200 g/l | | Anchor Red | 7301 | Arysta Lifescience SA |
| Barley | Leaf rust; Leaf spot, Net blotch, Powdery mildew | cyproconazole/propiconazole | EC | 80/250 g/l | 63 days | Artea | 6820 | Syngenta SA |
| Barley | Leaf spot (Scald) | cyprodinil | WG | 750 g/kg | 42 days | Unix | 4906 | Syngenta SA |
| Barley | Seedling damping off; Root rot | difenoconazole/metalxyl-M | FS | 92/23 g/l | 56 days | Dividend Extreme | 10410 | Syngenta SA |
| Barley | Leaf rust; Leaf spot; Net blotch | epoxiconazole | SC | 125 g/l | 60 days; No F | Epic 125 SC | 7963 | Meridian Agritech Co |
| Barley | Net blotch | epoxiconazole | SC | 125 g/l | 60 days; No F | Epox SC | 8147 | Villa Crop Protection |
| Barley | Net blotch | epoxiconazole | SC | 125 g/l | 60 days; No F | Epoxiconazole 125 SC | 8148 | Universal Crop Protection |
| Barley | Leaf spot; Net blotch | epoxiconazole | SC | 125 g/l | 60 days; No F | Soprano 125 SC | 8338 | Adama SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | 60 days; No F | Rubric 125 SC | 8873 | Cheminova |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|---|-----|--------------------|--------------------|----------------------|-------|--------------------------------------|
| Barley | Leaf Spot; Leaf rust; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | 60 days; No F | Endura 125 SC | 8905 | ICA International Chemicals |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | 60 days; No F | Epoxee 125 SC | 9572 | Wentek Chemicals |
| Barley | Leaf Spot; Leaf rust; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | 60 days; No F | Expert | 10114 | Nufarm Agriculture |
| Barley | Leaf rust; Leaf scald; Net blotch; Powdery mildew | epoxiconazole/fluxapyroxad/pyraclostrobin | EC | 41,6/41,6/66,6 g/l | 90 days | Cerix | 9801 | BASF SA |
| Barley | Leaf rust; Leaf spot, Net blotch, Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 70 days | Abacus | 8048 | BASF SA |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 70 days | Abacus Advance | 9132 | BASF SA |
| Barley | Leaf rust; Powdery milew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 70 days | Paradox | 10216 | Meridian Agritech Co |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 70 days | Calculus 125 SE | 10314 | Cedar Falls Properties 130 |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | flutriafol | SC | 125 g/l | 42 days | Impact | 4088 | Cheminova (Disa Bio-Technologies CC) |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | flutriafol | SC | 250 g/l | 42 days | Impact 250 SC | 9064 | Cheminova |
| Barley | Net blotch | flutriafol/tebuconazole | SC | 75/225 g/l | 77 days | Impact Gold 300 SC | 9312 | Cheminova |
| Barley | Covered smut; Loose smut | flutriafol/thiabendazole | FS | 25/25 g/l | | Vincit F | 3799 | Cheminova |
| Barley | Covered smut; Loose smut | imidacloprid/tebuconazole | FS | 350/10 g/l | 100 days | Captivo 360 FS | 10404 | Villa Crop Protection |
| Barley | Covered smut; Loose smut | imidacloprid/tebuconazole | FS | 350/10 g/l | 100 days | Intension 360 FS | 10405 | Universal Crop Protection |
| Barley | Net blotch | kresoxim-methyl | SC | 500 g/l | 50 days | Ardent 50 SC | 7284 | Adama SA |
| Barley | Seed decay: Covered smut; Damping off; Seed decay | mancozeb | DS | 800 g/kg | | ifax 800 DS | 270 | Villa Crop Protection |
| Barley | Leaf spot; Net blotch; Leaf rust; Powdery mildew | picoxystrobin | SC | 250 g/l | 50 days | Acanto 250 SC | 8233 | Du Pont de Nemours |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | picoxystrobin | SC | 250 g/l | 50 days; 35 days F | Faculty 250 SC | 10032 | Universal Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | picoxystrobin | SC | 250 g/l | 50 days; 35 days F | Academy 250 SC | 10034 | Villa Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | picoxystrobin | SC | 250 g/l | 50 days; 35 days F | Pinchot 250 SC | 10092 | Crop Asure |
| Barley | Leaf spot; Net blotch | picoxystrobin/prothioconazole | EC | 150/100 g/l | 50 days | Faculty Top 250 SC | 10213 | Universal Crop Protection |
| Barley | Leaf spot; Net blotch | picoxystrobin/prothioconazole | EC | 150/100 g/l | 50 days | Academy Super 250 SC | 10214 | Villa Crop Protection |
| Barley | Eye spot; Leaf spot; Net blotch; Powdery mildew | prochloraz | EC | 450 g/l | 42 days | Pakua 450 EC | 7933 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|------------------------------|-----|-------------|--------------------|----------------------|-------|---|
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Bumper 250 EC | 6034 | Adama SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Tilt | 6668 | Syngenta SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Propicon 250 EC | 7547 | Volcano Agroscience /ta Arysta Lifescience SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Propizole 250 EC | 7561 | Villa Crop Protection |
| Barley | Leaf blotch; Leaf rust; Leaf spot; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Ag-Propiconazole | 8319 | Ag-Chem Africa |
| Barley | Leaf blotch; Leaf rust; Leaf spot; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Ppconazole 250 EC | 8627 | Crop Asure |
| Barley | Leaf blotch; Leaf rust; Leaf spot; Powdery mildew | propiconazole | EC | 250 g/l | 40 days | Admiral 250 EC | 9358 | Cedar Falls Properties 130 |
| Barley | Leaf blotch; Leaf rust; Leaf spot | propiconazole | EC | 250 g/l | 40 days | Propin 250 EC | 10487 | Sharda International Africa CC |
| Barley | Leaf rust; Leaf spot; Leaf blotch; Powdery mildew | propiconazole | EC | 500 g/l | | Propicon 500 EC | 7506 | Volcano Agroscience /ta Arysta Lifescience SA |
| Barley | Covered smut; Loose smut | prothioconazole | FS | 100 g/l | | Redigo | 8616 | Bayer |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | prothioconazole | SC | 480 g/l | 77 days; 77 days F | Santana 480 SC | 10049 | Villa Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | prothioconazole | SC | 480 g/l | 77 days; 77 days F | Projetron 480 SC | 10050 | Universal Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | prothioconazole | SC | 480 g/l | 77 days | Proley 480 SC | 10094 | Crop Asure |
| Barley | Brown rust; Leaf spot Net blotch; Powdery mildew | prothioconazole/tebuconazole | EC | 125/125 g/l | 77 days; 77 days F | Prosaro 250 EC | 8510 | Bayer |
| Barley | Leaf rust; Leaf spot; Powdery mildew | spiroxamine/tebuconazole | EW | 250/133 g/l | 50 days | Folicur Plus 383 EW | 7428 | Bayer |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EC | 250 g/l | 77 days | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EC | 250 g/l | 77 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch | tebuconazole | EC | 250 g/l | 77 days | Ardent | 9779 | DNA Crop Protection |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 200 g/l | 77 days; 77 days F | Orius 200 EW | 7479 | Adama SA |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 200 g/l | 77 days | Makhroteb 200 EW | 8149 | Makhro-Agro SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|------------------------------|-----|-------------|--------------------|---------------------|------|-----------------------------|
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Folicur 250 EW | 3857 | Bayer |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Orius 250 EW | 6832 | Adama SA |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days | Tebuconazole 250 EW | 7551 | Villa Crop Protection |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Barley | Eye spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days | Corona 250 EW | 7603 | Meridian Agritech Co |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days; 77 days F | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Barley | Eye spot; Halo spot; Leaf rust; Leafspot; Net blotch | tebuconazole | EW | 250 g/l | 77 days | Tacora 25 EW | 8865 | Anasac SA |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Riza EW | 8882 | Cheminova |
| Barley | Eye spot; Halo spot; Leaf rust; Leafspot; Net blotch | tebuconazole | EW | 250 g/l | 77 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Barley | Eye spot; Halo spot; Leafspot; Leaf rust; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | 77 days | Mystic | 9852 | Nufarm Agriculture |
| Barley | Covered smut; Loose smut | tebuconazole | FS | 60 g/l | | Orius 6 FS | 7418 | Adama SA |
| Barley | Covered smut; Loose smut | tebuconazole | FS | 60 g/l | | Ingwe 6 FS | 7567 | Crompton Chemicals |
| Barley | Covered smut; Loose smut | tebuconazole | WS | 20 g/kg | | Ingwe 2 WS | 7566 | Crompton Chemicals |
| Barley | Eye spot; Leaf rust; Leaf spot; Net blotch | tebuconazole | EW | 250 g/l | 77 days | Tebuconazole 250 EW | 8814 | Crop Asure |
| Barley | Leaf spot; New blotch | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 7 days | Nativo | 8942 | Bayer |
| Barley | Seedborne diseases | thiram | DS | 500 g/kg | | TMTD 50 DS | 6465 | Almond Agro Chemicals |
| Barley | Leaf rust | triadimefon | SC | 250 g/l | 56 days | Repute | 6824 | Bitrad Consulting |
| Barley | Covered smut; Loose smut | triadimenol | FS | 150 g/l | | Baytan 150 FS | 1697 | Bayer |
| Barley | Covered smut; Loose smut | triadimenol | FS | 150 g/l | | Shavit | 5493 | Adama SA |
| Barley | Covered smut; Loose smut | triadimenol | FS | 150 g/l | | Badger 15 FS | 7565 | Chemtura |
| Barley | Covered smut; Leaf spot; Loose smut; Powdery mildew | triticonazole | FS | 200 g/l | 180 | Flite | 4965 | BASF SA |
| Beans | Alternaria blight; Anthracnose; Leaf blight; Leaf spot; Leaf and pod spot; Rust; Southern blight; Web blight | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|-----------------------------|-----|-------------|--------------------|------------------------|------|----------------------------|
| Beans | Alternaria; Anthracnose; Ascochyta; Rust; Soybean rust; Web blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 14 days | Amistar Opti | 8265 | Syngenta SA |
| Beans | Soybean rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Estricon 250 SC | 9433 | Crop Asure |
| Beans | Soybean rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 40 days | Flustricon 450 SC | 9974 | Crop Asure |
| Beans | Ascochyta leaf spot; Soybean rust; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days; 42 days F | Flusicarb 375 SC | 9409 | Crop Asure |
| Beans | Ascochyta leaf spot; Soybean rust | carbendazim/flusilazole | SC | 250/125 g/l | 30 days; 42 days F | Flusicarb Extra 375 SC | 9562 | Crop Asure |
| Beans | Rust | carbendazim/tebuconazole | SC | 133/167 g/l | 14 days; 42 days F | Folicur C 300 SC | 4602 | Bayer |
| Beans | Rust | chlorothalonil | SC | 500 g/l | 3 days; 42 (hay) | Chloroflo 500 SC | 5171 | Plaaskem |
| Beans | Rust | chlorothalonil | SC | 500 g/l | 3 days; 42 (hay) | Mission 500 SC | 7020 | Villa Crop Protection |
| Beans | Rust | chlorothalonil | SC | 500 g/l | 3 days; 42 (hay) | Matrix | 7290 | Bitrad Consulting |
| Beans | Rust | chlorothalonil | SC | 500 g/l | 3 days; 42 (hay) | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Beans | Rust | chlorothalonil | SC | 500 g/l | 3 days; 42 (hay) | Calonil 500 SC | 7701 | Sidewalk Trading |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 4233 | Agro-Serve t/a Efekto |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Bravo 720 | 7005 | Syngenta SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Clortosip 720 SC | 7108 | Sipcam South Africa |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Odeon 720 SC | 7596 | Adama SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Mycoguard 720 SC | 8417 | Arysta Lifescience SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Oronil 720 SC | 8431 | Universal Crop Protection |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Mission 720 SC | 8432 | Villa Crop Protection |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | TalOnil 720 | 8935 | Erintrade t/a RT Chemicals |
| Beans | Rust | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Beans | Rust | chlorothalonil | WG | 825 g/kg | 3 days; 42 (hay) | Odeon 825 WG | 7597 | Adama SA |
| Beans | Bacterial blight | copper ammonium acetate | SL | 315 g/l | 3 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|-------------------------|-------------------------|-----|-------------------------|--------|---------------------------|------|---|
| Beans | Bacterial blight | copper ammonium acetate | SL | 315 g/l | 3 days | Fungi Flow | 6925 | Villa Crop Protection |
| Beans | Bacterial blight | copper ammonium acetate | SL | 316 g/l | 3 days | Copper Count-N | 2602 | Hygrotech Properties |
| Beans | Bacterial blight | copper ammonium acetate | SL | 316 g/l | 3 days | Liquicop | 5586 | Hygrotech Properties |
| Beans | Bacterial blight | copper ammonium acetate | SL | 686 g/l | 3 days | Fungicop | 6298 | Gouws & Scheepers |
| Beans | Bacterial blight | copper hydroxide | SC | 180 g/l | 3 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Beans | Bacterial blight | copper hydroxide | SC | 180 g/l | 3 days | Copmaxx | 9905 | Ag-Chem Africa |
| Beans | Bacterial blight | copper hydroxide | SC | 180 g/l | 3 days | Cupra Super | 9906 | Ag-Chem Africa |
| Beans | Bacterial blight | copper hydroxide | SC | 538 g/l | 3 days | StopBac | 8797 | Plaaskem |
| Beans | Bacterial blight | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 3 days | CungFu 538 SC | 7526 | Nulandis |
| Beans | Bacterial blight | copper hydroxide | WG | 538 g/kg | 3 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Beans | Bacterial blight | copper hydroxide | WP | 770 g/kg | 3 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Beans | Bacterial blight | copper hydroxide | WP | 770 g/kg | 3 days | Funguran-OH | 4445 | Agri Registrations CC |
| Beans | Bacterial blight | copper hydroxide | WP | 770 g/kg | 3 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Rust | 3131 | Kombat |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Demildex | 5094 | Delta Chemicals |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | 3 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Beans | Bacterial blight | copper oxychloride | WP | 860 g/kg | 3 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Beans | Bacterial blight | copper/mancozeb | WG | 120/300 g/kg | 3 days | Cuprofix 30 Disperss | 7893 | Total SA |
| Beans | Bacterial blight | cuprous oxide | WG | 860 g/kg | 7 days | Nordox 86% WG | 8077 | Avima |
| Beans | Bacterial blight | cuprous oxide | WP | 860 g/kg | 7 days | Nordox 86% WP | 8078 | Avima |
| Beans | Grey mould; White mould | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Beans | Root rot | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|---------------------------|-------------------------|-----|-----------|----------------------------------|-----------------------|------|---|
| Beans | Rust; Soybean rust | difenoconazole | EC | 250 g/l | 14 days; Soybeans 18 | Score | 5132 | Syngenta SA |
| Beans | Rust | difenoconazole | EC | 250 g/l | 14 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Beans | Rust | difenoconazole | EC | 250 g/l | 14 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Beans | Rust; Soybean rust | difenoconazole | EC | 250 g/l | 14-18 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Beans | Rust | difenoconazole | EC | 250 g/l | 14 days | Dicati | 8414 | Sharda International Africa |
| Beans | Rust | difenoconazole | EC | 250 g/l | 14 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Beans | Brown rust; Soybean rust | difenoconazole | EC | 250 g/l | 14 days; Soybeans 18 | Difen 250 EC | 8535 | Crop Asure |
| Beans | Brown rust | difenoconazole | EC | 250 g/l | 14 days | Divino 250 EC | 9343 | Adama SA |
| Beans | Brown rust | difenoconazole | EC | 250 g/l | 14 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Beans | Rust | difenoconazole | EC | 250 g/l | 14 days | Granado | 9767 | DNA Crop Protection |
| Beans | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 56 days; Soybeans 175 days | Celest XL | 6353 | Syngenta SA |
| Beans | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 56 days; Soybeans 175 days | Celest XL White | 7480 | Syngenta SA |
| Beans | Anthrachnose; Rust | mancozeb | DF | 750 g/kg | 3 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Beans | Anthrachnose; Rust | mancozeb | SC | 420 g/l | 3 days | Pennfluid | 7733 | Total SA |
| Beans | Anthrachnose; Rust | mancozeb | SC | 455 g/l | 3 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Beans | Anthrachnose; Rust | mancozeb | WG | 750 g/kg | 3 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Beans | Anthrachnose; Rust | mancozeb | WG | 750 g/kg | 3 days | Penncozeb WG | 4655 | Total SA |
| Beans | Anthrachnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Beans | Anthrachnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 | 2741 | Kombat |
| Beans | Anthrachnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Beans | Anthrachnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Beans | Anthrachnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Beans | Anthrachnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|-------------------|------------------|-----|-------------|-----------------------|---------------------------|------|--|
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Tridex | 5323 | Total SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Newzeb 800 WP | 8167 | Crop Asure |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Tozeb WP | 8526 | Total SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | 3 days | Ventum 800 WP | 8691 | Nulandis |
| Beans | Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Manager SC | 3538 | Applied Chemical Products |
| Beans | Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Beans | Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Vandal | 8462 | Arysta Lifescience SA |
| Beans | Anthracnose | metiram | WG | 700 g/kg | 3 days | Polyram WG | 5268 | BASF SA |
| Beans | Rust | oxycarboxin | EC | 200 g/l | 14 days | Plantvax EC | 5147 | Crompton Chemicals |
| Beans | Stem rot | procymidone | SC | 250 g/l | 14 days | Sumisclex SC | 6377 | Philagro South Africa |
| Beans | Stem rot | procymidone | SC | 500g/l | 14 days | Hit 500 SC | 7575 | Dow Agroscience SA |
| Beans | Rust | tebuconazole | EC | 250 g/l | 14 days; 42 days F | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Beans | Rust | tebuconazole | EC | 250 g/l | 14 days; 42 days F | Ardent | 9779 | DNA Crop Protection |
| Beans | Rust | tebuconazole | EW | 0,25 g/l | 14 days | Orius 200 EW RTU | 8302 | Makhro-Agro SA |
| Beans | Rust | tebuconazole | EW | 200 g/l | 14 days; 42 days F | Orius 200 EW | 7479 | Adama SA |
| Beans | Rust | tebuconazole | EW | 200 g/l | 14 days; 42 days F | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Beans | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Folicur 250 EW | 3857 | Bayer |
| Beans | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Orius 250 EW | 6832 | Adama SA |
| Beans | Rust | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Beans | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Beans | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Tacora 25 EW | 8865 | Anasac SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------------|---|-----------------------------|-----|------------------|----------------------|-------------------|-------|---|
| Beans | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Riza EW | 8882 | Cheminova |
| Beans | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Beans | Damping off | tolclofos-methyl | WS | 500 g/kg | | Rizolex WP | 6376 | Philagro South Africa |
| Beans | Rust | triforine | EC | 190 g/l | 3 days | Funginex | 2469 | Agro-Serve t/a Efekto |
| Beans | Rust | triforine | EC | 190 g/l | 3 days | Denarin EC | 5210 | Sumitomo Corporation |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | 45 days | Amistar | 6230 | Syngenta SA |
| Beans (dry) | Anthracnose; Rust | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | 45 days | Fortress | 9269 | Meridian Agritech Co |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Beans (dry) | Anthracnose; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 45 days | Amistar Top | 7897 | Syngenta SA |
| Beans (dry) | Anthracnose; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 45 days | Azur Top 325 SC | 9867 | Almond Agro Chemicals |
| Beans (dry) | Rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days; 42 days (F) | Clout CM | 8281 | Meridian Agritech Co |
| Beans (dry) | Brown rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days; 42 days F | Clout CM | 8281 | Meridian Agritech Co |
| Beans (dry) | Angular Leaf spot; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days; 42 days (F) | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Beans (dry) | Angular Leaf spot; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days; 42 days (F) | Sparta SC | 8403 | Villa Crop Protection |
| Beans (dry) | Angular Leaf spot; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days; 42 days (F) | Colloso | 9284 | Arysta Lifescience SA |
| Beans (dry) | Rust (only in tank mix with hexaconazole) | chlorothalonil | SC | 720 g/l | 7 days; 42 (hay) | Solsan SC | 9590 | Meridian Agritech Co |
| Beans (dry) | Rust | hexaconazole | SC | 50 g/l | 14 days | Richter | 6978 | Volcano Agroscience /ta Arysta Lifescience SA |
| Beans (dry) | Rust | hexaconazole | SC | 50 g/l | 14 days | Optan 50 SC | 7878 | Meridian Agritech Co |
| Beans (dry) | Damping off | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Beans (dry) | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Beans (dry) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Zole 250 EW | 9142 | Ag-Chem Africa |
| Beans (dry) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Mystic | 9852 | Nufarm Agriculture |
| Beans (dry) | Fusarium; Rhizoctoria | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------------|---|-----------------------------|-----|------------------|----------------------|-------------------------|-------|---|
| Beans (green) | Rust (only in tank mix with hexaconazole) | chlorothalonil | SC | 720 g/l | 3 days; 42 (hay) | Solsan SC | 9590 | Meridian Agritech Co |
| Beans (green) | Rust | hexaconazole | SC | 50 g/l | 3 days | Richter | 6978 | Volcano Agroscience /ta Arysta Lifescience SA |
| Beans (green) | Rust | hexaconazole | SC | 50 g/l | 3 days | Optan 50 SC | 7878 | Meridian Agritech Co |
| Beans (green) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Zole 250 EW | 9142 | Ag-Chem Africa |
| Beans (green) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Mystic | 9852 | Nufarm Agriculture |
| Beans (green) | Fusarium; Rhizoctonia | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |
| Beans (soy) | Soybean rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 40 days | Amistar Xtra | 8567 | Syngenta SA |
| Beans (soy) | Soybean rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Indicate 250 SC | 9310 | Universal Crop Protection |
| Beans (soy) | Soybean rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Improve 250 SC | 9311 | Villa Crop Protection |
| Beans (soy) | Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Az-Well 250 SC | 10078 | ICA International Chemicals |
| Beans (soy) | Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 40 days | Budget 450 SC | 9648 | Villa Crop Protection |
| Beans (soy) | Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 40 days | Buzzard 450 SC | 9649 | Universal Crop Protection |
| Beans (soy) | Rust | azoxystrobin/tebuconazole | SC | 120/200 g/l | 60 days | Custodia 320 SC | 9342 | Adama SA |
| Beans (soy) | Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Beans (soy) | Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Sparta SC | 8403 | Villa Crop Protection |
| Beans (soy) | Ascochyta blight; Soybean rust | carbendazim/flusilazole | SC | 125/250 g/l | 30 days | Coloso | 9284 | Arysta Lifescience SA |
| Beans (soy) | Ascochyta leafspot; Rust | carbendazim/flusilazole | SC | 250/125 g/l | 30 days; 42 days (F) | Sparta Plus 375 SC | 9499 | Villa Crop Protection |
| Beans (soy) | Ascochyta leafspot; Rust | carbendazim/flusilazole | SC | 250/125 g/l | 30 days; 42 days (F) | Flusilazim Extra 375 SC | 9500 | Universal Crop Protection |
| Beans (soy) | Soybean rust | cyproconazole/picoxystrobin | SC | 80/200 g/l | 56 days | Acanto Plus 280 SC | 9149 | Du Pont de Nemours |
| Beans (soy) | Soybean rust | cyproconazole/propiconazole | EC | 80/250 g/l | 40 days | Artea | 6820 | Syngenta SA |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | 18 days | Pronto 250 EC | 7602 | Meridian Agritech Co |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | 18 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Beans (soy) | Soybean rust | difenoconazole | EC | 250 g/l | 18 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Beans (soy) | Soybean rust | difenoconazole | EC | 250 g/l | 18 days | Dicati | 8414 | Sharda International Africa |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | 18 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | 18 days | Divino 250 EC | 9343 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------------|---|------------------------------|-----|------------------|--------------------|---------------------|-------|--------------------------------------|
| Beans (soy) | Soybean rust | difenoconazole | EC | 250 g/l | 18 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Beans (soy) | Soybean rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 39 days | Abacus | 8048 | BASF SA |
| Beans (soy) | Soy bean rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 39 days | Abacus Advance | 9132 | BASF SA |
| Beans (soy) | Soybean rust | flutriafol | SC | 125 g/l | 49 days | Impact | 4088 | Cheminova (Disa Bio-Technologies CC) |
| Beans (soy) | Soybean rust | flutriafol | SC | 250 g/l | 49 days | Impact 250 SC | 9064 | Cheminova |
| Beans (soy) | Soybean rust | flutriafol/tebuconazole | SC | 75/225 g/l | 49 days | Impact Gold 300 SC | 9312 | Cheminova |
| Beans (soy) | Damping off | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Beans (soy) | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Beans (soy) | Soy bean rust | prothioconazole | SC | 480 g/l | 28 days F | Santana 480 SC | 10049 | Villa Crop Protection |
| Beans (soy) | Soybean rust | tebuconazole | EC | 250 g/l | 32 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Beans (soy) | Soybean rust | tebuconazole | EW | 250 g/l | 32 days | Folicur 250 EW | 3857 | Bayer |
| Beans (soy) | Soybean rust | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Beans (soy) | Soybean rust | tebuconazole | EW | 250 g/l | 32 days | Riza EW | 8882 | Cheminova |
| Beans (soy) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Zole 250 EW | 9142 | Ag-Chem Africa |
| Beans (soy) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Beans (soy) | Rust | tebuconazole | EW | 250 g/l | 14 days; 42 days F | Mystic | 9852 | Nufarm Agriculture |
| Beans (soy) | Soybean rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 32 days | Nativo | 8942 | Bayer |
| Beans (soy) | Soybean rust | triadimenol | EC | 250 g/l | 56 days | Shavit 25 EC | 5601 | Adama SA |
| Beans (soy) | Fusarium; Rhizoctonia | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |
| Beans (soy) | Soybean rust | triforine | EC | 190 g/l | 3 days | Denarin EC | 5210 | Sumitomo Corporation |
| Beets | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Beets | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Beets | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Beets | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Beets | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Berries | Powdery mildew (<i>Sphaerotheca</i> spp.) Alternaria fruit rot (<i>Alternaria</i> spp.) Anthracnose (<i>Colletotrichum</i> spp.) | azoxystrobin | SC | 250 g/l | 1 | Obstructo 250 SC | 9323 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|---|-------------------------|-----|--------------|----------------|---------------------------|------|---|
| Berries and small fruit | Alternaria fruit rot; Anthracnose; Botryosphaeria canker; Colletotrichum rot; Powdery mildew; Septoria blight | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Berries and small fruit | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Berries and small fruit | Alternaria fruit rot; Anthracnose; Botrytis fruit rot; Phomopsis | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Berries and small fruit | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Blackberries | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Blackberries | Botrytis rot | fluopyram | SC | 500 g/l | 3 days | Luna Privilege | 8997 | Bayer |
| Blueberries | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Blueberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Blueberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Blueberries | Botrytis rot | fenhexamid | SC | 500 g/l | 3 days-6 weeks | Teldor 500 SC | 6250 | Bayer |
| Blueberries | Botrytis rot | fluopyram | SC | 500 g/l | 3 days | Luna Privilege | 8997 | Bayer |
| Blueberries | Botrytis | pyrimethanil | SC | 400 g/l | 3 days | Scala | 4972 | Bayer |
| Boysenberries & Youngberries | Downy mildew | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Boysenberries & Youngberries | Downy mildew | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Boysenberries & Youngberries | Downy mildew | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--------------------------|--------------------|-----|--------------|---------|------------------------|------|---|
| Boysenberries & Youngberries | Anthracoze | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Boysenberries & Youngberries | Downy mildew | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | SC | 455 g/l | 14 days | Grater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Boysenberries & Youngberries | Downy mildew | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Boysenberries & Youngberries | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Boysenberries & Youngberries | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Boysenberries & Youngberries | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Milor 700 WP | 5884 | Rotam RSA |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Sanlaxyl 700 WP | 6100 | Dow Agroscience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|---|--------------------------------------|-----|----------------|--------------------|---------------------|------|---|
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Kickback 700 WP | 7105 | Bitrad Consulting |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Mancolax 700 WP | 7382 | Gouws & Scheepers (Plaaskem) |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Metazeb 700 WP | 7462 | Universal Crop Protection |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Metazeb 700 WP | 7463 | Villa Crop Protection |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Rolim 700 WP | 7609 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl- m | WG | 640/40 g/kg | 14 days | Ridomil Gold Pepite | 7191 | Syngenta SA |
| Boysenberries & Youngberries | Anthraco | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 4230 | Agro-Serve t/a Efekto |
| Boysenberries & Youngberries | Anthraco | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 7686 | Delta Chemicals |
| Boysenberries & Youngberries | Downy mildew | propineb | WP | 700 g/kg | 14 days | Antracol 70 WP | 2065 | Bayer |
| Brinjals | Crown rot; Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Canola | Alternaria black spot; Blackleg; Sclerotinia stem rot | azoxystrobin | SC | 250 g/l | 30 days | Amistar | 6230 | Syngenta SA |
| Canola | Dark leaf and pod spot | azoxystrobin/cyproconazole | SC | 200/80 g/l | 30 days | Amistar Xtra | 8567 | Syngenta SA |
| Canola | Leaf and pod spots; Stem canker | difenoconazole | EC | 250 g/l | 30 days | Score | 5132 | Syngenta SA |
| Canola | Damping off; Blackleg; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 50 days | Celest XL | 6353 | Syngenta SA |
| Canola | Damping off; Blackleg; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 50 days | Celest XL White | 7480 | Syngenta SA |
| Canola | Damping off; Seed decay | fludioxonil/metalaxyl-m/thiamethoxam | FS | 8/33,3/280 g/l | 42 days | Cruiser OSR | 8451 | Syngenta SA |
| Canola | Blackleg | fluquinconazole | FS | 167 g/l | | Galmano 167 FS | 9363 | Bayer |
| Canola | Blackleg; Stem rot | prothioconazole/tebuconazole | EC | 125/125 g/l | 21 days; 21 days F | Prosaro 250 EC | 8510 | Bayer |
| Capsicums | Anthraco; Cercospora leaf spot; Powdery mildew | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Capsicums | Crown rot; Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Carrots | Early blight; Late blight; Soil-borne diseases; White mould | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Carrots | Early blight; Late blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 1 day | Amistar Opti | 8265 | Syngenta SA |
| Carrots | Alternaria blight; Leaf spot; Powdery mildew; Southern blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Carrots | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------------|--|------------------------------------|-----|--------------|-------------|---------------------------|------|---|
| Carrots | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 3 days | Sporekill | 7115 | ICA International Chemicals |
| Carrots | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 3 days | Spore-Attack | 8178 | ICA International Chemicals |
| Carrots | Leaf blight | difenoconazole | EC | 250 g/l | 7 days | Score | 5132 | Syngenta SA |
| Carrots | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Carrots | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Carrots | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Carrots | Leaf blight; Powdery mildew | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 21 days | Nativo | 8942 | Bayer |
| Cashew nuts | Foliar diseases | azoxystrobin/difenoconazole | SC | 200/125 g/l | 45 days | Amistar Top | 7897 | Syngenta SA |
| Cassava | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 - 14 days | Amistar | 6230 | Syngenta SA |
| Cassava | Black dot; Early blight; Rust; Septoria leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Cassava | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Cassava | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Celery | Early blight; Late blight; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Celery | Basal stalk rot; Early blight; Late blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 days | Amistar Opti | 8265 | Syngenta SA |
| Celery | Leaf spot | captab | WP | 500 g/kg | 3 days | Captab WP | 6758 | Universal Crop Protection |
| Celery | Leaf spot | captab | WP | 500 g/kg | 3 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Celery | Leaf spot | captab | WP | 500 g/kg | 3 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Rust | 3131 | Kombat |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Demildex | 5094 | Delta Chemicals |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Coprox Super | 5804 | Arysta Lifescience SA |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 day | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | 1 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Celery | Leaf spot | copper oxychloride | WP | 860 g/kg | 1 day | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Celery | Downy mildew | mandipropamid | SC | 250 g/l | 1 day | Revus | 8617 | Syngenta SA |
| Celery | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|--|-----|---------------------------|---------|---------------------------|------|---|
| Cherries | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | | Crown Gall Inoculant | 1380 | Stimulant |
| Cherries | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Cherries | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rot; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Cherries | Bacterial canker | cuprous oxide | WG | 860 g/kg | | Nordox 86% WG | 8077 | Avima |
| Cherries | Bacterial cancer | cuprous oxide | WP | 860 g/kg | | Nordox 86% WP | 8078 | Avima |
| Cherries | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | 2 days | Chorus | 5383 | Syngenta SA |
| Cherries | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Cherries | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Cherries | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Cherries | Blossom blight | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Cherries | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 14 days | Bumper 250 EC | 6034 | Adama SA |
| Chicory | Leaf spot | carbendazim/difenoconazole | SC | 125/62,5 g/l | 85 days | Difenoconazole SC | 7924 | Universal Crop Protection |
| Chicory | Leaf spot | carbendazim/difenoconazole | SC | 125/62,5 g/l | 85 days | Aria 188 SC | 7943 | Villa Crop Protection |
| Chives | Botrytis rot; Leaf blight; Leaf spot; Powdery mildew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Chives | Downy mildew | dimethomorph/mancozeb | WG | 90/600 g/kg | 14 | Acrobat WG | 6526 | BASF SA |
| Chives | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Citrus | Post harvest decay | 2,4-D (sodium salt) | SL | 25 g/l | | Decomone Solution | 5562 | Bayer |
| Citrus | Pruning wounds & die back | 8-hydroxyquinoline sulfate/octhilinone | PA | 5/5 g/kg | | Neocil-Plus | 3876 | Algro-Chem |
| Citrus | Brown rot | ammonium phosphite | SL | 386 g/l | | Brilliant SL | 7225 | Arysta Lifescience SA |
| Citrus | Brown rot | ammonium phosphite | SL | 386 g/l | | Brilliant 300 SL | 7226 | Nippon Africa Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--------------------------------|------------------------------|-----|------------|--------------------------------|-----------------------|-------|---|
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 77 days; lemons 14 days | Ortiva | 5968 | Syngenta SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 21 - 77 | Fungaway 250 SC | 8590 | Villa Crop Protection |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 14 days | Segar | 8593 | Sharda International Africa |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 14 days; 21 lemons | Strobin 250 SC | 8625 | Crop Asure |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | | Nanok 250 SC | 8893 | Cheminova |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 77 days | Fortress | 9269 | Meridian Agritech Co |
| Citrus | Alternaria spot; Black spot | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Citrus | Alternaria spot; Black spot | azoxystrobin | SC | 250 g/l | | Aztrix 250 SC | 9574 | Wentek Chemicals |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | | Nova Z-Strobin 250 SC | 9703 | AgriNova Trust |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 14 days | Banshee | 9786 | DNA Crop Protection |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | 77 days (lemons 14 days) | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Citrus | Black spot; Melanose | azoxystrobin | WG | 500 g/kg | 77 days; lemons 14 days | Monarch 500 WDG | 8955 | Universal Crop Protection |
| Citrus | Black spot; Melanose | azoxystrobin | WG | 500 g/kg | 77 days; lemons 14 days | Essence 500 WDG | 8956 | Villa Crop Protection |
| Citrus | Black spot | azoxystrobin | WG | 500 g/kg | lemons 14 days; 77 days | Nova Z-Strobin 500 WG | 9674 | AgriNova Trust |
| Citrus | Black spot | azoxystrobin/kresoxim-methyl | SC | 225/25 g/l | 77 days | Bistro 250 SC | 9245 | Meridian Agritech Co |
| Citrus | Black spot; Post harvest decay | benomyl | WP | 500 g/kg | 14 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Citrus | Black spot; Post harvest decay | benomyl | WP | 500 g/kg | 14 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Citrus | Black spot | benomyl | WP | 500 g/kg | 14 | Benomyl | 7291 | Volcano Agrosience /ta Arysta Lifescience SA |
| Citrus | Black spot; Post harvest decay | benomyl | WP | 500 g/kg | 14 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Citrus | Black spot | benomyl | WP | 500 g/kg | 14 days | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Citrus | Black spot | borax/orange oil | SL | 10/50 g/l | | Prev- Am | 7130 | Oro Agri SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|-------------------------|-----|-------------------------|---------|---------------------------|------|---|
| Citrus | Black spot | carbendazim | SC | 500 g/l | 14 days | Bendazid 500 SC | 6961 | Nulandis |
| Citrus | Black spot | carbendazim | SC | 500 g/l | 14 days | Knowin 500 SC | 7027 | Nulandis |
| Citrus | Black spot | carbendazim | SC | 500 g/l | 14 days | Ag-Carbendazim 500 SC | 8870 | Ag-Chem Africa |
| Citrus | Black spot | carbendazim | SC | 500 g/l | 14 days | Zimbo | 9429 | Meridian Agritech Co |
| Citrus | Black spot | carbendazim | SC | 500 g/l | 14 days | Nova CBZ 500 SC | 9819 | AgriNova Trust |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Citrus | Alternaria spot; Black spot | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Citrus | Black spot | copper hydroxide | WP | 770 g/kg | 14 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Citrus | Black spot | copper hydroxide | WP | 770 g/kg | 14 days | Funguran-OH | 4445 | Agri Registrations CC |
| Citrus | Alternaria spot; Black spot | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Citrus | Black Spot | copper oxychloride | SC | 700 g/l | 14 days | NanoGreen SC | 8980 | Arysta Lifescience SA |
| Citrus | Black spot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Citrus | Alternaria spot; Black spot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Citrus | Alternaria spot; Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Citrus | Black spot; Melanose; Scab | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Citrus | Black spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copflo Super | 6981 | Ag-Chem Africa |
| Citrus | Black spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Citrus | Black spot | copper sulphate/lime | WG | 711/289 g/kg | | Cuprofix Ultra | 8888 | Total SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|------------------------------------|-----|--------------|----------|----------------------|-------|---|
| Citrus | Black spot | copper/mancozeb | WG | 120/300 g/kg | | Cuprofix 30 Disperss | 7893 | Total SA |
| Citrus | Black spot; Scab | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Citrus | Black spot; Scab | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Citrus | Alternaria spot; Black spot; Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Sporekill | 7115 | ICA International Chemicals |
| Citrus | Alternaria spot; Black spot; Post harvest decay; Trunk & branch canker | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Spore-Attack | 8178 | ICA International Chemicals |
| Citrus | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 126 g/l | | Quattro-Kill | 8004 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 250 g/l | | Terminator | 5990 | Agricultural Protection Systems |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Score | 5132 | Syngenta SA |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Dicati | 8414 | Sharda International Africa |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Difen 250 EC | 8535 | Crop Asure |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Divino 250 EC | 9343 | Adama SA |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | 90 days | Granado | 9767 | DNA Crop Protection |
| Citrus | Black spot | dipotassium phosphate | SL | 297 g/l | | RB1 | 10352 | River Bioscience |
| Citrus | Post harvest decay (Blue and green Mould) | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Citrus | Navel end rot | flutriafol | SC | 125 g/l | 120 days | Impact | 4088 | Cheminova (Disa Bio-Technologies CC) |
| Citrus | Navel end rot | flutriafol | SC | 250 g/l | 120 days | Impact 250 SC | 9064 | Cheminova |
| Citrus | Root & Collar rot | fosetyl-Al | WG | 800 g/kg | 25 days | Aliette WG | 5689 | Bayer |
| Citrus | Post harvest decay | guazatine | SL | 200 g/l | | Kenopel 200 SL | 7459 | Adama SA |
| Citrus | Post harvest decay | guazatine | SL | 210 g/L | | CituCure | 6739 | ICA International Chemicals |
| Citrus | Post harvest decay Sour Rot | guazatine | SL | 210 g/l | | Megacide | 7126 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|--------------------|-----|-------------|--------|--------------------------|-------|-----------------------------|
| Citrus | Post harvest decay | guazatine | SL | 3 g/l | | CitriWax | 6971 | ICA International Chemicals |
| Citrus | Post harvest decay | guazatine | SL | 3 g/l | | CitriWax Dual | 7613 | ICA International Chemicals |
| Citrus | Post harvest decay | guazatine/imazalil | SL | 200/134 g/l | | Guazalil SL | 7962 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | | EF Natural HS Plus | 9056 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | | EF QDP PLUS | 9075 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | | EF Natural MS Plus | 9097 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | | NatuCure IMZ | 9686 | Citrashine |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | | PolyCure IMZ | 9689 | Citrashine |
| Citrus | Post Harvest Penicillium and Sour Rot | imazalil | EC | 300 g/l | | Imaculate 300 EC | 9080 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | EC | 500 g/l | | Magnate 500 EC | 8086 | Adama SA |
| Citrus | Post harvest decay | imazalil | EC | 500 g/l | | Ag-Imazalil 500 EC | 8731 | Ag-Chem Africa |
| Citrus | Post harvest decay | imazalil | EC | 500 g/l | | Deccoziel 500 EC | 10082 | Citrashine |
| Citrus | Post harvest decay | imazalil | EC | 800 g/l | | Magnate 800 EC | 4643 | Adama SA |
| Citrus | Post harvest decay Penicillium | imazalil | SG | 750 g/kg | | ImazaCure 750 SG | 7926 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | SG | 750 g/kg | | Imazalil Sulphate 750 SG | 8180 | Villa Crop Protection |
| Citrus | Post harvest decay | imazalil | SL | 2 g/l | | Citrosol A IMAD 2 | 9397 | Citrosol SA |
| Citrus | Post harvest decay | imazalil | SL | 3 g/l | | Citrosol A IMAD 3 | 9412 | Citrosol SA |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | | Magnate Sulphate 750 SP | 4611 | Adama SA |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | | Imazalil Sulphate | 7285 | Meridian Agritech Co |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | | Imazapen 750 SP | 7486 | Ag-Chem Africa |
| Citrus | Post harvest decay Penicillium | imazalil | SP | 750 g/kg | | ImazaCure 750 SP | 7928 | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | | Imazalil 750 SP | 7946 | Arysta Lifescience SA |
| Citrus | Post harvest decay | imazalil | WG | 750 g/kg | | Farmag Imazalil 750 WG | 4874 | Castle Ag-Chem |
| Citrus | Post harvest decay | imazalil | WG | 750 g/kg | | Ag-Imazalil 750 SG | 8732 | Ag-Chem Africa |
| Citrus | Post harvest decay; Blue mould; Green mould | imazalil | WG | 750 g/kg | | Deccoziel 750 SG | 10091 | Citrashine |
| Citrus | Post harvest decay | imazalil | EC | 500 g/l | | ImazaCure 500 EC | 7927 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|----------------------------|-----|-------------|----------|-------------------------|-------|---|
| Citrus | Post-harvest decay | imazalil/orthophenylphenol | | 75/100 g/l | | Citrocil | 10416 | Citrosol SA |
| Citrus | Post harvest decay | imazalil/pyrimethanil | SC | 200/200 g/l | | Philabuster 400 SC | 8220 | Janssen Pharmaceutica t/a Janssen-Cilag |
| Citrus | Alternaria brown spot | iprodione | SC | 255 g/l | 115 days | Rovral Flo | 1046 | FMC Chemicals |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | 56 days | Kreso WDG | 8193 | Villa Crop Protection |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | 56 days | Kresoxim-Methyl 500 WDG | 8194 | Universal Crop Protection |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | 56 days | Kreso 50 WG | 8266 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | 56 days | Oxim 500 WDG | 8574 | Crop Asure |
| Citrus | Brown rot; Black spot; Melanose; Necrostomat; Rust mite | mancozeb | DF | 750 g/kg | 14 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Citrus | Black spot | mancozeb | SC | 420 g/l | 28 days | Pennfluid | 7733 | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 455 g/l | 14 days | Multizeb 455 SC | 9174 | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 455 g/l | 14 days | Newzeb 455 SC | 9175 | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 480 g/l | 14 days | Newzeb 480 SC | 9178 | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 480 g/l | 14 days | Unizeb 480 SC | 9179 | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | 14 days | Newzeb 750 WDG | 8811 | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | 14 days | Villa Unizeb 750 WDG | 8812 | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 750 g/kg | 14 days | Cozeb 750 WDG | 8964 | Crop Asure |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | 14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|---|-----|-------------|---------|------------------------|-------|-----------------------------|
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agrosience SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Citrus | Black spot; Brown rot; Melanose | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Citrus | Black spot | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Manager SC | 3538 | Applied Chemical Products |
| Citrus | Black spot | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Citrus | Black spot | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Vandal | 8462 | Arysta Lifescience SA |
| Citrus | Root & Collar rot | metalaxyl | GR | 50 g/kg | 30 days | Kickback 5 GR | 7104 | Bitrad Consulting |
| Citrus | Root & Collar rot | metalaxyl | GR | 50 g/kg | 30 days | Rolim 5 GR | 7608 | Arysta Lifescience SA |
| Citrus | Collar & root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Citrus | Black spot | mineral oil | EC | 850 g/l | | H&R Medium Spray Oil | 6491 | H&R Global Special Products |
| Citrus | Black spot | mineral oil (heavy narrow) | EC | 840 g/l | | Cipron | 6133 | H&R Global Special Products |
| Citrus | Post-harvest decay | orthophenylphenol | | 100 g/l | | Ortocil | 10432 | Citrosol SA |
| Citrus | Post-harvest decay | orthophenylphenol | | 286 g/l | | Ortosol 6500 | 10433 | Citrosol SA |
| Citrus | Root & Collar rot | phosphorous acid | SP | 980 g/l | | Rootmaster 98 | 5252 | Universal Crop Protection |
| Citrus | Root and collar rot | phosphorous acid equivalent/potassium carbonate | SL | 400/560 g/l | 28 days | Phostemic 400 SL | 10458 | Meridian Agrochemical Co. |
| Citrus | Root & Collar rot | potassium phosphite | SL | 370 g/l | 14 days | Phosguard 200 SL | 6635 | Ocean Agriculture |
| Citrus | Brown rot; Root & Collar rot | potassium phosphite | SL | 555 g/l | 14 days | Fighter | 7330 | Ag-Chem Africa |
| Citrus | Brown rot; Root rot | potassium phosphite | SL | 555 g/l | 14 days | Inteli-Phite | 9859 | Ag-Chem Africa |
| Citrus | Brown rot; Phytophthora root rot | potassium phosphite | SL | 555 g/l | 14 days | K-Phite | 9949 | Ag-Chem Africa |
| Citrus | Brown rot; Phytophthora root rot | potassium phosphite | SL | 555 g/l | 14 days | Phitemaxx | 9950 | Ag-Chem Africa |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | 28 days | Phosguard 400 SL | 6477 | Nulandis |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | | Rootex 400 SL | 7467 | Universal Crop Protection |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | | Phosphite 400 SL | 7468 | Villa Crop Protection |
| Citrus | Root and collar rot | potassium phosphite | SL | 560 g/l | 28 days | Leafguard 400 SL | 7803 | Nulandis |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | 14 days | Mariphos 400 SL | 7961 | Arysta Lifescience SA |
| Citrus | Collar rot; Root rot | potassium phosphite | SL | 560 g/l | | Potassium P 400 SL | 8091 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|----------------------------|-----|-------------|----------|-----------------------|-------|-----------------------------|
| Citrus | Root rot | potassium phosphite | SL | 605 g/l | 14 days | Ag-Phos 400 SL | 8216 | Ag-Chem Africa |
| Citrus | Brown rot; Root rot | potassium phosphite | SL | 605 g/l | 14 days | Phosplus | 9808 | Ag-Chem Africa |
| Citrus | Brown rot; Root rot | potassium phosphite | SL | 605 g/l | 14 days | Phosmaxx | 9809 | Ag-Chem Africa |
| Citrus | Brown rot; Root rot | potassium phosphite | SL | 605 g/l | 14 days | Stimu-Blok | 9849 | Ag-Chem Africa |
| Citrus | Root & Collar rot | potassium phosphonate | SL | 200 g/l | 14 days | Phytex | 5263 | Horticura |
| Citrus | Post harvest decay | prochloraz | EC | 450 g/l | | Chronos 45 EC | 5589 | Adama SA |
| Citrus | Post harvest decay | prochloraz | EC | 450 g/l | | ICA-Prochloraz 450 EC | 8478 | ICA International Chemicals |
| Citrus | Post harvest decay | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Citrus | Alternaria spot | procymidone | SC | 250 g/l | 120 days | Sumisclex SC | 6377 | Philagro South Africa |
| Citrus | Alternaria spot | procymidone | SC | 500g/l | 120 days | Hit 500 SC | 7575 | Dow Agrosience SA |
| Citrus | Post harvest decay | propiconazole | EC | 250 g/l | | Propicure 250 EC | 9870 | ICA International Chemicals |
| Citrus | Post harvest decay | propiconazole | EC | 250 g/l | | Citrigan | 10165 | Adama SA |
| Citrus | Post harvest decay (Blue-, and green mould and sour rot) | propiconazole/pyrimethanil | EC | 120/150 g/l | | Propirly 270 EC | 9869 | ICA International Chemicals |
| Citrus | Post harvest decay | propiconazole/pyrimethanil | EC | 120/150 g/l | | Citrigan Plus | 10148 | Adama SA |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | 45 days | Cabrio | 6818 | BASF SA |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | 45 days | Cerato 250 EC | 9336 | Villa Crop Protection |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | 45 days | Costra 250 EC | 9507 | Crop Asure |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | 45 days | Pyrax | 10376 | Meridian Agrochemical Co |
| Citrus | Citrus Black Spot | pyraclostrobin | EC | 250 g/L | 45 days | Constrictor 250 EC | 10457 | ICA International Chemicals |
| Citrus | Post harvest decay (Blue and green Mould) | pyrimethanil | SC | 400 g/l | | Protector 400 SC | 8606 | ICA International Chemicals |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | | Support 400 SC | 9282 | Villa Crop Protection |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | | Source 400 SC | 9283 | Universal Crop Protection |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | | Pyrimet 400 SC | 9575 | Wentek Chemicals |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | | Origin 400 SC | 9698 | Crop Asure |
| Citrus | Post-harvest decay; Blue mould; Green mould | pyrimethanil | SC | 400 g/l | | Deccothanil 400 SC | 10081 | Citrashine |
| Citrus | Navel end rot | tebuconazole | EC | 250 g/l | 25 weeks | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Citrus | Navel end rot | tebuconazole | EC | 250 g/l | 25 weeks | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Citrus | Navel-end rot | tebuconazole | EC | 250 g/l | 25 weeks | Ardent | 9779 | DNA Crop Protection |
| Citrus | Navel end rot | tebuconazole | EW | 200 g/l | 175 days | Orius 200 EW | 7479 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|-------------------------|-----|-----------|-----------|---------------------------|-------|-----------------------------|
| Citrus | Navel-end rot | tebuconazole | EW | 200 g/l | 175 days | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | 25 weeks | Folicur 250 EW | 3857 | Bayer |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | | Orius 250 EW | 6832 | Adama SA |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | 175 days | Tebuzole 250 EW | 7551 | Villa Crop Protection |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | 175 days | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | 25 weeks | Tacora 25 EW | 8865 | Anasac SA |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | 175 days | Riza EW | 8882 | Cheminova |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | 175 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | 25 weeks | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | 175 days | Mystic | 9852 | Nufarm Agriculture |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | 175 days | Tbconazole 250 EW | 8814 | Crop Asure |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | | ICA -Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | | Ag-Thiabendazole 500 SC | 8733 | Ag-Chem Africa |
| Citrus | Post-harvest decay; Blue mould; Grey mould; Stem-end rot | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Citrus | Black spot | trifloxystrobin | SC | 500 g/l | 76 days | Flint 500 SC | 8866 | Bayer |
| Citrus | Black spot | trifloxystrobin | SC | 500 g/l | 76 days | Protivo | 9247 | Meridian Agritech Co |
| Citrus | Black spot | trifloxystrobin | WG | 500 g/kg | 76 days | Connect 500 WDG | 9324 | Villa Crop Protection |
| Citrus | Black spot | trifloxystrobin | WG | 500 g/kg | 76 days | Unite 500 WDG | 9325 | Universal Crop Protection |
| Citrus | Black spot | trifloxystrobin | WG | 500 g/kg | 76 days | Foxy 500 WDG | 9512 | Crop Asure |
| Clover | Alternaria leaf spot; Cercospora leaf spot; Downy mildew; Powdery mildew; Rust; Sclerotinia crown rot and wilt | azoxystrobin | SC | 250 g/l | 14 days | Amistar | 6230 | Syngenta SA |
| Clover | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Clover | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Clover | Damping off; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 90 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Coffee | Rust | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|--------------------|-----|-------------------------|---------|---------------------------|-------|---|
| Coffee | Rust | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Coffee | Rust | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Coffee | Rust | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Coffee | Rust | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Coffee | Rust | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Coffee | Rust | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Coffee | Rust | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Coffee | Leaf rust | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | 28 days | Soprano 125 SC | 8338 | Adama SA |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | 28 days | Rubric 125 SC | 8873 | Cheminova |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | 28 days | Endura 125 SC | 8905 | ICA International Chemicals |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | 28 days | Epoxee 125 SC | 9572 | Wentek Chemicals |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | 28 days | Expert | 10114 | Nufarm Agriculture |
| Coffee | Rust | triadimenol | EC | 250 g/l | | Shavit 25 EC | 5601 | Adama SA |
| Cotton | Seedling diseases | captab | FS | 500 g/l | | Royalcap FS | 3152 | Chemtura |
| Cotton | Anthracnose; Root & boll rot | captab | FS | 500 g/l | | Merpan SC | 4668 | Adama SA |
| Cotton | Anthracnose; Boll rot; Seedling disease | captab | FS | 500 g/l | | Captan FS | 5981 | Volcano Agroscience /ta Arysta Lifescience SA |
| Cotton | Seedling diseases | captab | FS | 500 g/l | | Farmag Captan 500 FS | 10312 | Cedar Falls Properties 130 |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------------|---|-----------------------------|-----|-------------|-----------|---------------------------|-------|---|
| Cotton | Aspergillus spp; Colletotrichum gossypii; Fusarium spp; Phytophthora spp; Pythium spp; Rhizopus | captab | SC | 500 g/l | | Avicap 500 FS | 9691 | Avima |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | | Vitavax Neutral | 3695 | Arysta Lifescience SA |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | | Anchor Red | 7301 | Arysta Lifescience SA |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | | Anchor Red | 7301 | Arysta Lifescience SA |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | | Vitavax Neutral | 7498 | Arysta Lifescience SA |
| Cotton | Anthracnose; Bacterial blight; Boll & root rot | copper oxychloride | WP | 850 g/kg | | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cotton | Anthracnose; Bacterial blight; Boll and root rot | copper oxychloride | WP | 850 g/kg | | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Cotton | Seedling diseases | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Cotton | Seedling diseases | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Cotton | Anthracnose; Bacterial blight; Boll & root rot | copper oxychloride | WP | 850 g/kg | see label | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Cotton | Angular leaf spot (bacterial blight) | dichlorophen | EC | 200 g/l | 14 days | Xanbac D 200 EC | 2097 | Nulandis |
| Cotton | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Cotton | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Cotton | Damping off | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Cotton | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Cotton | Damping off | tolclofos-methyl | WS | 500 g/kg | | Rizolex WP | 6376 | Philagro South Africa |
| Cranberries | Fruit rot; Lophodermium twig blight | azoxystrobin | SC | 250 g/l | 3 days | Ortiva | 5968 | Syngenta SA |
| Cranberries | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Cruciferae | Alternaria leaf spot; Black spot; Cercospora leaf spot; Downy mildew; Pin rot; White blister | azoxystrobin | SC | 250 g/l | 14 days | Amistar | 6230 | Syngenta SA |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | 14 days | Azoxystrobin 250 SC | 8593 | Sharda International Africa |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | | Azaka 250 SC | 8867 | Cheminova |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | 14 days | Banshee | 9786 | DNA Crop Protection |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | 14 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Cruciferae | White blister | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 days | Amistar Opti | 8265 | Syngenta SA |
| Cruciferae | Anthracnose; Black spot (Alternaria); Leaf spot; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | 3 days | Amistar Top | 7897 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|------------------------------|--|-----|--------------|---------|---------------------------|------|---|
| Cruciferae | Ring spot | benomyl | WP | 500 g/kg | 3 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Cruciferae | Ring spot | benomyl | WP | 500 g/kg | 3 | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Cruciferae | Ring spot | benomyl | WP | 500 g/kg | 3 days | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Cruciferae | White blister | chlorothalonil | SC | 720 g/l | 14 days | Bravo 720 | 7005 | Syngenta SA |
| Cruciferae | White blister | chlorothalonil | SC | 720 g/l | 14 days | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Cruciferae | White blister | chlorothalonil/metalaxyl-M (mefenoxam) | SC | 500/37,5 g/l | 14 days | Ridomil Gold Flo | 6669 | Syngenta SA |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 315 g/l | 3 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 315 g/l | 3 days | Fungi Flow | 6925 | Villa Crop Protection |
| Cruciferae | downy mildew | copper ammonium acetate | SL | 316 g/l | 3 days | Copper Count-N | 2602 | Hygrotech Properties |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 316 g/l | 3 days | Liquicop | 5586 | Hygrotech Properties |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 686 g/l | 3 days | Fungicop | 6298 | Gouws & Scheepers |
| Cruciferae | Downy mildew | copper hydroxide | SC | 180 g/l | 3 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Cruciferae | Downy mildew | copper hydroxide | SC | 180 g/l | 3 days | Copmaxx | 9905 | Ag-Chem Africa |
| Cruciferae | Downy mildew | copper hydroxide | SC | 180 g/l | 3 days | Cupra Super | 9906 | Ag-Chem Africa |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | SC | 538 g/l | 3 | CungFu 538 SC | 7526 | Nulandis |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | SC | 538 g/l | 3 days | StopBac | 8797 | Plaaskem |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WG | 538 g/kg | 3 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WP | 770 g/kg | 3 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WP | 770 g/kg | 3 days | Funguran-OH | 4445 | Agri Registrations CC |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WP | 770 g/kg | 3 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Demildex | 5094 | Delta Chemicals |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|--|------------------------------------|-----|--------------|---------|------------------------|------|---|
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | 3 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 860 g/kg | 3 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Cruciferae | Bacterial spot; Downy mildew | cuprous oxide | WP | 860 g/kg | 7 days | Nordox 86% WP | 8078 | Avima |
| Cruciferae | Alternaria leaf blight; Cercospora leaf spot; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Cruciferae | Bacterial spot | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Cruciferae | Downy mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 14 days | Sporekill | 7115 | ICA International Chemicals |
| Cruciferae | Clubroot disease | flusulfamide | SC | 220 g/l | | Scablok | 5956 | Mitsui & Co Europe Plc |
| Cruciferae | Downy mildew | mancozeb | DF | 750 g/kg | 3 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Cruciferae | Downy mildew | mancozeb | SC | 420 g/l | 3 days | Pennfluid | 7733 | Total SA |
| Cruciferae | Downy mildew | mancozeb | SC | 455 g/l | 3 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Cruciferae | Downy mildew | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Cruciferae | Downy mildew | mancozeb | WG | 750 g/kg | 3 days | Penncozeb WG | 4655 | Total SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 | 2741 | Kombat |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tridex | 5323 | Total SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Newzeb 800 WP | 8167 | Crop Asure |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tozeb WP | 8526 | Total SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Cruciferae | Downy mildew | mandipropamid | SC | 250 g/l | 1 day | Revus | 8617 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|--|--|-----|--------------------|--------------------------|---------------------|-------|--|
| Cruciferae | Basal stem rot; Damping off; Downy mildew | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Cruciferae | Ring spot | penconazole | EW | 200 g/l | 7 days | Topaz 200 EW | 5246 | Syngenta SA |
| Cruciferae | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Previcur-N | 3394 | Bayer |
| Cruciferae | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Proplant | 5831 | Arysta Lifescience SA |
| Cruciferae | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Basic N | 6680 | RT Chemicals |
| Cruciferae | Black leaf spot; Ring spot; White blister | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 21 days | Nativo | 8942 | Bayer |
| Cucurbits | Anthrachnose; Belly rot; Downy mildew; Leaf spot; Powdery mildew; Seedling disease | azoxystrobin | SC | 250 g/l | 3 days | Amistar | 6230 | Syngenta SA |
| Cucurbits | Powdery mildew | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Cucurbits | Powdery mildew | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Cucurbits | Powdery mildew | azoxystrobin | SC | 250 g/l | 3 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Cucurbits | Anthrachnose; Belly rot; Downy mildew; Gummy stem blight; Leaf spot; Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 3 days; Patty pans 1 day | Amistar Opti | 8265 | Syngenta SA |
| Cucurbits | Alternaria blight; Anthracnose; Belly rot; Downy mildew; Leaf blight; Leaf spot; Powder mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | 3 days; Patty pans 1 day | Amistar Top | 7897 | Syngenta SA |
| Cucurbits | Damping off; Decay; Seedling blight | azoxystrobin/fludioxanil/metalaxyl-M/thiabendazole | FS | 15/37,5/30/300 g/l | 3 days | Maxim Quattro | 9494 | Syngenta SA |
| Cucurbits | Powdery mildew | Bacillus amyloliquefaciens | SL | 5x10(10) cfu/g | | Amylo-X | 10051 | Madumbi Sustainable Agriculture |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | 3 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | 3 | Benomyl | 7291 | Volcano Agrosience /ta Arysta Lifescience SA |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Cucurbits | Powdery mildew | borax/orange oil | SL | 10/50 g/l | | Prev- Am | 7130 | Oro Agri SA |
| Cucurbits | Powdery mildew | boscalid/kresoxim-methyl | SC | 200/100 g/l | 7 | Collis | 7489 | BASF SA |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | 3 | Nimrod | 1117 | Adama SA |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | 3 | Notice 250 EC | 9233 | Universal Crop Protection |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | 3 | Nobel 250 EC | 9234 | Villa Crop Protection |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | 3 days | Nobits 250 EC | 9702 | Crop Asure |
| Cucurbits | Powdery mildew | bupirimate | EW | 250 g/l | 3 | Veto EW | 9656 | Meridian Agritech Co |
| Cucurbits | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | 3 | Oscar | 4382 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|----------------------------|-------------------------|-----|-------------|--------|---------------------------|------|---|
| Cucurbits | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | 3 | Veto Plus | 9776 | Meridian Agritech Co |
| Cucurbits | Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 3 days | Rambo | 7292 | Bitrad Consulting |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 500 g/l | 3 days | Chloroflo 500 SC | 5171 | Plaaskem |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 500 g/l | 3 days | Mission 500 SC | 7020 | Villa Crop Protection |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 500 g/l | 3 days | Matrix | 7290 | Bitrad Consulting |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 500 g/l | 3 days | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 500 g/l | 3 days | Calonil 500 SC | 7701 | Sidewalk Trading |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 4233 | Agro-Serve t/a Efekto |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 7005 | Syngenta SA |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Clortosip 720 SC | 7108 | Sipcam South Africa |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Odeon 720 SC | 7596 | Adama SA |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Mycoguard 720 SC | 8417 | Arysta Lifescience SA |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Oronil 720 SC | 8431 | Universal Crop Protection |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Mission 720 SC | 8432 | Villa Crop Protection |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | TalOnil 720 | 8935 | Erintrade t/a RT Chemicals |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | SC | 720 g/l | 3 days | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Cucurbits | Anthrachnose; Downy mildew | chlorothalonil | WG | 825 g/kg | 3 days | Odeon 825 WG | 7597 | Adama SA |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 315 g/l | 3 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 315 g/l | 3 days | Fungi Flow | 6925 | Villa Crop Protection |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 316 g/l | 3 days | Copper Count-N | 2602 | Hygrotech Properties |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 316 g/l | 3 days | Liquicop | 5586 | Hygrotech Properties |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 686 g/l | 3 days | Fungicop | 6298 | Gouws & Scheepers |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Rust | 3131 | Kombat |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Cucurbits | downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Demildex | 5094 | Delta Chemicals |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Coprox Super | 5804 | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|--|------------------------------------|-----|--------------|--------|-----------------------|------|---|
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | 3 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Cucurbits | Downy mildew | copper oxychloride | WP | 860 g/kg | 3 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Cucurbits | Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | 3 days | Coppasulfa | 5726 | Sunwood Chemicals |
| Cucurbits | Downy mildew; Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | 3 days | Copper Sulphur | 3564 | Orchard Agrikem |
| Cucurbits | Powdery mildew | cyflufenamid | EW | 50 g/l | 7 days | Cyflamid | 9799 | Arysta Lifescience SA |
| Cucurbits | Leaf blight; Leaf spot; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 1 day | Switch | 5926 | Syngenta SA |
| Cucurbits | Cucumber wilt | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Cucurbits | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 2 days | Sporekill | 7115 | ICA International Chemicals |
| Cucurbits | Powdery Mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 2 days | Spore-Attack | 8178 | ICA International Chemicals |
| Cucurbits | Powdery mildew | kresoxim-methyl | SC | 500 g/l | 4 days | Ardent 50 SC | 7284 | Adama SA |
| Cucurbits | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 4 days | Stroby WG | 5687 | BASF SA |
| Cucurbits | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 4 days | Kreso 50 WG | 8266 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | DF | 750 g/kg | 3 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | SC | 420 g/l | 3 days | Pennfluid | 7733 | Total SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | SC | 455 g/l | 3 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WG | 750 g/kg | 3 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WG | 750 g/kg | 3 days | Penncozeb WG | 4655 | Total SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 | 2741 | Kombat |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Cucurbits | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | 3 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tridex | 5323 | Total SA |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Cozeb 800 WP | 7098 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|-----------------------------------|-------------------------|-----|----------|--------|---------------------|------|---|
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP | 7484 | Dow Agroscience SA |
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Newzeb 800 WP | 8167 | Crop Asure |
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tozeb WP | 8526 | Total SA |
| Cucurbits | Anthrachnose; Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Ventum 800 WP | 8691 | Nulandis |
| Cucurbits | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Cucurbits | Downy mildew; Phytophthora blight | mandipropamid | SC | 250 g/l | 1 day | Revus | 8617 | Syngenta SA |
| Cucurbits | Damping off; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 5 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Cucurbits | Powdery mildew | organic plant acids | SL | 19 g/l | 1 day | Kanguard 940 | 7421 | Kannar CC |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Topaz 200 EW | 5246 | Syngenta SA |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Penconazole 200 EW | 7492 | Universal Crop Protection |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Excalibur 200 EW | 7493 | Villa Crop Protection |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Pencomax 200 EW | 7879 | Meridian Agritech Co |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Penconazole 200 EW | 8092 | Crop Asure |
| Cucurbits | Powdery mildew | potassium bicarbonate | SP | 850 g/kg | | Agri-Cure SP | 8549 | N Laboratories |
| Cucurbits | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | 3 days | Previcur-N | 3394 | Bayer |
| Cucurbits | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Proplant | 5831 | Arysta Lifescience SA |
| Cucurbits | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | 3 days | Basic N | 6680 | RT Chemicals |
| Cucurbits | Powdery mildew | proquinazid | | 200 g/l | 3 days | Talendo | 8116 | Du Pont de Nemours |
| Cucurbits | Powdery mildew | quinoxifen | SC | 250 g/l | 3 days | Legend 250 SC | 6840 | Dow Agroscience SA |
| Cucurbits | Powdery mildew | quinoxifen | SC | 250 g/l | 3 days | Proxima | 8696 | Meridian Agritech Co |
| Cucurbits | Powdery mildew | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Cucurbits | Powdery mildew | sulfur | SC | 800 g/l | | Sulfomaxx | 9941 | Ag-Chem Africa |
| Cucurbits | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 5261 | Universal Crop Protection |
| Cucurbits | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Cucurbits | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 9127 | Orchard Agrikem |
| Cucurbits | Powdery mildew | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Cucurbits | Powdery mildew | sulphur | SC | 700 g/l | | Sulflo 700 SC | 6433 | Sunwood Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------|--|-----------------------------|-----|--------------|-----------|---------------------------|------|-----------------------------|
| Cucurbits | Powdery mildew | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Cucurbits | Powdery mildew | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | | Midrothiol Special | 5329 | Total SA |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Cucurbits | powdery mildew | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Cucurbits | Powdery mildew | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Cucurbits | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Cucurbits | Post harvest decay | thiabendazole | SC | 500 g/l | | ICA -Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Cucurbits | Post harvest rot | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Cucurbits | Powdery mildew | triforine | EC | 190 g/l | 1 day | Funginex | 2469 | Agro-Serve t/a Efekto |
| Cucurbits | Powdery mildew | triforine | EC | 190 g/l | 1 day | Denarin EC | 5210 | Sumitomo Corporation |
| Cucurbits (musk melon) | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Cucurbits (musk melon) | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Cucurbits (patty pans) | Powdery mildew | penconazole | EW | 200 g/l | 1 day | Topaz 200 EW | 5246 | Syngenta SA |
| Figs | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 5241 | Sunwood Chemicals |
| Figs | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Forage grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Forage grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Garlic | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Garlic | Botrytis rot; Leaf blight; Leaf spot; Powdery mildew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Garlic | Botrytis leaf blight; Neck rot; Purple blotch | cyprodinil | WG | 500 g/kg | 7 days | Chorus | 5383 | Syngenta SA |
| Garlic | Black mould; Botrytis leaf blight; Neck rot; Purple blotch; Stemphyllium leaf blight | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Garlic | Pink root; White bulb rot | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Garlic | Downy mildew | mandipropamid | SC | 250 g/l | 7 days | Revus | 8617 | Syngenta SA |
| Garlic | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------------|---|------------------------------|-----|-------------|-------------|---------------------------|------|---|
| Garlic | Botrytis; Purple blotch | pyrimethanil | SC | 400 g/l | 3 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Garlic | Purple blotch; Rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 21 days | Nativo | 8942 | Bayer |
| Ginger | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 - 14 days | Amistar | 6230 | Syngenta SA |
| Ginger | Black dot; Early blight; Rust; Septoria leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Ginger | Leaf spot | iprodione | SC | 255 g/l | 28 days | Rovral Flo | 1046 | FMC Chemicals |
| Ginger | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Gooseberries | Botrytis rot | fluopyram | SC | 500 g/l | 3 days | Luna Privilege | 8997 | Bayer |
| Granadillas | Anthracnose; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Rust | 3131 | Kombat |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Granadillas | Leaf and fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Demildex | 5094 | Delta Chemicals |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | 3 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Granadillas | Leaf spot; Fruit spot | copper oxychloride | WP | 860 g/kg | 3 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Grapes | Downy mildew | ametoctradin/dimethomorph | SC | 300/225 g/l | 21 | Orvego | 9185 | BASF SA |
| Grapes | Downy mildew | ammonium phosphite | SL | 386 g/l | 28 | Brilliant SL | 7225 | Arysta Lifescience SA |
| Grapes | Downy mildew | ammonium phosphite | SL | 386 g/l | 28 | Brilliant 300 SL | 7226 | Nippon Africa Chemicals |
| Grapes | Powdery mildew | Ampelomyces quisqualis | WG | 580 g/kg | | AQ-10 Biofungicide | 6118 | Chempac |
| Grapes | Downy mildew | ascorbic acid | SL | 100 g/l | | Bio-Protector | 7038 | Agro Organics |
| Grapes | Botrytis rot | ascorbic acid/bioflavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | | Nanok 250 SC | 8893 | Cheminova |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|------------------------------------|-----|----------------|----------------------|---------------------|-------|--|
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | | Aztrix 250 SC | 9574 | Wentek Chemicals |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | 14 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | 14 | Quadris 50 WG | 5605 | Syngenta SA |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | 14 days | Strovine | 8953 | Crop Asure |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | T14 days | Molnarch 500 WDG | 8955 | Universal Crop Protection |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | T14 days | Essence 500 WDG | 8956 | Villa Crop Protection |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | 14 days | Azox Forte 50 WG | 10486 | Sharda International Africa CC |
| Grapes | Downy mildew; Powdery mildew | Bacillus amyloliquefaciens | SL | 5x10(10) cfu/g | | Amylo-X | 10051 | Madumbi Sustainable Agriculture |
| Grapes | Botrytis rot; Powdery mildew (not mentioned in text) | bacillus subtilis DB 101 | SC | 5x10(7) CFU/g | | Shelter | 7457 | Dagutat Biolab |
| Grapes | Botrytis rot; Powdery mildew (not mentioned in text) | bacillus subtilis DB 102 | SC | 1x10(8) CFU/g | | Artemis | 7455 | Dagutat Biolab |
| Grapes | Botrytis rot | Bacillus subtilis strain QST 713 | SC | 1,34% w/w | | Serenade ASO | 8544 | Bayer |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | 14 days - 6 weeks | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | T4-6 weeks; W14 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | T4-6 weeks; W14 days | Benomyl | 7291 | Volcano Agrosience /ta Arysta Lifescience SA |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | T4-6 weeks; W14 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Grapes | Downy mildew | benthiavalicarb-isopropyl/mancozeb | WG | 17,5/700 g/kg | 28 | Valbon WG | 7681 | Mitsui & Co Europe Plc |
| Grapes | Downy mildew, Powdery mildew | borax/orange oil | SL | 10/50 g/l | | Prev- Am | 7130 | Oro Agri SA |
| Grapes | Botrytis; Powdery mildew | boscalid | SC | 500 g/l | 28 days | Basis SC | 9775 | Meridian Agritech Co |
| Grapes | Botrytis rot; Powdery mildew | boscalid | WG | 500 g/kg | 28 | Cantus WG | 7444 | BASF SA |
| Grapes | Powdery mildew | boscalid/kresoxim-methyl | SC | 200/100 g/l | 28 | Collis | 7489 | BASF SA |
| Grapes | Powdery mildew | boscalid/kresoxim-methyl | SC | 200/100 g/l | 28 | Mascot | 9777 | Meridian Agritech Co |
| Grapes | Anthracnose | captab | WG | 800 g/kg | T4-6 weeks | Merpan 80 WDG | 5456 | Adama SA |
| Grapes | Anthracnose | captab | WG | 800 g/kg | T4-6 weeks | Captan 800 WG | 9345 | Sharda International Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|------------------------------|--------------------------|-----|-------------|---------------------------|-----------------------|------|---------------------------|
| Grapes | Anthrachnose | captab | WP | 500 g/kg | T4-6 weeks | Captab WP | 6758 | Universal Crop Protection |
| Grapes | Anthrachnose | captab | WP | 500 g/kg | T4-6 weeks | Thor 500 WP | 7691 | Ag-Chem Africa |
| Grapes | Anthrachnose | captab | WP | 500 g/kg | T4-6 weeks | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Grapes | Anthrachnose | captan | WG | 800 g/kg | T4-6 weeks | Captan 800 WG | 9249 | Meridian Agritech Co |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | 4-6 weeks | Bendazid 500 SC | 6961 | Nulandis |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | 4-6 weeks | Knowin 500 SC | 7027 | Nulandis |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | 4-6 weeks | Ag-Carbendazim 500 SC | 8870 | Ag-Chem Africa |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | 4-6 weeks | Zimbo | 9429 | Meridian Agritech Co |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | 4-6 weeks | Nova CBZ 500 SC | 9819 | AgriNova Trust |
| Grapes | Botrytis rot | carbendazim/tebuconazole | SC | 133/167 g/l | | Folicur C 300 SC | 4602 | Bayer |
| Grapes | Downy mildew | copper ammonium acetate | SL | 315 g/l | T4-6 weeks; W21 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Grapes | Downy mildew | copper ammonium acetate | SL | 315 g/l | T4-6 weeks; W21 days | Fungi Flow | 6925 | Villa Crop Protection |
| Grapes | Downy mildew; Powdery mildew | copper ammonium acetate | SL | 316 g/l | T4-6 weeks; W21 days | Copper Count-N | 2602 | Hygrotech Properties |
| Grapes | Downy mildew; Powdery mildew | copper ammonium acetate | SL | 316 g/l | T4-6 weeks; W21 days | Liquicop | 5586 | Hygrotech Properties |
| Grapes | Downy mildew | copper ammonium acetate | SL | 686 g/l | T4-6 weeks; W21 days | Fungicop | 6298 | Gouws & Scheepers |
| Grapes | Downy mildew | copper ammonium acetate | SL | 686 g/l | T4-6 weeks | Copper Clear | 7194 | Ag-Chem Africa |
| Grapes | Downy mildew | copper hydroxide | SC | 180 g/l | T4-6 weeks; W21 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Grapes | Downy mildew | copper hydroxide | SC | 180 g/l | see label | Copmaxx | 9905 | Ag-Chem Africa |
| Grapes | Downy mildew | copper hydroxide | SC | 180 g/l | T 4-6 weeks; W 21 days | Cupra Super | 9906 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---|--------------------|-----|-------------------------|--------------------------|---------------------------|------|---|
| Grapes | Downy mildew | copper hydroxide | SC | 538 g/l | T4-6 weeks; W21 days | StopBac | 8797 | Plaaskem |
| Grapes | Downy mildew | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | T4-6 weeks; W21 days | CungFu 538 SC | 7526 | Nulandis |
| Grapes | Downy mildew | copper hydroxide | WG | 538 g/kg | T4-6 weeks; W21 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Grapes | Downy mildew | copper hydroxide | WP | 770 g/kg | 4-42 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Grapes | Downy mildew | copper hydroxide | WP | 770 g/kg | T4-6 weeks; W21 days | Funguran-OH | 4445 | Agri Registrations CC |
| Grapes | Downy mildew | copper hydroxide | WP | 770 g/kg | W21 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Grapes | Downy mildew | copper oxychloride | SC | 700 g/l | 28-42 days | NanoGreen SC | 8980 | Arysta Lifescience SA |
| Grapes | Anthracnose; Bacterial blight; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | 4-6 weeks | Virikop | 527 | Agro-Serve t/a Efekto |
| Grapes | Anthracnose; Bacterial blight; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | 3-6 weeks | Rust | 3131 | Kombat |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | T28-42 days; W21 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Botrytis rot; Downy mildew | copper oxychloride | WP | 850 g/kg | T28-42 days; W21 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Grapes | Anthracnose; Bacterial blight; Dead arm disease; Downy mildew | copper oxychloride | WP | 850 g/kg | T4-6 weeks; W21 days | Demildex | 5094 | Delta Chemicals |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | T28-42 days; W21 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | T28-42 days; W21 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | T28-42 days; W21 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | 21 - 42 days | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 860 g/kg | 21 - 28 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|------------------------------|-----|----------------|-------------------------|----------------------|-------|---------------------------|
| Grapes | Downy mildew | copper oxychloride/cymoxanil | WP | 689/40 g/kg | T4-6 weeks; W28 days | Copcanil | 6924 | Sipcam South Africa |
| Grapes | Anthracnose; Bacterial blight; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | T3 days; W4- 6 weeks | Copsul Dust | 3655 | Applied Chemical Products |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | 4-6 weeks | Coppasulfa | 5726 | Sunwood Chemicals |
| Grapes | Anthracnose; Bacterial blight; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | T3 days; W4- 6 weeks | Cu-Sul Dust | 6664 | JCJ Agri Chem |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | T3 days; W4- 6 weeks | Copper Sulphur | 3564 | Orchard Agrikem |
| Grapes | Downy mildew | copper sulphate (basic) | SC | 320 g/l | T4-6 weeks; W21 days | Copflo Super | 6981 | Ag-Chem Africa |
| Grapes | Downy mildew | copper sulphate (basic) | SC | 320 g/l | T4-6 weeks; W21 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Grapes | Downy mildew | copper sulphate/lime | WG | 711/289 g/kg | T60 days; W42 days | Cuprofix Ultra | 8888 | Total SA |
| Grapes | Anthracnose; Bacterial blight; Dead arm disease; Downy mildew | copper sulphate/lime | WG | 770/174 g/kg | T4-6 weeks; W21 days | Cuprofix Disperss | 6784 | Chempac |
| Grapes | Downy mildew | copper/mancozeb | WG | 120/300 g/kg | T4-6 weeks; W14 days | Cuprofix 30 Disperss | 7893 | Total SA |
| Grapes | Downy mildew | cuprous oxide | WG | 860 g/kg | 45 days | Nordox 86% WG | 8077 | Avima |
| Grapes | Downy mildew | cuprous oxide | WP | 860 g/kg | 45 days | Nordox 86% WP | 8078 | Avima |
| Grapes | Downy mildew | cymoxanil | SC | 300 g/l | 28 days | Vidac Flo | 9688 | Meridian Agritech Co |
| Grapes | Downy mildew | cymoxanil | WG | 500 g/kg | 14 | Cymox | 10160 | Sipcam South Africa |
| Grapes | Downy mildew | cymoxanil | WG | 600 g/kg | 28 | Curzate 600 WG | 10150 | Du Pont De Nemours |
| Grapes | Downy mildew | cymoxanil/famoxadone | WG | 300/225 g/kg | 28 | Equation Pro | 6677 | Du Pont de Nemours |
| Grapes | Downy mildew | cymoxanil/famoxadone/folpet | WG | 80/40/333 g/kg | T4-6 weeks; W28 days | Tanos Pro | 8456 | Du Pont de Nemours |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T4-6 weeks; W14 days | Curzate Pro | 5698 | Du Pont de Nemours |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---------------------------------|---------------------------------------|-----|--------------|-------------------------|------------------|------|--|
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T4-6 weeks; W14 days | Zetanil | 6036 | Sipcam South Africa |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | 4-6 weeks | Micexanil | 6322 | Sipcam South Africa |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T*; W14 days | Controllor | 6783 | RT Chemicals |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T4-6 weeks; W14 days | Cymax M WP | 7680 | Meridian Agritech Co |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T4-6 weeks; W14 days | Fungarrest | 7693 | Universal Crop Protection |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T4-6 weeks; W14 days | Cymoxazeb WP | 7694 | Villa Crop Protection |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | T4-6 weeks; W14 days | Macoxanil | 8628 | Crop Asure |
| Grapes | Botrytis | cyprodinil | WG | 500 g/kg | 28 days (T) | Choir 500 WDG | 8957 | Villa Crop Protection |
| Grapes | Botrytis | cyprodinil | WG | 500 g/kg | 28 days (T) | Chant 500 WDG | 8958 | Universal Crop Protection |
| Grapes | Botrytis | cyprodinil | WG | 500 g/kg | 28 days | Cronil 500 WDG | 9018 | Crop Asure |
| Grapes | Botrytis | cyprodinil/fludioxonil | WG | 375/250 g/kg | 28 days | Switch | 5926 | Syngenta SA |
| Grapes | Botrytis rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | 28 days | Cyprocide WG | 9058 | Meridian Agritech Co |
| Grapes | Dieback pathogens; Downy mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 14-21 days | Sporekill | 7115 | ICA International Chemicals |
| Grapes | Dieback pathogens; Downy mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 14-21 days | Spore-Attack | 8178 | ICA International Chemicals |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Score | 5132 | Syngenta SA |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Pronto 250 EC | 7602 | Meridian Agritech Co |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Dicati | 8414 | Sharda International Africa |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Difen 250 EC | 8535 | Crop Asure |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Divino 250 EC | 9343 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|-------------------------|-----|-----------------|----------------------|-----------------------|-------|--------------------------------------|
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Granado | 9767 | DNA Crop Protection |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | 28 days | Difenoconazole 250 EC | 10087 | Bitrad Kaap |
| Grapes | Downy mildew | dimethomorph | SC | 500g/l | 21-56 | Soyrin Flo | 7601 | Meridian Agritech Co |
| Grapes | Downy mildew | dimethomorph/folpet | WG | 113/600 g/kg | T56 | Sphinx Extra WG | 9294 | Adama SA |
| Grapes | Downy mildew | dimethomorph/folpet | WG | 113/600 g/kg | 56 days | Dipet WG | 10362 | Sharda International Africa CC |
| Grapes | Downy mildew | dimethomorph/mancozeb | WG | 90/600 g/kg | T56, W14 | Acrobat WG | 6526 | BASF SA |
| Grapes | Downy mildew | dimethomorph/mancozeb | WP | 90/600 g/kg | 56 | Dimethozeb 690 WP | 7985 | Universal Crop Protection |
| Grapes | Downy mildew | dimethomorph/mancozeb | WP | 90/600 g/kg | 56 | Vimethozeb 690 WP | 7986 | Villa Crop Protection |
| Grapes | Downy mildew | dimethomorph/mancozeb | WP | 90/600 g/kg | 56 days | Decorus WP | 8726 | Crop Asure |
| Grapes | Downy mildew | dithianon | SC | 400 g/l | 21 days | Inspect 400 SC | 9182 | Villa Crop Protection |
| Grapes | Downy mildew | dithianon | SC | 400 g/l | 21 days | Detect 400 SC | 9238 | Universal Crop Protection |
| Grapes | Downy mildew | dithianon | WG | 700 g/kg | 21 days | Alaris WG | 9102 | Meridian Agritech Co |
| Grapes | Downy mildew | fenamidone/mancozeb | WG | 100/500 g/kg | T49 days; W 28 days | No-Blite | 6681 | Bayer |
| Grapes | Powdery mildew | fenarimol | EC | 120 g/l | 14 days | Rubigan | 5228 | Klub M5 |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | T3 days; W7 days | Teldor 500 SC | 6250 | Bayer |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | T3 days; W7 days | Electron 500 SC | 9637 | Villa Crop Protection |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | T3 days; W7 days | Femida 500 SC | 9638 | Universal Crop Protection |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | T3 days; W7 days | Fright 500 SC | 9934 | Crop Asure |
| Grapes | Downy mildew | fluopicolide/fosetyl-Al | WG | 44,4/666,7 g/kg | 28 days | Profiler | 8596 | Bayer |
| Grapes | Botrytis rot; Powdery mildew; Sour rot | fluopyram | SC | 500 g/l | 3 days | Luna Privilege | 8997 | Bayer |
| Grapes | Powdery mildew | fluopyram/tebuconazole | SC | 200/200 g/l | 4 - 6 weeks | Luna Experience | 9436 | Bayer |
| Grapes | Powdery mildew | flusilazole | WG | 200 g/kg | 21 days | Flustar WG | 8419 | Meridian Agritech Co |
| Grapes | Powdery mildew | flutriafol/tebuconazole | SC | 75/225 g/l | 28 days | Topguard 300 SC | 9198 | Cheminova (Disa Bio-Technologies CC) |
| Grapes | Anthracnose; Botrytis rot; Deadarm disease; Downy mildew | folpet | SC | 500 g/l | T4-6 weeks; W14 days | Folpan 500 SC | 4662 | Adama SA |
| Grapes | Anthracnose; Botrytis rot; Deadarm; Downy mildew | folpet | SC | 500 g/l | W14 days | Valeo 500 SC | 9086 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|---------------------|-----|--------------|---------------------------------------|------------------|-------|--|
| Grapes | Botrytis rot; Downy mildew; Deadarm | folpet | SC | 500 g/l | W14 days | Fortune 500 SC | 9918 | Villa Crop Protection |
| Grapes | Botrytis rot; Downy mildew; Deadarm | folpet | SC | 500 g/l | W14 days | Figure 500 SC | 9920 | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | folpet | SC | 500 g/l | W14 days | Fixed 500 SC | 9953 | CropASURE |
| Grapes | Anthrachnose; Botrytis rot; Deadarm disease; Downy mildew | folpet | WG | 800 g/kg | T4-6 weeks; W14 days | Folpan 80 WDG | 5333 | Adama SA |
| Grapes | Anthrachnose; Botrytis rot; Dead arm disease; Downy mildew | folpet | WG | 800 g/kg | W 14 days; not later than pre-blossom | Volt 80 WG | 10465 | Sharda International Africa CC |
| Grapes | Late blight | folpet/valifenalate | WG | 480g/60 g/kg | 42 days | Java F | 10403 | Belchim Crop Protection (Disa Bio-Technologies CC) |
| Grapes | Root rot | fosetyl-Al | WG | 800 g/kg | see label | Aliette WG | 5689 | Bayer |
| Grapes | Downy mildew | fosetyl-Al | WG | 800 g/kg | 28 | Fostonic 80 WP | 8322 | Arysta Lifescience SA |
| Grapes | Powdery mildew | furfural | EC | 990 g/l | | Defend | 7719 | Illovo Sugar |
| Grapes | Powdery mildew | hexaconazole | SC | 50 g/l | 7 days | Richter | 6978 | Volcano Agrosience /ta Arysta Lifescience SA |
| Grapes | Powdery mildew | hexaconazole | SC | 50 g/l | 7 days | Optan 50 SC | 7878 | Meridian Agritech Co |
| Grapes | Grey mold (Botrytis) | iprodione | DP | 30 g/kg | 3 days | Rovral Talc | 1216 | FMC Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 255 g/l | W7 days | Rovral Flo | 1046 | FMC Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 255 g/l | W21 days | Iprodione 255 | 7340 | Erintrade t/a RT Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | T3 days | Rovral AquaFlo | 5140 | FMC Chemicals |
| Grapes | Botrytis | iprodione | SC | 500 g/l | T3 days; W7 days | Prodione | 7222 | Nulandis |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | T3 days; W7 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | T3 days; W7 days | Iprone 500 SC | 8452 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | 7 days | Iprodione 500 SC | 8459 | Universal Crop Protection |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | 7 days | Taurus 500 SC | 8499 | Villa Crop Protection |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | 7 days | Ipro 500 SC | 8961 | CropASURE |
| Grapes | Botrytis | iprodione | SC | 500 g/l | T3 days | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | T3 days; W7 days | Roflo | 9573 | Wentek Chemicals |
| Grapes | Downy mildew | iprovalicarb | SC | 250 g/l | 28 days | Argento | 10036 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--------------------------------|-----------------------|-----|-------------|----------------------|-------------------------|------|---|
| Grapes | Downy mildew | iprovalicarb/propineb | WG | 90/600 g/kg | W28 | Melody Duo 69 WG | 6714 | Bayer |
| Grapes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | 14 days | Ardent 50 SC | 7284 | Adama SA |
| Grapes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | 14 days | Vista Flo | 8208 | Meridian Agritech Co |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 14 days | Stroby WG | 5687 | BASF SA |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 28 days | Kreso WDG | 8193 | Villa Crop Protection |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 28 days | Kresoxim-Methyl 500 WDG | 8194 | Universal Crop Protection |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 14 days | Kreso 50 WG | 8266 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 28 day | Oxim 500 WDG | 8574 | Crop Asure |
| Grapes | Dead arm disease; Downy mildew | mancozeb | DF | 750 g/kg | 4 - 6 weeks | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 420 g/l | T4-6 weeks; W14 days | Pennfluid | 7733 | Total SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 455 g/l | 4-6 weeks | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 455 g/l | T4-6 weeks | Multizeb 455 SC | 9174 | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 455 g/l | T4-6 weeks | Newzeb 455 SC | 9175 | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 480 g/l | T4-6 weeks | Newzeb 480 SC | 9178 | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 480 g/l | T4-6 weeks | Unizeb 480 SC | 9179 | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WG | 750 g/kg | T4-6 weeks; W14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WG | 750 g/kg | T4-6 weeks; W14 days | Penncozeb WG | 4655 | Total SA |
| Grapes | Dead arm disease, Downy mildew | mancozeb | WG | 750 g/kg | T4-6 weeks; W14 days | Newzeb 750 WDG | 8811 | Universal Crop Protection |
| Grapes | Dead arm disease, Downy mildew | mancozeb | WG | 750 g/kg | T4-6 weeks; W14 days | Villa Unizeb 750 WDG | 8812 | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 750 g/kg | T4-6 weeks | Cozeb 750 WDG | 8964 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--------------------------------|----------|-----|----------|-------------------------|---------------------------|------|--|
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | 4-6 weeks | Dithane M-45 | 2741 | Kombat |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Grapes | Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Tridex | 5323 | Total SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Tozeb WP | 8526 | Total SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Ventum 800 WP | 8691 | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--------------------------------|------------------------|-----|--------------|-------------------------|-----------------------|-------|---|
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | T4-6 weeks; W14 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Grapes | Downy mildew | mancozeb/mandipropamid | WG | 600/50 g/kg | 4-6 weeks | Pergado MZ | 8686 | Syngenta SA |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Milor 700 WP | 5884 | Rotam RSA |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Sanlaxyl 700 WP | 6100 | Dow Agroscience SA |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Kickback 700 WP | 7105 | Bitrad Consulting |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Mancolax 700 WP | 7382 | Gouws & Scheepers (Plaaskem) |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Metazeb 700 WP | 7462 | Universal Crop Protection |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Metazeb 700 WP | 7463 | Villa Crop Protection |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Rolim 700 WP | 7609 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | T56 days; W21 days | Crater MX 700 WP | 8427 | Volcano Agroscience /ta Arysta Lifescience SA |
| Grapes | Downy mildew | mancozeb/metalaxyl- m | WG | 640/40 g/kg | T56 days; W21 days | Ridomil Gold Pepite | 7191 | Syngenta SA |
| Grapes | Downy mildew | mancozeb/valifenalate | WG | 600/60 g/kg | 42 days | Valis M | 10408 | Belchim Crop Protection (Disa Bio-Technologies CC) |
| Grapes | Dead arm disease; Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | 4-6 weeks | Manager SC | 3538 | Applied Chemical Products |
| Grapes | Dead arm disease; Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | T4-6 weeks | Mangle SC | 5985 | Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | 4-6 weeks | Vandal | 8462 | Arysta Lifescience SA |
| Grapes | Powdery mildew | meptyldinocap | EC | 350 g/l | W21 days | Karathane Star 350 EC | 8640 | Dow Agroscience SA |
| Grapes | Downy mildew | metiram | WG | 700 g/kg | 14 days | Polyram WG | 5268 | BASF SA |
| Grapes | Downy mildew; Powdery mildew | metiram/pyraclostrobin | WG | 550/50 g/kg | 35 days | Cabrio Top | 7429 | BASF SA |
| Grapes | Powdery mildew | metrafenone | SC | 500 g/l | T28 days; W56 days | Vivando | 8352 | BASF SA |
| Grapes | Powdery mildew | myclobutanil | EC | 125 g/l | 14 days | Master 125 EC | 10498 | Sharda International Africa CC |
| Grapes | Botrytis rot; Powdery mildew | organic plant acids | SL | 19 g/l | 1 day | Kanguard 940 | 7421 | Kannar CC |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | 14 days | Topaz 200 EW | 5246 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|-------------------------------|--|-----|-------------|-----------------------|--------------------|-------|----------------------------|
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | 14 days | Penconazole 200 EW | 7492 | Universal Crop Protection |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | 14 days | Excalibur 200 EW | 7493 | Villa Crop Protection |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | T28 days; W14 days | Captain | 7778 | Erintrade t/a RT Chemicals |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | 14 days | Pencomax 200 EW | 7879 | Meridian Agritech Co |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | 14 days | Penconazole 200 EW | 8092 | Crop Asure |
| Grapes | Downy mildew | phosphorous acid equivalent/potassium carbonate | SL | 400/560 g/l | 28 days | Phostemic 400 SL | 10458 | Meridian Agrochemical Co. |
| Grapes | Anthracnose; Dead arm disease | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 4230 | Agro-Serve t/a Efekto |
| Grapes | Dead arm disease | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 7686 | Delta Chemicals |
| Grapes | Downy mildew | potassium phosphate | SL | 560 g/l | 28 days | Leafmaster 400 SL | 7804 | Ocean Agriculture |
| Grapes | Downy mildew | potassium phosphite | SL | 370 g/l | 28 days | Phosguard 200 SL | 6635 | Ocean Agriculture |
| Grapes | Downy mildew | potassium phosphite | SL | 555 g/l | 28 days | Fighter | 7330 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 555 g/l | 28 days | Inteli-Phite | 9859 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 555 g/l | 28 days | K-Phite | 9949 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 555 g/l | 28 days | Phitemaxx | 9950 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | 28 days | Phosguard 400 SL | 6477 | Nulandis |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | 28 days | Rootex 400 SL | 7467 | Universal Crop Protection |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | 28 days | Phosphite 400 SL | 7468 | Villa Crop Protection |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | 28 days | Leafguard 400 SL | 7803 | Nulandis |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | 28 days | Mariphos 400 SL | 7961 | Arysta Lifescience SA |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | 28 days | Potassium P 400 SL | 8091 | Crop Asure |
| Grapes | Downy mildew | potassium phosphite | SL | 586 g/l | 28 days | Hygrophos 400 | 7949 | Hygrotech Properties |
| Grapes | Downy mildew | potassium phosphite | SL | 586 g/l | 28 days | Wenphos | 9201 | Hygrotech Properties |
| Grapes | Downy mildew | potassium phosphite | SL | 600 g/l | 21 days | Fosfonex 400 SL | 9740 | In-line Trading 112 |
| Grapes | Downy mildew | potassium phosphite | SL | 605 g/l | 28 days | Ag-Phos 400 SL | 8216 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 605 g/l | 28 days | Phosplus | 9808 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 605 g/l | 28 days | Phosmaxx | 9809 | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 605 g/l | 28 days | Stimu-Blok | 9849 | Ag-Chem Africa |
| Grapes | Botrytis rot | procymidone | SC | 250 g/l | T5 days; W7 days | Sumisclex SC | 6377 | Philagro South Africa |
| Grapes | Botrytis rot | procymidone | SC | 250 g/l | W7 days | Procyone 250 SC | 8394 | Universal Crop Protection |
| Grapes | Botrytis rot | procymidone | SC | 250 g/l | W7 days | Typhoon 250 SC | 8397 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|---------------------------------------|--|-----|----------|----------------------|--------------------|-------|--|
| Grapes | Botrytis rot | procymidone | SC | 500g/l | T5 days; W7 days | Hit 500 SC | 7575 | Dow Agroscience SA |
| Grapes | Anthraco-nose; Dead arm; Downy mildew | propineb | WP | 700 g/kg | T4-6 weeks; W14 days | Antracol 70 WP | 2065 | Bayer |
| Grapes | Powdery mildew | proquinazid | | 200 g/l | 28 days | Talendo | 8116 | Du Pont de Nemours |
| Grapes | Downy mildew; Powdery mildew | pyraclostrobin | EC | 250 g/l | T*; W28 | Cabrio | 6818 | BASF SA |
| Grapes | Downy mildew; Powdery mildew | pyraclostrobin | EC | 250 g/l | 28 days | Costra 250 EC | 9507 | Crop Asure |
| Grapes | Downy mildew; Powdery mildew | pyraclostrobin | EC | 250 g/l | 28 days | Pyrax | 10376 | Meridian Agrochemical Co |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | 35 days | Scala | 4972 | Bayer |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | 35 days | Botrynil | 8271 | Meridian Agritech Co |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | 35 days | Pyrus 400 SC | 8297 | Arysta Lifescience SA |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | T7 days; W35 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | 35 days | Support 400 SC | 9282 | Villa Crop Protection |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | 35 days | Source 400 SC | 9283 | Universal Crop Protection |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | T7 days; W35 days | Pyrimet 400 SC | 9575 | Wentek Chemicals |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | 35 days | Origin 400 SC | 9698 | Crop Asure |
| Grapes | Botrytis cinerea | pyrimethanil | SC | 400 g/l | T 7 days; W 35 days | Deccothanil 400 SC | 10081 | Citrashine |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | 21 days | Legend 250 SC | 6840 | Dow Agroscience SA |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | 21 days | Proxima | 8696 | Meridian Agritech Co |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | 21 days | Lore 250 SC | 9732 | Universal Crop Protection |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | 21 days | Fable 250 SC | 9733 | Villa Crop Protection |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | 21 days | Edge 250 SC | 9936 | Crop Asure |
| Grapes | Bunch rot | Reynoutria sachalinensis (plant extract) | ME | 224 g/l | | Regalia Maxx | 9252 | Marrone Bio Innovations Inc (Disa-Bio Technologies CC) |
| Grapes | Powdery mildew | salicylic acid | EW | 200 g/kg | | Bio-Build | 7039 | Agro Organics |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | T4-6 weeks; W21 days | Prosper 500 EC | 6252 | Bayer |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | 21 days | Spiral 500 EC | 7982 | Meridian Agritech Co |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | W21 days | Potential 500 EC | 9161 | Villa Crop Protection |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | W21 days | Flourish 500 EC | 9164 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--------------------|------------------------------|-----|--------------|-------------------------|--------------------------|-------|---------------------------|
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | W21 days | Vision 500 EC | 9510 | Crop Asure |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | T4-6 weeks; W21 days | Spirox 500 EC | 9778 | Arysta Lifescience SA |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | W21 days | Spiroxamine 500 EC | 10181 | Bitrad Agri |
| Grapes | Powdery mildew | sulfur | SC | 800 g/l | 4-6 weeks | Sulfoplus | 9913 | Ag-Chem Africa |
| Grapes | Powdery mildew | sulfur | SC | 800 g/l | 6 weeks | Sulfomaxx | 9941 | Ag-Chem Africa |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | W4-6 weeks | Vine and Dusting Sulphur | 1252 | Plaaskem |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | W4-6 weeks | Dusting Sulphur | 5261 | Universal Crop Protection |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | W4-6 weeks | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | W4-6 weeks | Dusting Sulphur | 9127 | Orchard Agrikem |
| Grapes | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 5241 | Sunwood Chemicals |
| Grapes | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Grapes | Powdery mildew | sulphur | SC | 700 g/l | 4-6 weeks | Flowable Sulphur | 142 | Applied Chemical Products |
| Grapes | Powdery mildew | sulphur | SC | 700 g/l | | Sulflo 700 SC | 6433 | Sunwood Chemicals |
| Grapes | Powdery mildew | sulphur | SC | 800 g/l | 6 weeks | SulfoStar | 6982 | Ag-Chem Africa |
| Grapes | Powdery mildew | sulphur | SC | 800 g/l | T6 weeks | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 6 weeks | Thiovit Jet | 1061 | Syngenta SA |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 2-6 weeks | Kumulus | 2404 | BASF SA |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 4-6 weeks | Microthiol Special | 5329 | Total SA |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 4 - 6 weeks | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 4 - 6 weeks | Cosavet | 6355 | Sulphur Chemical Mills |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 4-6 weeks | Striker | 6628 | Chempac |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | 4-6 weeks | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Grapes | Powdery mildew | sulphur | WP | 800 g/kg | W4-6 weeks | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Grapes | Powdery mildew | tea tree extract | EC | 222,5 g/l | | Timorex Gold | 10140 | Adama SA |
| Grapes | Powdery mildew | tebuconazole | EW | 250 g/l | 42 days | Riza EW | 8882 | Cheminova |
| Grapes | Powdery mildew | tebuconazole/trifloxystrobin | WG | 500/250 g/kg | 4-6 weeks | Flint Max | 8827 | Bayer |
| Grapes | Powdery mildew | tetraconazole | EC | 100 g/l | 14 | Domark 100 EC | 6757 | Isagro SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------|---|-----------------------------|-----|--------------|-------------------------|---------------------|-------|-----------------------------|
| Grapes | Powdery mildew | tetraconazole | EC | 100 g/l | 14 days | Tetris EC | 8774 | Meridian Agritech Co |
| Grapes | Powdery mildew | tetraconazole | EW | 100 g/l | 14 days | Tetris EW | 8773 | Meridian Agritech Co |
| Grapes | Botrytis rot | thiram | WG | 800 g/kg | T48 days; W40 days | Thiram Granuflo 80% | 5983 | D&J Agro Pesticides |
| Grapes | Powdery mildew | triadimenol | EC | 250 g/l | 14 days | Shavit 25 EC | 5601 | Adama SA |
| Grapes | Powdery mildew | trifloxystrobin | WG | 500 g/kg | T4-6 weeks; W14 days | Foxy 500 WDG | 9512 | Crop Asure |
| Grapes | Downy mildew | zoxamide | SC | 240 g/l | 28 days | Zoxium 240 SC | 7908 | Klub M5 |
| Grapes (wine) | Botrytis | fludioxonil/pyrimethanil | SC | 100/400 g/l | 28 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Grapes (wine) | Powdery mildew | tebuconazole | EW | 250 g/l | 42 days | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Grasses grown for seed | Ergot stem diseases; Grey leaf spot; Powdery mildew; Rust | azoxystrobin | SC | 250 g/l | 8 days | Amistar | 6230 | Syngenta SA |
| Grazing and forage | Seedling diseases | metalaxyl-M (mefenoxam) | SL | 480 g/l | 60 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Green peppers | Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Groundnuts | Leaf spot diseases | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 28 days | Amistar Opti | 8265 | Syngenta SA |
| Groundnuts | Early leaf spot; Web blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 28 days | Azur Opti 660 SC | 10021 | Almond Agro Chemicals |
| Groundnuts | Leaf spot diseases (Early leaf spot; Web blotch) | azoxystrobin/difenoconazole | SC | 200/125 g/l | 28 days | Amistar Top | 7897 | Syngenta SA |
| Groundnuts | Early leaf spot; Web blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | 28 days | Azur Top 325 SC | 9867 | Almond Agro Chemicals |
| Groundnuts | Early leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | 28 days | Fortress Ultra | 10450 | Meridian Agrochemical Co. |
| Groundnuts | Leaf spot; Leaf blotch; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 28 days | Indicate 250 SC | 9310 | Universal Crop Protection |
| Groundnuts | Leaf spot; Leaf blotch; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 28 days | Improve 250 SC | 9311 | Villa Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 28 days | Estricon 250 SC | 9433 | Crop Asure |
| Groundnuts | Leaf blotch; Leaf spot; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 28 days | Az-Well 250 SC | 10078 | ICA International Chemicals |
| Groundnuts | Leafspot; Leaf blotch; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 42 days | Budget 450 SC | 9648 | Villa Crop Protection |
| Groundnuts | Leafspot; Leaf blotch; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 42 days | Buzzard 450 SC | 9649 | Universal Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 42 days F | Flustricon 450 SC | 9974 | Crop Asure |
| Groundnuts | Leaf blotch; Leaf spot | benomyl | WP | 500 g/kg | 42 F | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Groundnuts | Leaf blotch | benomyl | WP | 500 g/kg | 42 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Groundnuts | Leaf blotch | benomyl | WP | 500 g/kg | 42 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Groundnuts | Grey mould; Leaf spot disease; Rust; Web blotch | carbendazim/difenoconazole | SC | 125/62,5 g/l | 21 days F | Difenozim SC | 7924 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---|----------------------------|-----|--------------|---------------|-------------------------|------|-----------------------------|
| Groundnuts | Early leaf spot; Grey mould; Late leaf spot; Rust; Web blotch | carbendazim/difenoconazole | SC | 125/62,5 g/l | 21 days F | Aria 188 SC | 7943 | Villa Crop Protection |
| Groundnuts | Leaf spot diseases; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 56 days (F) | Duett | 5791 | BASF SA |
| Groundnuts | Leaf blotch; Leaf spot; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 56 days (F) | Soprano C | 8079 | Adama SA |
| Groundnuts | Leafspot; Leaf blotch; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 56 days (F) | Endura Plus | 9131 | ICA International Chemicals |
| Groundnuts | Leaf blotch; Leafspot; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 56 days (F) | Solo | 9321 | Arysta Lifescience SA |
| Groundnuts | Botrytis stem rot; Leaf blotch; Leaf spot diseases; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days (hay) | Clout CM | 8281 | Meridian Agritech Co |
| Groundnuts | Botrytis stem rot; Leaf spots; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Clout CM | 8281 | Meridian Agritech Co |
| Groundnuts | Botrytis rot; Leaf blotch; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Groundnuts | Botrytis rot; Leaf blotch; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Sparta SC | 8403 | Villa Crop Protection |
| Groundnuts | Botrytis rot; Leaf blotch; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Colloso | 9284 | Arysta Lifescience SA |
| Groundnuts | Botrytis; Leafspot; Leaf blotch; Rust | carbendazim/flusilazole | SC | 250/125 g/l | 42 days F | Sparta Plus 375 SC | 9499 | Villa Crop Protection |
| Groundnuts | Botrytis; Leafspot; Leaf blotch; Rust | carbendazim/flusilazole | SC | 250/125 g/l | 42 days F | Flusilazim Extra 375 SC | 9500 | Universal Crop Protection |
| Groundnuts | Botrytis; Leaf blotch; Leafspot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | 42 days F | Flusicarb 375 SC | 9409 | Crop Asure |
| Groundnuts | Botrytis; Leaf blotch; Leafspot; Rust | carbendazim/flusilazole | SC | 250/125 g/l | 42 days F | Flusicarb Extra 375 SC | 9562 | Crop Asure |
| Groundnuts | Botrytis rot; Leaf spot; Web spot | chlorothalonil | SC | 500 g/l | 42 days F | Chloroflo 500 SC | 5171 | Plaaskem |
| Groundnuts | Botrytis stem rot; Leaf spot | chlorothalonil | SC | 500 g/l | 42 days F | Mission 500 SC | 7020 | Villa Crop Protection |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 500 g/l | 42 days (hay) | Matrix | 7290 | Bitrad Consulting |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 500 g/l | 42 days F | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Groundnuts | Botrytis stem rot; Leaf spot diseases | chlorothalonil | SC | 500 g/l | 42 days F | Calonil 500 SC | 7701 | Sidewalk Trading |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days (hay) | Bravo 720 | 7005 | Syngenta SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days F | Clortosip 720 SC | 7108 | Sipcam South Africa |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days F | Odeon 720 SC | 7596 | Adama SA |
| Groundnuts | Botrytis rot; Leafspot | chlorothalonil | SC | 720 g/l | 42 days F | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days (hay) | Mycoguard 720 SC | 8417 | Arysta Lifescience SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days F | Oronil 720 SC | 8431 | Universal Crop Protection |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days (hay) | Mission 720 SC | 8432 | Villa Crop Protection |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days (hay) | TalOnil 720 | 8935 | Erintrade t/a RT Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---|----------------------------------|-----|-------------|---------------|-----------------------|------|---|
| Groundnuts | Botrytis stem rot; Leaf spot | chlorothalonil | SC | 720 g/l | 42 days (hay) | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | WG | 825 g/kg | 42 days F | Odeon 825 WG | 7597 | Adama SA |
| Groundnuts | Leaf spot diseases | dichlorophen | EC | 200 g/l | 6 weeks F | Xarbac D 200 EC | 2097 | Nulandis |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days F | Score | 5132 | Syngenta SA |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days | Difence | 7922 | Erintrade t/a RT Chemicals |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days F | Scope 250 EC | 7942 | Villa Crop Protection |
| Groundnuts | Leaf spot diseases; Rust | difenoconazole | EC | 250 g/l | 21 days F | Navigator 250 EC | 8412 | Sidewalk Trading |
| Groundnuts | Leaf spot diseases; Rust | difenoconazole | EC | 250 g/l | 21 days F | Dicati | 8414 | Sharda International Africa |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days F | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Groundnuts | Leaf spot diseases; Rust | difenoconazole | EC | 250 g/l | 21 days F | Difen 250 EC | 8535 | Crop Asure |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days F | Divino 250 EC | 9343 | Adama SA |
| Groundnuts | Early leaf spot; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days F | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Groundnuts | Early leaf spot; Late leaf spot; Rust; Web blotch | difenoconazole | EC | 250 g/l | 21 days F | Granado | 9767 | DNA Crop Protection |
| Groundnuts | Early leaf spot; Leaf blotch; Rust | epoxiconazole/thiophanate methyl | SC | 187/310 g/l | 56 days | Duett Ultra | 9278 | BASF SA |
| Groundnuts | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Groundnuts | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Groundnuts | Leaf spot diseases | mancozeb | DF | 750 g/kg | 21 days f | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Groundnuts | Black hull; Crown rot; Damping off; Seed decay | mancozeb | DS | 800 g/kg | | Ifax 800 DS | 270 | Villa Crop Protection |
| Groundnuts | Leaf spot diseases | mancozeb | SC | 420 g/l | 21 days F | Pennfluid | 7733 | Total SA |
| Groundnuts | Leaf spot | mancozeb | SC | 455 g/l | 21 days F | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Groundnuts | Cercospora leaf spot | mancozeb | WG | 750 g/kg | 21 days F | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WG | 750 g/kg | 21 days F | Penncozeb WG | 4655 | Total SA |
| Groundnuts | Cercospora leaf spot | mancozeb | WP | 800 g/kg | 21 days F | Vondozeb | 2177 | Arysta Lifescience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Farmag Mancozeb | 4754 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---------------------------------------|------------------|-----|-------------|-------------|------------------------|------|---|
| Groundnuts | Cercospora leaf spot | mancozeb | WP | 800 g/kg | 21 days F | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Tridex | 5323 | Total SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Groundnuts | Cercospora leaf spot | mancozeb | WP | 800 g/kg | 21 days F | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | 21 days F | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Groundnuts | Leaf spots | mancozeb | WP | 800 g/kg | 21 days F | Newzeb 800 WP | 8167 | CropASURE |
| Groundnuts | Cercospora spot | mancozeb | WP | 800 g/kg | 21 days F | Tozeb WP | 8526 | Total SA |
| Groundnuts | Leaf spot | mancozeb | WP | 800 g/kg | 21 days F | Ventum 800 WP | 8691 | Nulandis |
| Groundnuts | Leaf spot diseases; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 21 days F | Manager SC | 3538 | Applied Chemical Products |
| Groundnuts | Leaf spot diseases; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 21 days F | Mangle SC | 5985 | Arysta Lifescience SA |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | maneb/zinc oxide | SC | 435/4,7 g/l | 21 days F | Vandal | 8462 | Arysta Lifescience SA |
| Groundnuts | Leaf spot diseases | propineb | WP | 700 g/kg | | Antracol 70 WP | 2065 | Bayer |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EC | 250 g/l | 42 days hay | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EC | 250 g/l | 42 days F | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EC | 250 g/l | 42 days F | Ardent | 9779 | DNA Crop Protection |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 200 g/l | 42 days F | Orius 200 EW | 7479 | Adama SA |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 200 g/l | 42 days F | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days F | Folicur 250 EW | 3857 | Bayer |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 250 g/l | 42 days F | Orius 250 EW | 6832 | Adama SA |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days | Tebuzole 250 EW | 7551 | Villa Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days | Corona 250 EW | 7603 | Meridian Agritech Co |
| Groundnuts | Leaf spot; Rust | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 250 g/l | 42 days F | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days F | Tacora 25 EW | 8865 | Anasac SA |
| Groundnuts | Leaf spot disease; Rust | tebuconazole | EW | 250 g/l | 42 days F | Riza EW | 8882 | Cheminova |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|--|-----------------------|-----|------------------|-----------|---------------------------|-------|---|
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days F | Zole 250 EW | 9142 | Ag-Chem Africa |
| Groundnuts | Leaf blotch; Leaf spot; Rust | tebuconazole | EW | 250 g/l | | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days F | Mystic | 9852 | Nufarm Agriculture |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | 42 days F | Tebuconazole 250 EW | 8814 | Crop Asure |
| Groundnuts | Crown rot | thiram | DS | 500 g/kg | | TMPD 50 DS | 6465 | Almond Agro Chemicals |
| Groundnuts | Fusarium; Rhizoctonia | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |
| Guavas | Anthrachnose; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Guavas | Blossom end rot | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Guavas | Blossom end rot | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Guavas | Blossom-end rot | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Guavas | Blossom end rot; Lumpy disease; Wilting disease | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Guavas | Blossom end rot; Lumpy disease; Wilting disease | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Guavas | Blossom end rot; Lumpy disease; Wilting disease | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Guavas | Blossom end rot; Lumpy disease | copper oxychloride | WP | 860 g/kg | | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Guavas | Anthrachnose; Blossom end rot; Lumpy disease | mancozeb | DF | 750 g/kg | 14 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Guavas | Anthrachnose; Blossom end rot | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Guavas | Anthrachnose; Blossom end rot | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------------|--|-------------------------|-----|--------------|---------|------------------------|------|---|
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Guavas | Anthracnose; Blossom end rot | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Guavas | Blossom end rot; Lump disease | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | CropASURE |
| Guavas | Anthracnose; Blossom end rot | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Herbs | Leaf blight; Leaf spot; Fusarium blight | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Herbs | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 21 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Hops | Downy mildew | mandipropamid | SC | 250 g/l | 7 days | Revus | 8617 | Syngenta SA |
| Hops | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 45 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Hydroponic solutions | Algae spp | dichlorophen | EC | 200 g/l | | Xanbac D 200 EC | 2097 | Nulandis |
| Kiwi fruit | Botrytis fruit rot | cyprodinil | WG | 500 g/kg | 3 days | Chorus | 5383 | Syngenta SA |
| Kiwi fruit | Botrytis rot | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Kiwi fruit | Grey mould | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Kiwi fruit | Botrytis | iprodione | SC | 255 g/l | 7 days | Rovral Flo | 1046 | FMC Chemicals |
| Kiwi fruit | Root and crown rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Lawns | Crown rot; Dollar spot; Fairy ring; Root rot | captan | WG | 800 g/kg | | Captan 800 WG | 9345 | Sharda International Africa |
| Lawns & Turf | Anthracnose; Brown patch; Dollar spot; Fairy ring; Grey leaf spot; Leaf rust; Leaf spot; Melting out; Necrotic ring spot; Root rot; Red thread; Summer patch; Take all | azoxystrobin | WG | 500 g/kg | | Heritage | 6567 | Syngenta SA |
| Lawns & Turf | Anthracnose; Brown patch; Fairy ring; Root rot | azoxystrobin | WG | 500 g/kg | | Monarch 500 WDG | 8955 | Universal Crop Protection |
| Lawns & Turf | Anthracnose; Brown patch; Fairy ring; Root rot | azoxystrobin | WG | 500 g/kg | | Essence 500 WDG | 8956 | Villa Crop Protection |
| Lawns & Turf | Dollar spot; Fairy ring; Leaf crown and root diseases | captan | WG | 800 g/kg | | Captan 800 WG | 9249 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------|---|-------------------------|-----|--------------|--------|---------------------------|------|-----------------------------|
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 500 g/l | | Chloroflo 500 SC | 5171 | Plaaskem |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 500 g/l | | Matrix | 7290 | Bitrad Consulting |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 500 g/l | | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | | Bravo 720 | 4233 | Agro-Serve t/a Efekto |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 720 g/l | | Cldrosip 720 SC | 7108 | Sipcam South Africa |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | | Daconil Weather Stik | 7170 | Syngenta SA |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 720 g/l | | Odeon 720 SC | 7596 | Adama SA |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 720 g/l | | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | | Fungi Free | 8759 | Kombat |
| Lawns & Turf | Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | | TalOnil 720 | 8935 | Erintrade t/a RT Chemicals |
| Lawns & Turf | Dollar spot | chlorothalonil | WG | 825 g/kg | | Odeon 825 WG | 7597 | Adama SA |
| Lawns & Turf | Dollar spot; Brown patch; Leaf spot | iprodione | SC | 500 g/l | | Prodione | 7222 | Nulandis |
| Lawns & Turf | Dollarspot; Fusarium; Leaf spot; Brown patch | iprodione | SC | 500 g/l | | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | iprodione | SC | 500 g/l | | Iprodione 500 SC | 8459 | Universal Crop Protection |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | iprodione | SC | 500 g/l | | Taurus 500 SC | 8499 | Villa Crop Protection |
| Lawns & Turf | Dollar spot; Brown patch; Leaf spot | iprodione | SC | 500 g/l | | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Lawns & Turf | Brown patch; Dollar spot; Leaf spot diseases | iprodione | SC | 500 g/l | | Roflo | 9573 | Wentek Chemicals |
| Lawns & Turf | Brown patch; Dollar spot | procymidone | SC | 250 g/l | | Sumisclex SC | 6377 | Philagro South Africa |
| Lawns & Turf | Brown patch; Dollar spot | propiconazole | EC | 250 g/l | | Bumper 250 EC | 6034 | Adama SA |
| Lawns & Turf | Anthrachnose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 250 g/l | | Banner | 7171 | Syngenta SA |
| Lawns & Turf | Brown patch; Dollar spot | propiconazole | EC | 250 g/l | | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Lawns & Turf | Anthrachnose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 500 g/l | | Vitaturf 500 EC | 6301 | Agro-Serve t/a Efekto |
| Lawns & Turf | Anthrachnose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 500 g/l | | Lawn Fungicide 500 EC | 8461 | Agro-Serve t/a Efekto |
| Lawns & Turf | Dollarspot; Leaf spot diseases | thiabendazole | SC | 500 g/l | | ICA -Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Leafy vegetables | Alternaria; Anthracnose; Cercospora leafspot; Downy mildew; Powdery mildew; Seedling diseases; Septoria leaf spot | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Leafy vegetables | Grey mould; Leaf spot; Powdery mildew; Sclerotinia rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Leafy vegetables | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------|--|------------------------------|-----|-------------------------|-------------|--------------------------|------|-----------------------------|
| Leafy vegetables | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Leafy vegetables | Downy mildew | mandipropamid | SC | 250 g/l | 1 day | Revus | 8617 | Syngenta SA |
| Leafy vegetables | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Leeks | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Stemphylium leaf blotch; Seedling diseases | azoxystrobin | SC | 250 g/l | 3 days | Amistar | 6230 | Syngenta SA |
| Leeks | Downy mildew; Purple blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 - 14 days | Amistar Opti | 8265 | Syngenta SA |
| Leeks | Botrytis rot; Leaf blight; Leaf spot; Powdery mildew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Leeks | Downy mildew | mandipropamid | SC | 250 g/l | 7 days | Revus | 8617 | Syngenta SA |
| Leeks | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Leeks | Purple blotch; Rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 21 days | Nativo | 8942 | Bayer |
| Lentils | Alternaria blight; Anthracnose; Leaf blight; Leaf spot; Leaf and pod spot; Rust; Southern blight; Web blight | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Lettuce | Downy mildew | borax/orange oil | SL | 10/50 g/l | | Prev- Am | 7130 | Oro Agri SA |
| Lettuce | Leaf spot | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Lettuce | Leaf spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Lettuce | Leaf spot | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Lettuce | Leaf spot | copper hydroxide | WP | 770 g/kg | 14 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Lettuce | Leaf spot | copper hydroxide | WP | 770 g/kg | 14 days | Funguran-OH | 4445 | Agri Registrations CC |
| Lettuce | Leaf spot | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Lettuce | Leaf spot | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Lettuce | Rot | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Lettuce | Botrytis rot (Grey mold); White mold | fluopyram | SC | 500 g/l | 7 days | Luna Privilege | 8997 | Bayer |
| Lettuce | Downy mildew | mandipropamid | SC | 250 g/l | 1 day | Revus | 8617 | Syngenta SA |
| Lettuce | Downy mildew | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Lettuce | Downy mildew | organic plant acids | SL | 19 g/l | 1 day | Kanguard 940 | 7421 | Kannar CC |
| Litchis | Anthracnose; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Litchis | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Litchis | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Litchis | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|--|-----------------------------|-----|--------------|-----------------------------|--------------------------|-------|--|
| Litchis | Post harvest decay | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Litchis | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Lucerne | Damping off | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Lucerne | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Aphon XL | 6837 | Syngenta SA |
| Lupins | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Topaz 200 EW | 5246 | Syngenta SA |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | | Vine and Dusting Sulphur | 1252 | Plaaskem |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 5261 | Universal Crop Protection |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 9127 | Orchard Agrikem |
| Lupins | Powdery mildew | triforine | EC | 190 g/l | 7 days | Denarin EC | 5210 | Sumitomo Corporation |
| Macadamias | Foliar diseases | azoxystrobin/difenoconazole | SC | 200/125 g/l | 45 days | Amistar Top | 7897 | Syngenta SA |
| Maize | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 30 days | Az-Well 250 SC | 10078 | ICA International Chemicals |
| Maize | Grey leaf spot; Northern leaf blight | bixafen/tebuconazole | EC | 50/166 g/l | 41 days; Do not graze | Zantara | 10011 | Bayer |
| Maize | Cob & Tassel smut | captab | FS | 500 g/l | | Royalcap FS | 3152 | Chemtura |
| Maize | Cob & Tassel smut; Damping off; Seed decay | captab | FS | 500 g/l | | Merpan SC | 4668 | Adama SA |
| Maize | Cob & Tassel smut | captab | FS | 500 g/l | | Captan FS | 5981 | Volcano Agrosience /ta Arysta Lifescience SA |
| Maize | Cob and tassel smut | captab | FS | 500 g/l | | Farmag Captan 500 FS | 10312 | Cedar Falls Properties 130 |
| Maize | Fusarium spp; Phythium spp; Phytophthora spp; Rhizoctonia spp; Sphacelotheca reliana | captab | SC | 500 g/l | | Avicap 500 FS | 9691 | Avima |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 14 days; No F | Difenozim SC | 7924 | Universal Crop Protection |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 14 days; No F | Aria 188 SC | 7943 | Villa Crop Protection |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | 30 days (F); 60 days (seed) | Duett | 5791 | BASF SA |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | 30 days (F); 60 days (seed) | Soprano C | 8079 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|---|--------------------------------------|-----|---------------|-----------------------------------|------------------------------|-------|-----------------------------|
| Maize | Grey leaf spot, Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | 30 days (F); 60 days (seed) | Endura Plus | 9131 | ICA International Chemicals |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | 30 days (F); 60 days (seed) | Endura Plus | 9321 | Arysta Lifescience SA |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 28 days; 60 days F | Colloso | 9284 | Arysta Lifescience SA |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SE | 250/125 g/l | 14 days; 60 F | Clout Xtra | 10466 | Meridian Agrochemical Co. |
| Maize | Grey leaf spot | carbendazim/propiconazole | SC | 125/125 g/l | 70 days | Propazim 250 SC | 7530 | Villa Crop Protection |
| Maize | Grey leaf spot | carbendazim/propiconazole | SC | 125/125 g/l | 70 days | Propiconazole Plus 250 SC | 7535 | Universal Crop Protection |
| Maize | Northern leaf blight | carbendazim/tebuconazole | SC | 133/167 g/l | 20 days; 60 days F | Folicur C 300 SC | 4602 | Bayer |
| Maize | Brown rust; Grey leaf spot; Northern leaf blight | cyproconazole/picoxystrobin | SC | 80/200 g/l | 28 days | Acanto Plus 280 SC | 9149 | Du Pont de Nemours |
| Maize | Grey leaf spot | difenoconazole | EC | 250 g/l | 14 days | Pronto 250 EC | 7602 | Meridian Agritech Co |
| Maize | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days; No F | Divino 250 EC | 9343 | Adama SA |
| Maize | Grey leaf spot; Northern leaf blight | epoxiconazole | SC | 125 g/l | 30 days (Seed); 60 days F | Rubric 125 SC | 8873 | Cheminova |
| Maize | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 40/133 g/l | 30 days | Opera | 9103 | BASF SA |
| Maize | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 30 days | Abacus Advance | 9132 | BASF SA |
| Maize | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 30 days | Abacus Advance | 9132 | BASF SA |
| Maize | Common rust; Grey leaf spot; Northern leaf blight | epoxiconazole/thiophanate- methyl | SC | 187/310 g/l | 60 days | Duett Ultra | 9278 | BASF SA |
| Maize | Common brown rust; Diplodia Leaf streak; Northern corn leaf blight; Phaeoshaeria leaf spot | fluoaxastrobin/tebuconazole | SC | 200/277 g/l | 35 days | Evito T | 10167 | Arysta Lifescience SA |
| Maize | Grey leaf spot; Northern leaf blight | flutriafol/tebuconazole | SC | 75/225 g/l | 7 days | Impact Gold 300 SC | 9312 | Cheminova |
| Maize | Grey leaf spot; Northern leaf blights; Rust | prothioconazole | SC | 480 g/l | 28 days F | Santana 480 SC | 10049 | Villa Crop Protection |
| Maize | Grey leaf spot; Northern leaf blights; Rust | prothioconazole | SC | 480 g/l | 28 days F | Projetron 480 SC | 10050 | Universal Crop Protection |
| Maize | Brown rust; Grey leaf spot; Northern corn leaf blight | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 42 days (60 days F) | Nativo | 8942 | Bayer |
| Maize | Damping off; Seed decay | thiram | WS | 800 g/kg | | Seedcare Thiram 80 WG | 5696 | D&J Agro Pesticides |
| Maize | Cob & Tassel smut | triadimenol | FS | 150 g/l | | Baytan 150 FS | 1697 | Bayer |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------------------------|---|-----------------------------|-----|------------------|---------|---------------------|-------|-----------------------------|
| Maize | Cob & Tassel smut | triadimenol | FS | 150 g/l | | Shavit | 5493 | Adama SA |
| Maize | Cob & Tassel smut | triadimenol | FS | 150 g/l | | Badger 15 FS | 7565 | Chemtura |
| Maize | Fusarium; Rhizoctoria | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |
| Maize | Brown rust; Grey leaf spot | trifloxystrobin | SC | 500 g/l | 14 days | Flint 500 SC | 8866 | Bayer |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | 7 days | Amistar | 6230 | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin | SC | 250 g/l | 7 | Mycoblock 250 SC | 8591 | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | 7 days | Azoxystrobin 250 SC | 8593 | Sharda International Africa |
| Maize (including sweetcorn) | Grey leafspot; Northern leaf blight; Rust | azoxystrobin | SC | 250 g/l | 7 days | Strobin 250 SC | 8625 | Crop Asure |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | | Azaka 250 SC | 8867 | Cheminova |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Maize (including sweetcorn) | Grey leaf spot | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | 7 days | Fortress | 9269 | Meridian Agritech Co |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | 7 days | Banshee | 9786 | DNA Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | 7 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Maize (including sweetcorn) | Northern leaf blight; Rust | azoxystrobin/boscalid | SC | 150/250 g/l | 21 days | Sabotage | 10303 | Meridian Agritech Co |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Azur Top 325 SC | 9867 | Almond Agro Chemicals |
| Maize (including sweetcorn) | Grey leaf spot; Northern corn leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Dimension 325 SC | 10355 | Cedar Falls Properties 130 |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 30 days | Indicate 250 SC | 9310 | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 30 days | Improve 250 SC | 9311 | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 30 days | Estricon 250 SC | 9433 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------------------------|---|--|-----|--------------------|----------------------------|-------------------|-------|---|
| Maize (including sweetcorn) | Damping off; Decay; Seedling blight | azoxystrobin/fludioxanil/metalaxyl-M/thiabendazole | FS | 15/37,5/30/300 g/l | 14 days | Maxim Quattro | 9494 | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 14 days; 60 days (grazing) | Budget 450 SC | 9648 | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 14 days; 60 days (grazing) | Buzzard 450 SC | 9649 | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | 14 days; 60 days F | Flustricon 450 SC | 9974 | Crop Asure |
| Maize (including sweetcorn) | Brown rust; Downy mildew; Grey leaf spot; Leaf spot; Northern leaf blight | azoxystrobin/tebuconazole | SC | 120/200 g/l | 56 days | Custodia 320 SC | 9342 | Adama SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 60 days (F) | Clout CM | 8281 | Meridian Agritech Co |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 14 days; 60 days (grazing) | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 14 days; 60 days (grazing) | Sparta SC | 8403 | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SE | 250/125 g/l | 14 days; 60 days F | Clout Xtra | 10466 | Meridian Agrochemical Co. |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 14 days; 60 days F | Flusicarb 375 SC | 9409 | Crop Asure |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flutriafol | SC | 150/94 g/l | 7 days; No F | Early Impact | 5175 | Cheminova |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | cyproconazole/propiconazole | EC | 80/250 g/l | 21 days; 90-120 days F | Artea | 6820 | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Score | 5132 | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Difence | 7922 | Erintrade t/a RT Chemicals |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days; No F | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Dicati | 8414 | Sharda International Africa |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------------------------|--|------------------------------|-----|---------------|---------------|-----------------------|-------|--------------------------------------|
| Maize (including sweetcorn) | Grey leafspot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days; No F | Difen 250 EC | 8535 | Crop Asure |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Granado | 9767 | DNA Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | 14 days | Difenoconazole 250 EC | 10087 | Bitrad Kaap |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 30 days | Abacus | 8048 | BASF SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 30 days | Paradox | 10216 | Meridian Agritech Co |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 30 days | Calculus 125 SE | 10314 | Cedar Falls Properties 130 |
| Maize (including sweetcorn) | Damping off; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 35 days | Celest XL | 6353 | Syngenta SA |
| Maize (including sweetcorn) | Damping off; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 35 days | Celest XL White | 7480 | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | flutriafol | SC | 125 g/l | 7 days | Impact | 4088 | Cheminova (Disa Bio-Technologies CC) |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | flutriafol | SC | 250 g/l | 7 days | Impact 250 SC | 9064 | Cheminova |
| Maize (sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 28 days; No F | Difenozim SC | 7924 | Universal Crop Protection |
| Maize (sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 28 days; No F | Aria 188 SC | 7943 | Villa Crop Protection |
| Mangoes | Bacterial black spot | acibenzolar-S-methyl | WG | 500 g/kg | 21 | Bion | 6512 | Syngenta SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | 21 days | Ortiva | 5968 | Syngenta SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | 21 | Fungaway 250 SC | 8590 | Villa Crop Protection |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | 21 days | Strobin 250 SC | 8625 | Crop Asure |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | | Nanok 250 SC | 8893 | Cheminova |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | | Aztrix 250 SC | 9574 | Wentek Chemicals |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | | Nova Z-Strobin 250 SC | 9703 | AgriNova Trust |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | 21 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|--|-------------------------|-----|-------------------------|-----------|--------------------------|------|---|
| Mangoes | Anthracnose | azoxystrobin | WG | 500 g/kg | 21 days | Nova Z-Strobin 500 WG | 9674 | AgriNova Trust |
| Mangoes | Anthracnose; Brown rot; Post harvest decay; Powdery mildew | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Mangoes | Anthracnose; Brown rot; Post harvest decay; Powdery mildew | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Mangoes | Powdery mildew | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Anthracnose; Brown rot; Post harvest decay; Powdery mildew | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Mangoes | Powdery mildew | bupirimate | EC | 250 g/l | | Nimrod | 1117 | Adama SA |
| Mangoes | Powdery mildew | bupirimate | EW | 250 g/l | | Veto EW | 9656 | Meridian Agritech Co |
| Mangoes | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | see label | Oscar | 4382 | Adama SA |
| Mangoes | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | | Veto Plus | 9776 | Meridian Agritech Co |
| Mangoes | Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 124 days | Clout CM | 8281 | Meridian Agritech Co |
| Mangoes | Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 124 days | Clout CM | 8281 | Meridian Agritech Co |
| Mangoes | Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | 124 days | Coloso | 9284 | Arysta Lifescience SA |
| Mangoes | Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 62 days | Rambo | 7292 | Bitrad Consulting |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 315 g/l | 14 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 315 g/l | 14 days | Fungi Flow | 6925 | Villa Crop Protection |
| Mangoes | bacterial spot | copper ammonium acetate | SL | 316 g/l | 14 days | Copper Count-N | 2602 | Hygrotech Properties |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 316 g/l | 14 days | Liquicop | 5586 | Hygrotech Properties |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 686 g/l | 14 days | Fungicop | 6298 | Gouws & Scheepers |
| Mangoes | Bacterial spot | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Mangoes | Bacterial spot | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Mangoes | Bacterial spot | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Mangoes | Bacterial spot | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Mangoes | Bacterial spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Mangoes | Bacterial spot | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Mangoes | Bacterial spot | copper hydroxide | WP | 770 g/kg | 14 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Mangoes | Bacterial spot | copper hydroxide | WP | 770 g/kg | 14 days | Funguran-OH | 4445 | Agri Registrations CC |
| Mangoes | Bacterial spot | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Mangoes | Bacterial spot | copper oxychloride | WP | 850 g/kg | | Rust | 3131 | Kombat |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|---|------------------------------------|-----|--------------|----------|---------------------------|-------|---|
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 days | Demidex | 5094 | Delta Chemicals |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Mangoes | Anthracnose; Bacterial spot; Post harvest decay | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Mangoes | Anthracnose; Bacterial spot; Post harvest decay | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Mangoes | Anthracnose; Bacterial blight | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Mangoes | Powdery mildew | copper oxychloride/sulfur | DP | 85/800 g/kg | | Coppasulfa | 5726 | Sunwood Chemicals |
| Mangoes | Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | | Copper Sulphur | 3564 | Orchard Agrikem |
| Mangoes | Bacterial black spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copflo Super | 6981 | Ag-Chem Africa |
| Mangoes | Bacterial black spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Mangoes | Bacterial spot | copper sulphate/lime | WG | 711/289 g/kg | 14 days | Cuprofix Ultra | 8888 | Total SA |
| Mangoes | Bacterial spot | copper/mancozeb | WG | 120/300 g/kg | 14 days | Cuprofix 30 Disperss | 7893 | Total SA |
| Mangoes | Bacterial spot | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Mangoes | Bacterial spot | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Mangoes | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Mangoes | Anthracnose | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Sporekill | 7115 | ICA International Chemicals |
| Mangoes | Post harvest decay, Anthracnose | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Spore-Attack | 8178 | ICA International Chemicals |
| Mangoes | Post harvest decay | fatty acids | SC | 250 g/l | | Westfalia Biocoat | 7107 | Hans Merenski |
| Mangoes | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Mangoes | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Mangoes | Anthracnose; Soft brown rot; Stem-end rot | fludioxonil | WG | 200 g/kg | 1 day | Target 200 WDG | 10387 | Villa Crop Protection |
| Mangoes | Powdery mildew | flusilazole | EC | 100 g/l | 124 days | Verona | 8179 | Erintrade t/a RT Chemicals |
| Mangoes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | | Vista Flo | 8208 | Meridian Agritech Co |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 48 days | Stroby WG | 5687 | BASF SA |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 48 days | Kreso WDG | 8193 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|----------------------------|---------------------|-----|----------|---------|-------------------------|------|---|
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 48 days | Kresoxim-Methyl 500 WDG | 8194 | Universal Crop Protection |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 48 days | Kreso 50 WG | 8266 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | 48 days | Oxim 500 WDG | 8574 | Crop Asure |
| Mangoes | Anthracoze | mancozeb | DF | 750 g/kg | 14 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Mangoes | Anthracoze | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Mangoes | Anthracoze | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Anthracoze | mancozeb | WG | 750 g/kg | 60 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Mangoes | Anthracoze | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Newzeb 800 WP | 8167 | Crop Asure |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Mangoes | Anthracoze | mancozeb | WP | 800 g/kg | 60 days | Ventum 800 WP | 8691 | Nulandis |
| Mangoes | Mango blossom malformation | potassium phosphite | SL | 560 g/l | 50 days | Lima 400 SL | 6478 | Universal Crop Protection |
| Mangoes | Post harvest decay | prochloraz | EC | 450 g/l | | Chronos 45 EC | 5589 | Adama SA |
| Mangoes | Post harvest decay | prochloraz | EC | 450 g/l | | Pakua 450 EC | 7933 | Ag-Chem Africa |
| Mangoes | Post harvest decay | prochloraz | EC | 450 g/l | | ICA-Prochloraz 450 EC | 8478 | ICA International Chemicals |
| Mangoes | Post harvest decay | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|------------------------------|---------------|-----|----------|--------|----------------------|-------|---|
| Mangoes | Blossom spot; Powdery mildew | prochloraz | WP | 500 g/kg | | Octave | 3406 | FMC Chemicals |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Bumper 250 EC | 6034 | Adama SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Tilt | 6668 | Syngenta SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Propicon 250 EC | 7547 | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Propizole 250 EC | 7561 | Villa Crop Protection |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Makhrozele 250 EC | 7974 | Makhro-Agro SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | | Admiral 250 EC | 9358 | Cedar Falls Properties 130 |
| Mangoes | Powdery mildew | propiconazole | EC | 500 g/l | | Propicon 500 EC | 7506 | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Powdery mildew | quinoxyfen | SC | 250 g/l | | Legend 250 SC | 6840 | Dow Agroscience SA |
| Mangoes | Powdery mildew | quinoxyfen | SC | 250 g/l | | Proxima | 8696 | Meridian Agritech Co |
| Mangoes | Powdery mildew | quinoxyfen | SC | 250 g/l | | Lore 250 SC | 9732 | Universal Crop Protection |
| Mangoes | Powdery mildew | quinoxyfen | SC | 250 g/l | | Fable 250 SC | 9733 | Villa Crop Protection |
| Mangoes | Powdery mildew | quinoxyfen | SC | 250 g/l | | Edge 250 SC | 9936 | Crop Asure |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Prosper 500 EC | 6252 | Bayer |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Spiral 500 EC | 7982 | Meridian Agritech Co |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Potential 500 EC | 9161 | Villa Crop Protection |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Flourish 500 EC | 9164 | Universal Crop Protection |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Vision 500 EC | 9510 | Crop Asure |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Spirox 500 EC | 9778 | Arysta Lifescience SA |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | | Spiroxamine 500 EC | 10181 | Bitrad Agri |
| Mangoes | Powdery mildew | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulfur | SC | 800 g/l | | Sulfomaxx | 9941 | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 5261 | Universal Crop Protection |
| Mangoes | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 9127 | Orchard Agrikem |
| Mangoes | Powdery mildew | sulphur | SC | 700 g/l | | Sufflo 700 SC | 6433 | Sunwood Chemicals |
| Mangoes | Powdery mildew | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Mangoes | Powdery mildew | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Mangoes | Powdery mildew | tebuconazole | EC | 250 g/l | | TebuDew | 7871 | Erintrade t/a RT Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|---|-------------------------|-----|-----------|-----------|---------------------------|-------|-----------------------------|
| Mangoes | Powdery mildew | tebuconazole | EC | 250 g/l | | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Mangoes | Powdery mildew | tebuconazole | EC | 250 g/l | | Ardent | 9779 | DNA Crop Protection |
| Mangoes | Powdery mildew | tebuconazole | EW | 200 g/l | | Orius 200 EW | 7479 | Adama SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 200 g/l | | Makroteb 200 EW | 8149 | Makhro-Agro SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Folicur 250 EW | 3857 | Bayer |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Orius 250 EW | 6832 | Adama SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Corona 250 EW | 7603 | Meridian Agritech Co |
| Mangoes | Powdery Mildew | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Tacora 25 EW | 8865 | Anasac SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Riza EW | 8882 | Cheminova |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Zole 250 EW | 9142 | Ag-Chem Africa |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | | Mystic | 9852 | Nufarm Agriculture |
| Mangoes | Powdery mildew | tetraconazole | EC | 100 g/l | | Domark 100 EC | 6757 | Isagro SA |
| Mangoes | Powdery mildew | triadimenol | EC | 250 g/l | | Shavit 25 EC | 5601 | Adama SA |
| Mangoes | Powdery mildew | triforine | EC | 190 g/l | | Denarin EC | 5210 | Sumitomo Corporation |
| Millet | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Millet | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Mushrooms | Dry bubble; Wet bubble | prochloraz | SC | 450 g/l | 14 days | Chronos 450 SC | 7276 | Adama SA |
| Mushrooms | Dry bubble; Wet bubble | prochloraz | WP | 500 g/kg | 14 days | Octave | 3406 | FMC Chemicals |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | | ICA -Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | | Ag-Thiabendazole 500 SC | 8733 | Ag-Chem Africa |
| Mushrooms | Post-harvest decay; Dry bubble; Cobweb; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---------------------------------------|--------------------------------------|-----|----------------|------------|---------------------------|-------|-----------------------------|
| Muskmelon | Post-harvest decay; Post harvest rot | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Nectarines | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Nectarines | Brown rot | fenbuconazole | EW | 50 g/l | 1 day | Indar 50 EW | 5453 | Dow Agrosience SA |
| Nectarines | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Nectarines | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | 3 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Nectarines | Post harvest decay | iprodione | SC | 255 g/l | 3 days | Iprodione 255 | 7340 | Erintrade t/a RT Chemicals |
| Nectarines | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Prodione | 7222 | Nulandis |
| Nectarines | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Iprodione 500 SC | 8459 | Universal Crop Protection |
| Nectarines | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Taurus 500 SC | 8499 | Villa Crop Protection |
| Oats | Crown rust | carbendazim/propiconazole | SC | 125/125 g/l | 56 days | Propazim 250 SC | 7530 | Villa Crop Protection |
| Oats | Crown rust | carbendazim/propiconazole | SC | 125/125 g/l | 56 days | Propiconazole Plus 250 SC | 7535 | Universal Crop Protection |
| Oats | Crown rust | carbendazim/triadimefon | SC | 200/165 g/l | 56 days | Ranchero 365 SC | 6331 | Rotam RSA |
| Oats | Crown rust | carbendazim/triadimefon | SC | 200/165 g/l | 56 days | Rambo | 7292 | Bitrad Consulting |
| Oats | Powdery mildew; Rust | cyproconazole/propiconazole | EC | 80/250 g/l | 30 days | Artea | 6820 | Syngenta SA |
| Oats | Covered smut; Damping off; Seed decay | mancozeb | DS | 800 g/kg | | Ifax 800 DS | 270 | Villa Crop Protection |
| Oats | Crown rust | spiroxamine/tebuconazole/triadimefon | EC | 150/167/43 g/l | 56-80 days | Prosper Trio | 9083 | Bayer |
| Oats | Crown rust | tebuconazole | EC | 250 g/l | 56 days | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Oats | Crown rust | tebuconazole | EC | 250 g/l | 56 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Oats | Crown rust | tebuconazole | EC | 250 g/l | 56 days | Ardent | 9779 | DNA Crop Protection |
| Oats | Crown rust | tebuconazole | EW | 200 g/l | 56 days | Orius 200 EW | 7479 | Adama SA |
| Oats | Crown rust | tebuconazole | EW | 200 g/l | 56 days | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Folicur 250 EW | 3857 | Bayer |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Orius 250 EW | 6832 | Adama SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Tebuzole 250 EW | 7551 | Villa Crop Protection |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Tacora 25 EW | 8865 | Anasac SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Riza EW | 8882 | Cheminova |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|------------------------|--------------------|-----|----------|---------|---------------------------|-------|---|
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Mystic | 9852 | Nufarm Agriculture |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | 56 days | Tebuconazole 250 EW | 8814 | Crop Asure |
| Oats | Seedborne diseases | thiram | DS | 500 g/kg | | TMPD 50 DS | 6465 | Almond Agro Chemicals |
| Oats | Crown rust | triadimefon | SC | 250 g/l | 56 days | Repute | 6824 | Bitrad Consulting |
| Oats | Loose smut | triadimenol | FS | 150 g/l | | Baytan 150 FS | 1697 | Bayer |
| Oats | Loose smut | triadimenol | FS | 150 g/l | | Shavit | 5493 | Adama SA |
| Oats | Loose smut | triadimenol | FS | 150 g/l | | Badger 15 FS | 7565 | Chemtura |
| Olives | Leaf spot | captab | SC | 500 g/l | 14 days | Farmag Captan 500 SC | 10311 | Cedar Falls Properties 130 |
| Olives | Leaf spot | captab | SC | 500 g/l | 14 days | Merpan 50 SC | 5511 | Adama SA |
| Olives | Leaf spot | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Olives | Leaf spot | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Olives | Leaf spot | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Olives | Anthracnose; Leaf spot | cuprous oxide | WG | 860 g/kg | | Nordox 86% WG | 8077 | Avima |
| Olives | Anthracnose; Leaf spot | cuprous oxide | WP | 860 g/kg | | Nordox 86% WP | 8078 | Avima |
| Olives | Anthracnose | mancozeb | DF | 750 g/kg | 14 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Olives | Anthracnose | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Olives | Anthracnose | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Olives | Anthracnose | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Olives | Anthracnose | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------|---|------------------------------------|-----|----------------|-------------|------------------------|-------|---|
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Onion and Garlic | Purple Bloch Botrytis | didecyl dimethyl ammonium chloride | SL | 120 g/l | 22 Days | Sporekill | 7115 | ICA International Chemicals |
| Onions | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Stemphylium leaf blotch; Seedling diseases | azoxystrobin | SC | 250 g/l | 20 days | Amistar | 6230 | Syngenta SA |
| Onions | Purple blotch; Leaf blotch | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Onions | Leaf blotch; Purple blotch | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Onions | Purple blotch; Stemphylium leaf blotch | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Onions | Purple blotch | azoxystrobin | SC | 250 g/l | 20 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Onions | Purple blotch | azoxystrobin/boscalid | SC | 150/250 g/l | 7 days | Sabotage | 10303 | Meridian Agritech Co |
| Onions | Downy mildew; Purple blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 - 14 days | Amistar Opti | 8265 | Syngenta SA |
| Onions | Botrytis rot; Leaf blight; Leaf spot; Powdery mildew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Onions | Purple blotch | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Onions | Downy mildew | chlorothalonil/cymoxanil | SC | 375 g/l/50 g/l | 14 days | Ruby | 6780 | Sipcam South Africa |
| Onions | Downy mildew | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Onions | Downy mildew | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Onions | Downy mildew | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Onions | Downy mildew | copper sulphate/fentin hydroxide | SC | 320/50 g/l | 14 days | Coptin | 9377 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|--|--------------------------|-----|--------------|---------|-----------------------|------|---|
| Onions | Botrytis leaf blight; Neck rot; Purple blotch | cyprodinil | WG | 500 g/kg | 7 days | Chorus | 5383 | Syngenta SA |
| Onions | Black mould; Botrytis leaf blight; Neck rot; Purple blotch; Stemphyllium leaf blight | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Onions | Pink root; White bulb rot | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Onions | Downy mildew | dimethomorph/mancozeb | WG | 90/600 g/kg | 7 | Acrobat WG | 6526 | BASF SA |
| Onions | Downy mildew; Purple blotch | fentin hydroxide | SC | 480 g/l | 14 days | Ag-Tin | 9493 | Ag-Chem Africa |
| Onions | Botrytis, Purple blotch | fludioxonil/pyrimethanil | SC | 100/400 g/l | 14 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Onions | Botrytis neck rot; Purple blotch | iprodione | SC | 255 g/l | | Rovral Flo | 1046 | FMC Chemicals |
| Onions | Botrytis neck rot; Purple blotch | iprodione | SC | 255 g/l | | Iprodione 255 | 7340 | Erintrade t/a RT Chemicals |
| Onions | Botrytis rot; Purple blotch | iprodione | SC | 500 g/l | 3 days | Prodione | 7222 | Nulandis |
| Onions | Botrytis rot; Purple blotch | iprodione | SC | 500 g/l | 3 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Onions | Botrytis neck rot; Downy mildew; Purple blotch | iprodione | SC | 500 g/l | 3 days | Iprone 500 SC | 8452 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Onions | Purple blotch | iprodione | SC | 500 g/l | 3 days | Roflo | 9573 | Wentek Chemicals |
| Onions | Downy mildew | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Onions | Downy mildew | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Onions | Downy mildew | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 | 2741 | Kombat |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------|-------------------------|-------------------------|-----|-------------|-----------|------------------------|------|-----------------------------|
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Onions | Downy mildew | mandipropamid | SC | 250 g/l | 7 days | Revus | 8617 | Syngenta SA |
| Onions | Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | | Manager SC | 3538 | Applied Chemical Products |
| Onions | Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | | Mangle SC | 5985 | Arysta Lifescience SA |
| Onions | Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | | Vandal | 8462 | Arysta Lifescience SA |
| Onions | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Onions | Purple blotch | procymidone | SC | 250 g/l | 8 days | Sumisclex SC | 6377 | Philagro South Africa |
| Onions | Purple blotch | procymidone | SC | 250 g/l | 8 days | Procyone 250 SC | 8394 | Universal Crop Protection |
| Onions | Purple blotch | procymidone | SC | 250 g/l | 8 days | Typhoon 250 SC | 8397 | Villa Crop Protection |
| Onions | Purple blotch | procymidone | SC | 500g/l | 8 days | Hit 500 SC | 7575 | Dow Agroscience SA |
| Onions | Botrytis; Purple blotch | pyrimethanil | SC | 400 g/l | 3 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Onions | Purple blotch | tebuconazole | EC | 250 g/l | see label | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Onions | Purple blotch | tebuconazole | EC | 250 g/l | | Ardent | 9779 | DNA Crop Protection |
| Onions | Purple blotch | tebuconazole | EW | 0,25 g/l | | Orius 200 EW RTU | 8302 | Makhro-Agro SA |
| Onions | Purple blotch | tebuconazole | EW | 200 g/l | | Orius 200 EW | 7479 | Adama SA |
| Onions | Purple blotch | tebuconazole | EW | 200 g/l | | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Folicur 250 EW | 3857 | Bayer |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Orius 250 EW | 6832 | Adama SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Tebuzole 250 EW | 7551 | Villa Crop Protection |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Corona 250 EW | 7603 | Meridian Agritech Co |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Tacora 25 EW | 8865 | Anasac SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Riza EW | 8882 | Cheminova |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--|-------------------------------------|-----|---------------------------|---------|---------------------------|-------|---|
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Zole 250 EW | 9142 | Ag-Chem Africa |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Mystic | 9852 | Nufarm Agriculture |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | | Teconazole 250 EW | 8814 | Crop Asure |
| Onions | Purple blotch; Rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 21 days | Nativo | 8942 | Bayer |
| Ornamentals and Protea | foliar, flower and shoot diseases | pyrimethanil | SC | 400 g/l | | Protector 400 SC | 8606 | ICA International Chemicals |
| Ornamentals, flowers & lawns | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | | Crown Gall Inoculant | 1380 | Stimulant |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | n/a | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Fusarium corm rot; Powdery mildew | benomyl | WP | 500 g/kg | | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | bifenthrin/bupirimate/propiconazole | AL | 0,04/0,3/0,1 g/l | | Makhro Rose Protector RTU | 8631 | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | bifenthrin/bupirimate/propiconazole | SL | 10/75/25 g/l | | Makhro Rose Protector | 8114 | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | bifenthrin/myclobutanil | AL | 0,02/0,075 g/l | | Rosecare 3 RTU | 7599 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | bifenthrin/myclobutanil | EW | 2/7,5 g/l | | Rosecare 3 | 6509 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Powdery mildew | borax/orange oil | SL | 10/50 g/l | | Prev- Am | 7130 | Oro Agri SA |
| Ornamentals, flowers & lawns | Seed decay; External seed-borne diseases | captab | FS | 500 g/l | | Farmag Captan 500 FS | 10312 | Cedar Falls Properties 130 |
| Ornamentals, flowers & lawns | Fusarium spp; Phytophthora spp; Pythium spp; Rhizoctonia spp | captab | SC | 500 g/l | | Avicap 500 FS | 9691 | Avima |
| Ornamentals, flowers & lawns | Black spot; Dollar spot; Fairy ring; Leaf, crown and root diseases | captab | WG | 800 g/kg | | Merpan 80 WDG | 5456 | Adama SA |
| Ornamentals, flowers & lawns | Black spot | captab | WG | 800 g/kg | | Captan 800 WG | 9345 | Sharda International Africa |
| Ornamentals, flowers & lawns | Black spot; Crown and root rot disease; Dollar spot; Fairy ring | captab | WP | 500 g/kg | | Captab WP | 6758 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Crown and root rot disease; Dollar spot; Fairy ring | captab | WP | 500 g/kg | | Thor 500 WP | 7691 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--|-------------------------|-----|----------|--------|------------------------|------|----------------------------|
| Ornamentals, flowers & lawns | Black spot; Crown and root rot disease; Dollar spot; Fairy ring | captab | WP | 500 g/kg | | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot | captan | WG | 800 g/kg | | Captan 800 WG | 9249 | Meridian Agritech Co |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | | ChloroFlo 500 SC | 5171 | Plaaskem |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | | Mission 500 SC | 7020 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | | Matrix | 7290 | Bitrad Consulting |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Leaf spot; Rust | chlorothalonil | SC | 720 g/l | | Bravo 720 | 4233 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Leafspot | chlorothalonil | SC | 720 g/l | | Bravo 720 | 7005 | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Clortosip 720 SC | 7108 | Sipcam South Africa |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Daconil Weather Stik | 7170 | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Odeon 720 SC | 7596 | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Dollar spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Mycoguard 720 SC | 8417 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Oronil 720 SC | 8431 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | | Mission 720 SC | 8432 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Brown rust; Leaf spot | chlorothalonil | SC | 720 g/l | | Fungi Free | 8759 | Kombat |
| Ornamentals, flowers & lawns | Black spot; Botrytis leaf spot; Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | WG | 825 g/kg | | Odeon 825 WG | 7597 | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 315 g/l | | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 315 g/l | | Fungi Flow | 6925 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 316 g/l | | Copper Count-N | 2602 | Hygrotech Properties |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--|---------------------------|-----|-------------------------|--------|---------------------------|------|---|
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 316 g/l | | Liquicop | 5586 | Hygrotech Properties |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 686 g/l | | Fungicop | 6298 | Gouws & Scheepers |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | SC | 538 g/l | | StopBad | 8797 | Plaaskem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | | CungFu 538 SC | 7526 | Nulandis |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | WP | 770 g/kg | n/a | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | WP | 770 g/kg | | Funguran-OH | 4445 | Agri Registrations CC |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | WP | 770 g/kg | | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Ornamentals, flowers & lawns | Downy mildew; Powdery mildew | copper octanoate | | 100 g/l | | Neudorff Copper Soap | 7064 | Warren Chem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper oxychloride | WP | 850 g/kg | | Virikop | 527 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper oxychloride | WP | 850 g/kg | | Rust | 3131 | Kombat |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Ornamentals, flowers & lawns | Black spot; Rust | copper oxychloride | WP | 850 g/kg | | Demildex | 5094 | Delta Chemicals |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | | Coprox Super | 5804 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust; Soil diseases | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust; Soil diseases | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | n/a | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper oxychloride | WP | 860 g/kg | | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | | Copsul Dust | 3655 | Applied Chemical Products |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | | Coppasulfa | 5726 | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | | Cu-Sul Dust | 6664 | JCJ Agri Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--|----------------------------|-----|-------------|--------|-----------------------|------|---|
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | | Copper Sulphur | 3564 | Orchard Agrikem |
| Ornamentals, flowers & lawns | Black spot | copper sulphate (basic) | SC | 320 g/l | | Copflo Super | 6981 | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Black spot | copper sulphate (basic) | SC | 320 g/l | | Copro Flow S | 8118 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Leaf spots; Rust | difenoconazole | EC | 250 g/l | | Score | 5132 | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot | dodine | SC | 400 g/l | | Syllit 400 SC | 7423 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Powdery mildew | fenarimol | EC | 120 g/l | | Rubigan | 5228 | Klub M5 |
| Ornamentals, flowers & lawns | Root rot | fosetyl-Al | WG | 800 g/kg | | Aliette WG | 5689 | Bayer |
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Leaf spot | iprodione | SC | 255 g/l | | Rovral Flo | 1046 | FMC Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | | Stroby WG | 5687 | BASF SA |
| Ornamentals, flowers & lawns | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | | Kreso 50 WG | 8266 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases | mancozeb | DF | 750 g/kg | | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WG | 750 g/kg | | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust | mancozeb | WG | 750 g/kg | | Penncozeb WG | 4655 | Total SA |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Vondozeb | 2177 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Dithane M-45 | 2741 | Kombat |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Ornamentals, flowers & lawns | Anthrachnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust | mancozeb | WP | 800 g/kg | | Tridex | 5323 | Total SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--|-------------------------|-----|----------|--------|------------------------|-------|---|
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Newzeb 800 WP | 8167 | Crop Asure |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust | mancozeb | WP | 800 g/kg | | Tozeb WP | 8526 | Total SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | | Ventum 800 WP | 8691 | Nulandis |
| Ornamentals, flowers & lawns | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Ornamentals, flowers & lawns | Powdery mildew | organic plant acids | SL | 19 g/l | | Kanguard 940 | 7421 | Kannar CC |
| Ornamentals, flowers & lawns | Rust | oxycarboxin | WP | 750 g/kg | | Plantvax WP | 1928 | Crompton Chemicals |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | prochloraz | WP | 500 g/kg | | Octave | 3406 | FMC Chemicals |
| Ornamentals, flowers & lawns | Damping off | propamocarb-HCl | SL | 722 g/l | | Previcur-N | 3394 | Bayer |
| Ornamentals, flowers & lawns | Damping off | propamocarb-HCl | SL | 722 g/l | | Proplant | 5831 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Damping off | propamocarb-HCl | SL | 722 g/l | | Basic N | 6680 | RT Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | propiconazole | EC | 250 g/l | | Bumper 250 EC | 6034 | Adama SA |
| Ornamentals, flowers & lawns | Powdery mildew | propiconazole | EC | 250 g/l | | Tilt | 6668 | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | propiconazole | EC | 250 g/l | | Fungi Rid | 6693 | Kombat |
| Ornamentals, flowers & lawns | Black spot | propineb | WP | 700 g/kg | | Antracol 70 WP | 2065 | Bayer |
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Fading out | prothioconazole | SC | 480 g/l | | Santana 480 SC | 10049 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--------------------------------------|-----------------|-----|----------|--------|--------------------------|-------|---------------------------|
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Fading out | prothioconazole | SC | 480 g/l | | Santana 480 SC | 10049 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Fading out | prothioconazole | SC | 480 g/l | | Projetron 480 SC | 10050 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | | Prosper 500 EC | 6252 | Bayer |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | | Potential 500 EC | 9161 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | | Flourish 500 EC | 9164 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | | Vision 500 EC | 9510 | Crop Asure |
| Ornamentals, flowers & lawns | Powdery mildew | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulfur | SC | 800 g/l | | Sulfomaxx | 9941 | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | | Vine and Dusting Sulphur | 1252 | Plaaskem |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 5261 | Universal Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 9127 | Orchard Agrikem |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 700 g/l | | Sulflo 700 SC | 6433 | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------------------------|--|------------------------|-----|--------------|---------|-----------------------|------|---|
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | tebuconazole | EW | 250 g/l | | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Seed decay | thiram | DS | 500 g/kg | | TMTD 50 DS | 6465 | Almond Agro Chemicals |
| Ornamentals, flowers & lawns | Damping off; Soil pathogens | tolclofos-methyl | WS | 500 g/kg | | Rizolex WP | 6376 | Philagro South Africa |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | triforine | AE | 3 g/kg | | Fungigon | 3134 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | triforine | EC | 190 g/l | | Funginex | 2469 | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot, Leaf spot, Powdery mildew, Rust | triforine | EC | 190 g/l | n/a | Denarin EC | 5210 | Sumitomo Corporation |
| Papaya | Anthrachnose; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Papaya | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Papaya | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Papaya | Anthrachnose; Fruit rot; Stem-end rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Papaya | Downy mildew | mancozeb | DF | 750 g/kg | 14 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Papaya | Black speckle | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|--|------------------------------------|-----|---------------------------|---------|------------------------|------|---|
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Papaya | Post harvest decay | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Papaya | Powdery mildew | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Parsley | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Parsley | Alternaria leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Parsley | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Parsnip | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Parsnip | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Parsnip | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Parsnips | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 3 days | Sporekill | 7115 | ICA International Chemicals |
| Peaches | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | | Crown Gall Inoculant | 1380 | Stimulant |
| Peaches | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | 7 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | 7 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | 7 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Peaches | Powdery mildew | bupirimate | EC | 250 g/l | 14 | Nimrod | 1117 | Adama SA |
| Peaches | Powdery mildew | bupirimate | EW | 250 g/l | 14 | Veto EW | 9656 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|---|-------------------------|-----|----------|---------|---------------------------|------|---|
| Peaches | Freckle | captab | WG | 800 g/kg | 14 days | Merpan 80 WDG | 5456 | Adama SA |
| Peaches | Freckle | captab | WG | 800 g/kg | 14 days | Captan 800 WG | 9345 | Sharda International Africa |
| Peaches | Bacterial spot; Freckle | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Peaches | Bacterial spot; Freckle | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Peaches | Bacterial spot; Freckle | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Peaches | Freckle | captan | WG | 800 g/kg | 14 days | Captan 800 WG | 9249 | Meridian Agritech Co |
| Peaches | Post harvest decay | chlorine dioxide | SL | 20 g/l | | Harvest Wash WT | 7252 | BTC Products and Services |
| Peaches | Specific replant disease | chloropicrin | AL | 1656 g/l | | Tripicrin | 8306 | Nippon Africa Chemicals |
| Peaches | Gum spot | copper ammonium acetate | SL | 315 g/l | 14 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Peaches | Gum spot | copper ammonium acetate | SL | 315 g/l | 14 days | Fungi Flow | 6925 | Villa Crop Protection |
| Peaches | Gum spot; Leaf curl | copper ammonium acetate | SL | 316 g/l | 14 days | Copper Count-N | 2602 | Hygrotech Properties |
| Peaches | Gum spot; Leaf curl | copper ammonium acetate | SL | 316 g/l | 14 days | Liquicop | 5586 | Hygrotech Properties |
| Peaches | Gum spot | copper ammonium acetate | SL | 686 g/l | 14 days | Fungicop | 6298 | Gouws & Scheepers |
| Peaches | Leaf curl | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Peaches | Leaf curl | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Peaches | Leaf curl | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Peaches | Leaf curl | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Peaches | Leaf curl | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Peaches | Leaf curl | copper hydroxide | WP | 770 g/kg | | Funguran-OH | 4445 | Agri Registrations CC |
| Peaches | Leaf curl | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peaches | Bacterial canker; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|---|--------------------------|-----|--------------|---------|-----------------------|------|---|
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | 14 | Farmag Cu Super | 7087 | Castle Ag-Chem |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Peaches | Bacterial canker; Gum spot; Leaf curl | copper sulphate (basic) | SC | 320 g/l | 14 days | Copflo Super | 6981 | Ag-Chem Africa |
| Peaches | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Peaches | Bacterial canker; Gum spot | copper sulphate/lime | WG | 770/174 g/kg | 14 days | Cuprofix Disperss | 6784 | Chempac |
| Peaches | Gum spot; Leaf curl | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Peaches | Gum spot; Leaf curl | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Peaches | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | 2 days | Chorus | 5383 | Syngenta SA |
| Peaches | Brown rot | fenbuconazole | EW | 50 g/l | 1 day | Indar 50 EW | 5453 | Dow Agroscience SA |
| Peaches | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Peaches | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Peaches | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | 3 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Peaches | Post harvest decay | iprodione | SC | 255 g/l | 3 days | Iprodione 255 | 7340 | Erintrade t/a RT Chemicals |
| Peaches | Post harvest decay | iprodione | SC | 500 g/l | 5 days | Prodione | 7222 | Nulandis |
| Peaches | Post harvest decay | iprodione | SC | 500 g/l | | Iprodione 500 SC | 8459 | Universal Crop Protection |
| Peaches | Post harvest decay | iprodione | SC | 500 g/l | | Taurus 500 SC | 8499 | Villa Crop Protection |
| Peaches | Freckle; Gum spot; Rust | mancozeb | SC | 420 g/l | 28 days | Pennfluid | 7733 | Total SA |
| Peaches | Freckle; Gumspot; Rust | mancozeb | SC | 455 g/l | 28 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | 28 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | 28 days | Penncozeb WG | 4655 | Total SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Dithane M-45 | 2741 | Kombat |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|---------------------------------|-------------------------|-----|-------------|---------|------------------------|------|---|
| Peaches | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | 28 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Tridex | 5323 | Total SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Peaches | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 28 days | Tozeb WP | 8526 | Total SA |
| Peaches | Gumspot; Rust | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Peaches | Freckle; Rust | mancozeb | WP | 800 g/kg | 28 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Peaches | Freckle; Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Peaches | Freckle; Gumspot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Vandal | 8462 | Arysta Lifescience SA |
| Peaches | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Peaches | Rust | metiram | WG | 700 g/kg | 14 days | Polyram WG | 5268 | BASF SA |
| Peaches | Leaf curl | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 4230 | Agro-Serve t/a Efekto |
| Peaches | Leaf curl | polysulphide sulphur | SL | 320 g/l | | Lime Sulphur | 7686 | Delta Chemicals |
| Peaches | Blossom blight | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Peaches | Blossom blight | prochloraz | WP | 500 g/kg | | Octave | 3406 | FMC Chemicals |
| Peaches | Brown rot | procymidone | SC | 250 g/l | 7 days | Sumisclex SC | 6377 | Philagro South Africa |
| Peaches | Brown rot | procymidone | SC | 500g/l | 7 days | Hit 500 SC | 7575 | Dow Agroscience SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 10 days | Bumper 250 EC | 6034 | Adama SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 10 days | Tilt | 6668 | Syngenta SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 10 days | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Peaches | Blossom blight | propiconazole | EC | 250 g/l | | Propicon 250 EC | 7547 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 10 days | Propizole 250 EC | 7561 | Villa Crop Protection |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 10 days | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | 10 days | Ppconazole 250 EC | 8627 | Crop Asure |
| Peaches | Blossom blight | propiconazole | EC | 250 g/l | | Admiral 250 EC | 9358 | Cedar Falls Properties 130 |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|-------------------------------------|---------------|-----|----------|---------|--------------------------|------|---|
| Peaches | Blossom blight | propiconazole | EC | 500 g/l | | Propicon 500 EC | 7506 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Support 400 SC | 9282 | Villa Crop Protection |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Source 400 SC | 9283 | Universal Crop Protection |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Pyrimet 400 SC | 9575 | Wentek Chemicals |
| Peaches | Powdery mildew; Rust | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Peaches | Powdery mildew | sulfur | SC | 800 g/l | | Sulfomaxx | 9941 | Ag-Chem Africa |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | | Vine and Dusting Sulphur | 1252 | Plaaskem |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 5261 | Universal Crop Protection |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 9127 | Orchard Agrikem |
| Peaches | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 5241 | Sunwood Chemicals |
| Peaches | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Peaches | Powdery mildew; Rust | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Peaches | Powdery mildew; Rust | sulphur | SC | 700 g/l | | Sufflo 700 SC | 6433 | Sunwood Chemicals |
| Peaches | Powdery mildew; Rust | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Peaches | Powdery mildew; Rust | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Peaches | Powdery mildew; Rust | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 750 g/kg | 14 days | Thiram WP | 4948 | Dow Agroscience SA |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 750 g/kg | 14 days | Thiram 75 WP | 6687 | Arysta Lifescience SA |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 750 g/kg | 14 days | Thiram 750 WP | 7097 | Universal Crop Protection |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 800 g/kg | 14 days | Ag-Thiram 800 WP | 8175 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------------------------------|--|------------------|-----|-------------------------|------------------|---------------------|-------|---|
| Peaches (including nectarines) | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rust; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Peaches (including Nectarines) | Leaf curl | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Peaches (including nectarines) | Post harvest decay | iprodione | SC | 255 g/l | 3 days | Rovral Flo | 1046 | FMC Chemicals |
| Peaches (including nectarines) | Post harvest decay | iprodione | SC | 500 g/l | | Rovral Aquaflo | 5140 | FMC Chemicals |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | 3 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Iprone 500 SC | 8452 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Roflo | 9573 | Wentek Chemicals |
| Peaches (including nectarines) | Post-harvest decay; Botrytis spp; Monilinia spp | pyrimethanil | SC | 400 g/l | 3 days | Deccothanil 400 SC | 10081 | Citrashine |
| Peaches (including nectarines) | Blossom blight; Gum spot; Leaf curl | thiram | WG | 800 g/kg | | Thiram Granuflo 80% | 5983 | D&J Agro Pesticides |
| Peaches (including nectarines) | Brown rot | triforine | EC | 190 g/l | 3 days | Denarin EC | 5210 | Sumitomo Corporation |
| Peas | Alternaria blight; Anthracnose; Leaf blight; Leaf spot; Leaf and pod spot; Rust; Southern blight; Web blight | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Peas | Sclerotinia rot | benomyl | WP | 500 g/kg | 21 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Peas | Sclerotinia rot | benomyl | WP | 500 g/kg | 21 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | 6 days; 42 (hay) | Mission 500 SC | 7020 | Villa Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | 6 days; 42 (hay) | Matrix | 7290 | Bitrad Consulting |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | 6 days; 42 (hay) | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | 6; 42 F | Calonil 500 SC | 7701 | Sidewalk Trading |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | 42 days (hay) | Bravo 720 | 7005 | Syngenta SA |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | 6 days; 42 (hay) | Oronil 720 SC | 8431 | Universal Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | 6 days; 42 (hay) | Mission 720 SC | 8432 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------|---------------------------|-------------------------|-----|-----------|-------------------|------------------------|------|---|
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | 6 days; 42 (hay) | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Peas | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Peas | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Peas | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Peas | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Peas | Downy mildew | mancozeb | DF | 750 g/kg | 3 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Peas | Downy mildew | mancozeb | SC | 420 g/l | 3 days | Pennfluid | 7733 | Total SA |
| Peas | Downy mildew | mancozeb | SC | 455 g/l | 3 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peas | Downy mildew | mancozeb | WG | 750 g/kg | 3 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WG | 750 g/kg | 3 days | Penncozeb WG | 4655 | Total SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tridex | 5323 | Total SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Newzeb 800 WP | 8167 | Crop Asure |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Tozeb WP | 8526 | Total SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | 3 days | Ventum 800 WP | 8691 | Nulandis |
| Peas | Damping off; Downy mildew | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Peas | Damping off; Downy mildew | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Peas | Powdery mildew | organic plant acids | SL | 19 g/l | 1 day | Kanguard 940 | 7421 | Kannar CC |
| Peas | Powdery mildew | penconazole | EW | 200 g/l | 7 days; 14 days F | Penconazole 200 EW | 7492 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------|-----------------|--------------|-----|----------|-------------------|---------------------|------|-----------------------------|
| Peas | Powdery mildew | penconazole | EW | 200 g/l | 7 days; 14 days F | Excalibur 200 EW | 7493 | Villa Crop Protection |
| Peas | Powdery mildew | penconazole | EW | 200 g/l | 7 days; 14 days F | Penconazole 200 EW | 8092 | Crop Asure |
| Peas | Sclerotinia rot | procymidone | SC | 250 g/l | 21 days | Sumisclax SC | 6377 | Philagro South Africa |
| Peas | Sclerotinia rot | procymidone | SC | 500g/l | 21 days | Hit 500 SC | 7575 | Dow Agroscience SA |
| Peas | Powdery mildew | spiroxamine | EC | 500 g/l | 7 days | Prosper 500 EC | 6252 | Bayer |
| Peas | Powdery mildew | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Peas | Powdery mildew | sulfur | SC | 800 g/l | | Sulfomaxx | 9941 | Ag-Chem Africa |
| Peas | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 5261 | Universal Crop Protection |
| Peas | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 7379 | Ag-Chem Africa |
| Peas | Powdery mildew | sulphur | DP | 980 g/kg | | Dusting Sulphur | 9127 | Orchard Agrikem |
| Peas | Powdery mildew | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Peas | Powdery mildew | sulphur | SC | 700 g/l | | Sulflo 700 SC | 6433 | Sunwood Chemicals |
| Peas | Powdery mildew | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Peas | Powdery mildew | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve t/a Efekto |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Peas | Powdery mildew | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Peas | Powdery mildew | tebuconazole | EC | 250 g/l | 7 days | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Peas | Powdery mildew | tebuconazole | EC | 250 g/l | 7 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Peas | Powdery mildew | tebuconazole | EC | 250 g/l | 7 days | Ardent | 9779 | DNA Crop Protection |
| Peas | Powdery mildew | tebuconazole | EW | 200 g/l | 7 days | Orius 200 EW | 7479 | Adama SA |
| Peas | Powdery mildew | tebuconazole | EW | 200 g/l | 7 days | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Folicur 250 EW | 3857 | Bayer |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Orius 250 EW | 6832 | Adama SA |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Corona 250 EW | 7603 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------------------------|---|-----------------------------|-----|--------------|----------------------------------|----------------------|------|-----------------------------|
| Peas | Powdery Mildew | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Tacora 25 EW | 8865 | Anasac SA |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Riza EW | 8882 | Cheminova |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | 7 days | Mystic | 9852 | Nufarm Agriculture |
| Peas | Powdery mildew | triadimenol | EC | 250 g/l | 3 days | Shavit 25 EC | 5601 | Adama SA |
| Peas | Powdery mildew | triforine | EC | 190 g/l | 4 days | Funginex | 2469 | Agro-Serve t/a Efekto |
| Peas | Powdery mildew | triforine | EC | 190 g/l | 4 days | Denarin EC | 5210 | Sumitomo Corporation |
| Peas | Powdery mildew | tebuconazole | EW | 0,25 g/l | 7 days | Orius 200 EW RTU | 8302 | Makhro-Agro SA |
| Peas (including mange tout) | Ascochyta blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 days; Mange tout 14 days | Amistar Opti | 8265 | Syngenta SA |
| Peas (including Mange Tout) | Powdery mildew | penconazole | EW | 200 g/l | 7 days; 14 days F | Topaz 200 EW | 5246 | Syngenta SA |
| Pecan nuts | Downy spot; Scab; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | 45 days | Amistar Top | 7897 | Syngenta SA |
| Pecan nuts | Alternaria; Botrytis | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Pecan nuts | Scab | fentin hydroxide | SC | 480 g/l | | Ag-Tin | 9493 | Ag-Chem Africa |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Bumper 250 EC | 6034 | Adama SA |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Tilt | 6668 | Syngenta SA |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Propizole 250 EC | 7561 | Villa Crop Protection |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Ppconazole 250 EC | 8627 | CropASURE |
| Peppers | Anthrachnose; Powdery mildew; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 14 days | Amistar | 6230 | Syngenta SA |
| Peppers | Powdery mildew | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Peppers | Powder mildew | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Peppers | Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 days | Amistar Opti | 8265 | Syngenta SA |
| Peppers | Leaf spot; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | 3 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomyl 500 WP | 6909 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---|------------------------------------|-----|--------------|--|---------------------------|------|---|
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | 3 | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Peppers | Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 7-14 days | Rambo | 7292 | Bitrad Consulting |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | 3 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | 3 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | 3 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Peppers | Damping off | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Peppers | Post Harvest decay; Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 7 days (with Sporekill post harvest application) 0 Days if no Sporekill post harvest application | Sporekill | 7115 | ICA International Chemicals |
| Peppers | Botrytis, Purple blotch | fludioxonil/pyrimethanil | SC | 100/400 g/l | 3 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Peppers | Downy mildew; Phytophthora blight | mandipropamid | SC | 250 g/l | 1 day | Revus | 8617 | Syngenta SA |
| Peppers | Powdery mildew | penconazole | EW | 200 g/l | 7 days | Topaz 200 EW | 5246 | Syngenta SA |
| Persimmons | Anthracoise; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Persimmons | Alternaria | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Pineapples | Root & Base rot | fosetyl-Al | WG | 800 g/kg | 20 days | Aliette WG | 5689 | Bayer |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | | Milor 700 WP | 5884 | Rotam RSA |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | 21 days | Sanlaxyl 700 WP | 6100 | Dow Agroscience SA |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | | Kickback 700 WP | 7105 | Bitrad Consulting |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|---|-----------------------------|-----|---------------------------|-----------|----------------------|------|---|
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | 21 days | Mancolax 700 WP | 7382 | Gouws & Scheepers (Plaaskem) |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | 21 days | Metazeb 700 WP | 7462 | Universal Crop Protection |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | 21 days | Metazeb 700 WP | 7463 | Villa Crop Protection |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | 21 days | Rolim 700 WP | 7609 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Pineapples | Root & Base rot | mancozeb/metalaxyl- m | WG | 640/40 g/kg | 21 days | Ridomil Gold Pepite | 7191 | Syngenta SA |
| Pineapples | Root & Base rot | metalaxyl | GR | 50 g/kg | | Kickback 5 GR | 7104 | Bitrad Consulting |
| Pineapples | Root & Base rot | metalaxyl | GR | 50 g/kg | 21 days | Rolim 5 GR | 7608 | Arysta Lifescience SA |
| Pineapples | Root & base rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 21 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Pineapples | Root & Base rot | potassium phosphite | SL | 370 g/l | | Phosguard 200 SL | 6635 | Ocean Agriculture |
| Pineapples | Root & Base rot | potassium phosphite | SL | 560 g/l | | Phosguard 400 SL | 6477 | Nulandis |
| Pineapples | Root & Base rot | potassium phosphite | SL | 560 g/l | 96 days | Rootex 400 SL | 7467 | Universal Crop Protection |
| Pineapples | Root & Collar rot | potassium phosphite | SL | 560 g/l | 96 days | Phosphite 400 SL | 7468 | Villa Crop Protection |
| Pineapples | Root and heart rot | potassium phosphite | SL | 560 g/l | | Leafguard 400 SL | 7803 | Nulandis |
| Pineapples | Root & Base rot | potassium phosphite | SL | 560 g/l | | Mariphos 400 SL | 7961 | Arysta Lifescience SA |
| Pineapples | Collar rot; Root rot | potassium phosphite | SL | 560 g/l | 96 days | Potassium P 400 SL | 8091 | Crop Asure |
| Pineapples | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Pineapples | Post harvest decay | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Pineapples | Post harvest decay | thiabendazole | SC | 500 g/l | | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Pineapples | Post harvest rot | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Pistachios | Alternaria late blight; Panicle and shoot blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Pistachios | Alternaria; Botrytis | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Plums | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | | Crown Gall Inoculant | 1380 | Stimuplant |
| Plums | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Plums | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rot; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | 1 day | Ortiva | 5968 | Syngenta SA |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|--------------------------|-----|-------------------------|---------|---------------------------|------|---|
| Plums | Bacterial spot; Gum spot | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Plums | Bacterial spot; Gum spot | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Plums | Bacterial spot; Gum spot | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Plums | Post harvest decay | chlorine dioxide | SL | 20 g/l | | Harvest Wash WT | 7252 | BTC Products and Services |
| Plums | Bacterial spot | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Plums | Bacterial spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Plums | Bacterial spot | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Plums | Bacterial spot | copper hydroxide | WP | 770 g/kg | 14 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Plums | Bacterial spot | copper hydroxide | WP | 770 g/kg | 14 days | Funguran-OH | 4445 | Agri Registrations CC |
| Plums | Bacterial spot | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Plums | Bacterial canker; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Plums | Bacterial canker; Bacterial spot | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Plums | Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Plums | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copflo Super | 6981 | Ag-Chem Africa |
| Plums | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Plums | Bacterial canker; Gum spot | copper sulphate/lime | WG | 770/174 g/kg | 14 days | Cuprofix Disperss | 6784 | Chempac |
| Plums | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | 2 days | Chorus | 5383 | Syngenta SA |
| Plums | Brown rot | fenbuconazole | EW | 50 g/l | 1 day | Indar 50 EW | 5453 | Dow Agrosience SA |
| Plums | Post harvest decay | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Plums | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | 3 days | Tutor 500 SC | 9948 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|---|-----------|-----|----------|---------|------------------------|------|---|
| Plums | Post harvest decay | iprodione | SC | 255 g/l | 3 days | Rovral Flo | 1046 | FMC Chemicals |
| Plums | Post harvest decay | iprodione | SC | 255 g/l | 3 days | Iprodione 255 | 7340 | Erintrade t/a RT Chemicals |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | | Rovral AquaFlo | 5140 | FMC Chemicals |
| Plums | Post harvest decay Monilinia and Rhizopus rot | iprodione | SC | 500 g/l | 3 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Iprodione 500 SC | 8459 | Universal Crop Protection |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Taurus 500 SC | 8499 | Villa Crop Protection |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | 3 days | Roflo | 9573 | Wentek Chemicals |
| Plums | Gum spot; Rust | mancozeb | SC | 420 g/l | 14 days | Pennfluid | 7733 | Total SA |
| Plums | Gum spot; Rust | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Gum spot; Rust | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WG | 750 g/kg | 14 days | Penncozeb WG | 4655 | Total SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 | 2741 | Kombat |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Plums | Gumspot; Rust | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Tridex | 5323 | Total SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |
| Plums | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | 14 days | Tozeb WP | 8526 | Total SA |
| Plums | Gumspot; Rust | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Plums | Rust | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|---|-------------------------|-----|-------------|---------|----------------------|-------|---|
| Plums | Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Plums | Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | 14 days | Vandal | 8462 | Arysta Lifescience SA |
| Plums | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 30 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Plums | Blossom blight | prochloraz | SC | 450 g/l | | Ononos 450 SC | 7276 | Adama SA |
| Plums | Blossom blight | prochloraz | WP | 500 g/kg | | Octave | 3406 | FMC Chemicals |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Bumper 250 EC | 6034 | Adama SA |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Tilt | 6668 | Syngenta SA |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Propiconazole 250 EC | 7306 | Universal Crop Protection |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Propicon 250 EC | 7547 | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Propizole 250 EC | 7561 | Villa Crop Protection |
| Plums | Powdery mildew | propiconazole | EC | 250 g/l | | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Ppconazole 250 EC | 8627 | Crop Asure |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | | Admiral 250 EC | 9358 | Cedar Falls Properties 130 |
| Plums | Blossom blight | propiconazole | EC | 500 g/l | | Propicon 500 EC | 7506 | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Support 400 SC | 9282 | Villa Crop Protection |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Source 400 SC | 9283 | Universal Crop Protection |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | 3 days | Pyrimet 400 SC | 9575 | Wentek Chemicals |
| Plums | Post-harvest decay; Botrytis spp; Monilinia spp | pyrimethanil | SC | 400 g/l | 3 days | Deccothanil 400 SC | 10081 | Citrashine |
| Plums | Rust | sulfur | SC | 800 g/l | | Sulfoplus | 9913 | Ag-Chem Africa |
| Plums | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 5241 | Sunwood Chemicals |
| Plums | Post harvest decay | sulphur | GE | 995 g/kg | | Fumigation Sulphur | 6665 | JCJ Agri Chem |
| Plums | Rust | sulphur | SC | 700 g/l | | Flowable Sulphur | 142 | Applied Chemical Products |
| Plums | Rust | sulphur | SC | 700 g/l | | Sufflo 700 SC | 6433 | Sunwood Chemicals |
| Plums | Rust | sulphur | SC | 800 g/l | | SulfoStar | 6982 | Ag-Chem Africa |
| Plums | Rust | sulphur | SC | 800 g/l | | Eco Fungimite | 8756 | Agro-Serve /a Efekto |
| Plums | Rust | sulphur | WG | 800 g/kg | | Thiovit Jet | 1061 | Syngenta SA |
| Plums | Rust | sulphur | WG | 800 g/kg | | Kumulus | 2404 | BASF SA |
| Plums | Rust | sulphur | WG | 800 g/kg | | Microthiol Special | 5329 | Total SA |
| Plums | Rust | sulphur | WG | 800 g/kg | | Sulgran 800 WDG | 5727 | Sunwood Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------------------------|--|------------------------------------|-----|-------------|----------|---------------------|------|-----------------------------|
| Plums | Rust | sulphur | WG | 800 g/kg | | Cosavet | 6355 | Sulphur Chemical Mills |
| Plums | Rust | sulphur | WG | 800 g/kg | | Striker | 6628 | Chempac |
| Plums | Rust | sulphur | WG | 800 g/kg | | Sulgrain 800 WDG | 9315 | Villa Crop Protection |
| Plums | Rust | sulphur | WP | 800 g/kg | | Wettable Sulphur | 6933 | Sunwood Chemicals |
| Plums | Blossom blight | thiram | WG | 800 g/kg | | Thiram Granuflo 80% | 5983 | D&J Agro Pesticides |
| Plums | Blossom blight | thiram | WP | 750 g/kg | 14 days | Thiram WP | 4948 | Dow Agroscience SA |
| Plums | Blossom blight | thiram | WP | 750 g/kg | 14 days | Thiram 75 WP | 6687 | Arysta Lifescience SA |
| Plums | Blossom blight | thiram | WP | 750 g/kg | 14 days | Thiram 750 WP | 7097 | Universal Crop Protection |
| Plums | Blossom blight | thiram | WP | 800 g/kg | 14 days | Ag-Thiram 800 WP | 8175 | Ag-Chem Africa |
| Plums (including prunes) | Specific replant disease | chloropicrin | AL | 1656 g/l | | Tripicrin | 8306 | Nippon Africa Chemicals |
| Plums (including prunes) | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Plums (including prunes) | Rust | metiram | WG | 700 g/kg | 14 days | Polyram WG | 5268 | BASF SA |
| Plums (including prunes) | Brown rot | triforine | EC | 190 g/l | 3 days | Denarin EC | 5210 | Sumitomo Corporation |
| Pomegranate | Alternaria fruit rot (Alternaria alternata) | azoxystrobin | SC | 250 g/l | 110 | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Pomegranates | Botrytis | didecyl dimethyl ammonium chloride | SL | 120 g/l | 40 days | Sporekill | 7115 | ICA International Chemicals |
| Pomegranates | Botrytis rot | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Pomegranates | Botrytis rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Pomegranates | Botrytis | fludioxonil/pyrimethanil | SC | 100/400 g/l | 120 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Pomegranates | Alternaria | tebuconazole | EW | 250 g/l | 84days | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Potatoes | Late blight | ametoctradin/dimethomorph | SC | 300/225 g/l | 7 | Orvego | 9185 | BASF SA |
| Potatoes | Late blight | ammonium phosphite | SL | 386 g/l | 6 | Brilliant SL | 7225 | Arysta Lifescience SA |
| Potatoes | Late blight | ammonium phosphite | SL | 386 g/l | 6 | Brilliant 300 SL | 7226 | Nippon Africa Chemicals |
| Potatoes | Black dot; Black scurf; Early blight; Silver scurf | azoxystrobin | SC | 250 g/l | 7 days | Amistar | 6230 | Syngenta SA |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | 7 | Mycoblock 250 SC | 8591 | Universal Crop Protection |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | 7 days | Azoxystrobin 250 SC | 8593 | Sharda International Africa |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | 7 days | Strobin 250 SC | 8625 | Crop Asure |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|------------------------------|------------------------------------|-----|---------------|---------|---------------------|-------|-----------------------------|
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | 7 days | Fortress | 9269 | Meridian Agritech Co |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | | Aztrix 250 SC | 9574 | Wentek Chemicals |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | 7 days | Banshee | 9786 | DNA Crop Protection |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | 7 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Potatoes | Early blight; Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 days | Amistar Opti | 8265 | Syngenta SA |
| Potatoes | Early blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 14 days | Azur Opti 660 SC | 10021 | Almond Agro Chemicals |
| Potatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | 7 days | Canal 500 SC | 10288 | Universal Crop Protection |
| Potatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | 7 days | Central 500 SC | 10289 | Villa Crop Protection |
| Potatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Potatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Azur Top 325 SC | 9867 | Almond Agro Chemicals |
| Potatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Fortress Ultra | 10450 | Meridian Agrochemical Co. |
| Potatoes | Late blight | benthiavalicarb-isopropyl/mancozeb | WG | 17,5/700 g/kg | 7 | Valbon WG | 7681 | Mitsui & Co Europe Plc |
| Potatoes | Early blight | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Potatoes | Late blight | captab | WG | 800 g/kg | 14 days | Merpan 80 WDG | 5456 | Adama SA |
| Potatoes | Late blight | captab | WG | 800 g/kg | 3 days | Captan 800 WG | 9345 | Sharda International Africa |
| Potatoes | Late blight | captab | WP | 500 g/kg | | Captab WP | 6758 | Universal Crop Protection |
| Potatoes | Late blight | captab | WP | 500 g/kg | | Thor 500 WP | 7691 | Ag-Chem Africa |
| Potatoes | Late blight | captab | WP | 500 g/kg | | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Potatoes | Late blight | captan | WG | 800 g/kg | 14 days | Captan 800 WG | 9249 | Meridian Agritech Co |
| Potatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 14 days | Difenozim SC | 7924 | Universal Crop Protection |
| Potatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 14 days | Aria 188 SC | 7943 | Villa Crop Protection |
| Potatoes | Common scab | chloropicrin | AL | 1656 g/l | | Tripicrin | 8306 | Nippon Africa Chemicals |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | 3 days | Chloroflo 500 SC | 5171 | Plaaskem |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | 3 days | Mission 500 SC | 7020 | Villa Crop Protection |
| Potatoes | Early blight, Late blight | chlorothalonil | SC | 500 g/l | 3 days | Matrix | 7290 | Bitrad Consulting |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | 3 days | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | 3 days | Calonil 500 SC | 7701 | Sidewalk Trading |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 4233 | Agro-Serve t/a Efekto |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---------------------------|--|-----|-------------------------|---------|--------------------------|------|----------------------------|
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 7005 | Syngenta SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Clortosip 720 SC | 7108 | Sipcam South Africa |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Odeon 720 SC | 7596 | Adama SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Mycoguard 720 SC | 8417 | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Oronil 720 SC | 8431 | Universal Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Mission 720 SC | 8432 | Villa Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | TalOnil 720 | 8935 | Erintrade t/a RT Chemicals |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Solsan SC | 9590 | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Potatoes | Early blight; Late blight | chlorothalonil | WG | 825 g/kg | 3 days | Odeon 825 WG | 7597 | Adama SA |
| Potatoes | Early blight; Late blight | chlorothalonil/copper oxychloride | SC | 280/210 g/l | 14 days | Clortosip RL | 8316 | Sipcam South Africa |
| Potatoes | Early blight; Late blight | chlorothalonil/cymoxanil | SC | 375 g/l/50 g/l | 14 days | Ruby | 6780 | Sipcam South Africa |
| Potatoes | Late blight | chlorothalonil/metalaxyl-M (mefenoxam) | SC | 500/37,5 g/l | 14 days | Ridomil Gold Flo | 6669 | Syngenta SA |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 315 g/l | 14 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 315 g/l | 14 days | Fungi Flow | 6925 | Villa Crop Protection |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 316 g/l | 14 days | Copper Count-N | 2602 | Hygrotech Properties |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 316 g/l | 14 days | Liquicop | 5586 | Hygrotech Properties |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 686 g/l | 14 days | Fungicop | 6298 | Gouws & Scheepers |
| Potatoes | Early blight; Late blight | copper hydroxide | SC | 180 g/l | 14 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Potatoes | Early blight; Late blight | copper hydroxide | SC | 180 g/l | 14 days | Copmaxx | 9905 | Ag-Chem Africa |
| Potatoes | Early blight; Late blight | copper hydroxide | SC | 180 g/l | 14 days | Cupra Super | 9906 | Ag-Chem Africa |
| Potatoes | Early blight | copper hydroxide | SC | 538 g/l | 14 days | StopBac | 8797 | Plaaskem |
| Potatoes | Early blight | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 14 days | CungFu 538 SC | 7526 | Nulandis |
| Potatoes | Early blight | copper hydroxide | WG | 538 g/kg | 14 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Potatoes | Early blight | copper hydroxide | WP | 770 g/kg | 14 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Potatoes | Early blight | copper hydroxide | WP | 770 g/kg | 14 days | Funguran-OH | 4445 | Agri Registrations CC |
| Potatoes | Early blight | copper hydroxide | WP | 770 g/kg | 14 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Virikop | 527 | Agro-Serve t/a Efekto |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---------------------------|---|-----|----------------|---------|---------------------------|-------|---|
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Potatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | 14 days | Copflo Super | 6981 | Ag-Chem Africa |
| Potatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | 14 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Potatoes | Late blight | copper sulphate/fentin hydroxide | SC | 320/50 g/l | 14 days | Coptin | 9377 | Ag-Chem Africa |
| Potatoes | Early blight | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Potatoes | Early blight | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Potatoes | Early blight; Late blight | cymoxanil | SC | 300 g/l | 14 days | Vidac Flo | 9688 | Meridian Agritech Co |
| Potatoes | Late blight | cymoxanil | WG | 500 g/kg | 14 | Cymox | 10160 | Sipcam South Africa |
| Potatoes | Late blight | cymoxanil/dimethomorph/phosphorous acid | SC | 40/40/240 g/l | 14 | Phostemic Xtra | 10125 | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | cymoxanil/famoxadone | WG | 250/250 g/kg | 7 days | Tanos | 6564 | Du Pont de Nemours |
| Potatoes | Early blight; Late blight | cymoxanil/famoxadone | WG | 250/250 g/kg | 7 days | Fusion | 10133 | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | cymoxanil/famoxadone/folpet | WG | 80/40/333 g/kg | 7 days | Tanos Pro | 8456 | Du Pont de Nemours |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Curzate Pro | 5698 | Du Pont de Nemours |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Zetanil | 6036 | Sipcam South Africa |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Micexanil | 6322 | Sipcam South Africa |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 | Controller | 6783 | RT Chemicals |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Cymax M WP | 7680 | Meridian Agritech Co |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Fungarrest | 7693 | Universal Crop Protection |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Cymoxazeb WP | 7694 | Villa Crop Protection |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 14 days | Macoxanil | 8628 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|--------------------------------------|------------------------------------|-----|---------------|----------|---------------------|-------|---|
| Potatoes | Stem canker | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |
| Potatoes | Bacterial rot, Botrytis | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Sporekill | 7115 | ICA International Chemicals |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Score | 5132 | Syngenta SA |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Pronto 250 EC | 7602 | Meridian Agritech Co |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Difence | 7922 | Erintrade t/a RT Chemicals |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Dicati | 8414 | Sharda International Africa |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Difen 250 EC | 8535 | Crop Asure |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Divino 250 EC | 9343 | Adama SA |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | 14 days | Granado | 9767 | DNA Crop Protection |
| Potatoes | Late blight | dimethomorph | SC | 500g/l | 14 | Sovrin Flo | 7601 | Meridian Agritech Co |
| Potatoes | Late blight | dimethomorph | WP | 500 g/kg | 14 | Sovrin WP | 7600 | Meridian Agritech Co |
| Potatoes | Late blight | dimethomorph/mancozeb | WG | 90/600 g/kg | 3 | Acrobat WG | 6526 | BASF SA |
| Potatoes | Late blight | dimethomorph/mancozeb | WP | 90/600 g/kg | 3 | Dimethozebe 690 WP | 7985 | Universal Crop Protection |
| Potatoes | Late blight | dimethomorph/mancozeb | WP | 90/600 g/kg | 3 | Vimethozebe 690 WP | 7986 | Villa Crop Protection |
| Potatoes | Early blight; Late blight | fenamidone/mancozeb | WG | 100/500 g/kg | 11 days | No-Blite | 6681 | Bayer |
| Potatoes | Early blight; Late blight | fentin hydroxide | SC | 480 g/l | 14 days | Ag-Tin | 9493 | Ag-Chem Africa |
| Potatoes | Late blight | fluazinam | SC | 500 g/l | 7 days | Tizca | 9555 | Cheminova A/S (Disa Bio-Technologies) |
| Potatoes | Late blight; Powdery scab | fluazinam | SC | 500 g/l | 7 days | Brave 500 SC | 10273 | Cheminova A/S (Disa Bio-Technologies) |
| Potatoes | Black dot; Black scurf; Silver scurf | fludioxonil | FS | 100 g/l | | Celest | 6173 | Syngenta SA |
| Potatoes | Botrytis | fludioxonil/pyrimethanil | SC | 100/400 g/l | 7 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Potatoes | Late blight | fluopicolide/propamocarb-HCL | SC | 62,5/62,5 g/l | 7 days | Infinito 687,5 SC | 8470 | Bayer |
| Potatoes | Early blight | fluopyram | SC | 400 g/l | 100 days | Velum Prime 400 SC | 9965 | Bayer |
| Potatoes | Early blight | fluopyram | SC | 500 g/l | 100 days | Velum Prime | 9565 | Bayer |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|-----------------------|-----|--------------|---------|-----------------------|-------|--|
| Potatoes | Common scab; Powdery scab | flusulfamide | SC | 220 g/l | - | Scablok | 5956 | Mitsui & Co Europe Plc |
| Potatoes | Early blight | flutriafol | SC | 125 g/l | 14 days | Impact | 4088 | Cheminova (Disa Bio-Technologies CC) |
| Potatoes | Early blight | flutriafol | SC | 250 g/l | 14 days | Impact 250 SC | 9064 | Cheminova |
| Potatoes | Early blight; Late blight | folpet | SC | 500 g/l | | Folpan 500 SC | 4662 | Adama SA |
| Potatoes | Early blight; Late blight | folpet | SC | 500 g/l | | Valeo 500 SC | 9086 | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | folpet | WG | 800 g/kg | | Folpan 80 WDG | 5333 | Adama SA |
| Potatoes | Early blight; Late blight | folpet | WG | 800 g/kg | | Volt 80 WG | 10465 | Sharda International Africa CC |
| Potatoes | Downy mildew | folpet/valifenalate | WG | 480g/60 g/kg | | Java F | 10403 | Belchim Crop Protection (Disa Bio-Technologies CC) |
| Potatoes | Grey mold (Botrytis) | iprodione | SC | 500 g/l | 7 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Potatoes | Late blight | iprovalicarb | SC | 250 g/l | 3 days | Argento | 10036 | Meridian Agritech Co |
| Potatoes | Late blight | iprovalicarb/propineb | WG | 90/600 g/kg | 3 | Melody Duo 69 WG | 6714 | Bayer |
| Potatoes | Late blight | iprovalicarb/propineb | WP | 90/600 g/kg | 3 days | Melody Duo 69 WP | 8829 | Bayer |
| Potatoes | Common scab; Early blight; Dry rot; Late blight | mancozeb | DF | 750 g/kg | 3 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 420 g/l | 3 days | Pennfluid | 7733 | Total SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 455 g/l | 3 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 455 g/l | 3 days | Multizeb 455 SC | 9174 | Villa Crop Protection |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 455 g/l | 3 days | Newzeb 455 SC | 9175 | Universal Crop Protection |
| Potatoes | Early blight; Late blight; Fusarium dry rot; Common scab | mancozeb | SC | 480 g/l | 3 days | Newzeb 480 SC | 9178 | Universal Crop Protection |
| Potatoes | Early blight; Late blight; Fusarium dry rot; Common scab | mancozeb | SC | 480 g/l | 3 days | Unizeb 480 SC | 9179 | Villa Crop Protection |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WG | 750 g/kg | 14 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WG | 750 g/kg | 3 days | Penncozeb WG | 4655 | Total SA |
| Potatoes | Common scab, Dry rot, Early blight, Fusarium, Late blight | mancozeb | WG | 750 g/kg | 3 days | Newzeb 750 WDG | 8811 | Universal Crop Protection |
| Potatoes | Common scab, Dry rot, Early blight, Fusarium, Late blight | mancozeb | WG | 750 g/kg | 3 days | Villa Unizeb 750 WDG | 8812 | Villa Crop Protection |
| Potatoes | Common scab; Dry rot; Early blight; Late blight | mancozeb | WP | 750 g/kg | | Cozeb 750 WDG | 8964 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|--|--------------------|-----|--------------|---------|------------------------|------|---|
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 | 2741 | Kombat |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Potatoes | Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Tridex | 5323 | Total SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Potatoes | Common scab; Dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Newzeb 800 WP | 8167 | Crop Asure |
| Potatoes | Common scab; Early blight; Late blight; Fusarium dry rot | mancozeb | WP | 800 g/kg | 3 days | Tozeb WP | 8526 | Total SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | 3 days | Ventum 800 WP | 8691 | Nulandis |
| Potatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Milor 700 WP | 5884 | Rotam RSA |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Sanlaxyl 700 WP | 6100 | Dow Agroscience SA |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Kickback 700 WP | 7105 | Bitrad Consulting |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Mancolax 700 WP | 7382 | Gouws & Scheepers (Plaaskem) |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Metazeb 700 WP | 7462 | Universal Crop Protection |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Metazeb 700 WP | 7463 | Villa Crop Protection |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Rolim 700 WP | 7609 | Tsunami Plant Protection/t/a Arysta Lifescience |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---------------------------|---|-----|-----------------|---------|---------------------|-------|--|
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 14 days | Crater MX 700 WP | 8427 | Volcano Agroscience /ta Arysta Lifescience SA |
| Potatoes | Late blight | mancozeb/metalaxyl- m | WG | 640/40 g/kg | 14 days | Ridomil Gold Pepite | 7191 | Syngenta SA |
| Potatoes | Late blight | mancozeb/valifenalate | WG | 600/60 g/kg | 7 days | Valis M | 10408 | Belchim Crop Protection (Disa Bio-Technologies CC) |
| Potatoes | Late blight | mandipropamid | SC | 250 g/l | 3 days | Revus | 8617 | Syngenta SA |
| Potatoes | Early blight; Late blight | maneb/procymidone/zinc oxide | SC | 325/125/4,7 g/l | 35 days | Barrier 450 SC | 7604 | Gouws & Scheepers (Plaaskem) |
| Potatoes | Early blight; Late blight | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Manager SC | 3538 | Applied Chemical Products |
| Potatoes | Early blight; Late blight | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Mangle SC | 5985 | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Vandal | 8462 | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | metiram | WG | 700 g/kg | 14 days | Polyram WG | 5268 | BASF SA |
| Potatoes | Black scurf (Stem canker) | pencycuron | SC | 250 g/l | | Monceren 250 SC | 3123 | Bayer |
| Potatoes | Black scurf (Stem canker) | pencycuron | SC | 250 g/l | | Momento 250 SC | 7984 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Late blight | phosphorous acid equivalent/potassium carbonate | SL | 400/560 g/l | 21 days | Phostemic 400 SL | 10458 | Meridian Agrochemical Co. |
| Potatoes | Early blight | picoxystrobin | SC | 250 g/l | 7 days | Acanto 250 SC | 8233 | Du Pont de Nemours |
| Potatoes | Late blight | potassium phosphate | SL | 560 g/l | 21 days | Leafmaster 400 SL | 7804 | Ocean Agriculture |
| Potatoes | Late blight | potassium phosphite | SL | 555 g/l | 14 days | Fighter | 7330 | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 555 g/l | 14 days | Inteli-Phite | 9859 | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 555 g/l | 14 days | K-Phite | 9949 | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 555 g/l | 14 days | Phitemaxx | 9950 | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | 21 days | Phosguard 400 SL | 6477 | Nulandis |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | 21 days | Rootex 400 SL | 7467 | Universal Crop Protection |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | 21 days | Phosphite 400 SL | 7468 | Villa Crop Protection |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | 21 days | Leafguard 400 SL | 7803 | Nulandis |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | 21 days | Potassium P 400 SL | 8091 | Crop Asure |
| Potatoes | Late blight | potassium phosphite | SL | 600 g/l | 21 days | Fosfonex 400 SL | 9740 | In-line Trading 112 |
| Potatoes | Late blight | potassium phosphite | SL | 605 g/l | 14 days | Ag-Phos 400 SL | 8216 | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 605 g/l | 14 days | Phosplus | 9808 | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 605 g/l | 14 days | Phosmaxx | 9809 | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|----------------------------|------------------------------|-----|-------------|---------|---------------------|------|-----------------------------|
| Potatoes | Late blight | potassium phosphite | SL | 605 g/l | 14 days | Stimu-Blok | 9849 | Ag-Chem Africa |
| Potatoes | Black dot; Silver scurf | prochloraz | SC | 450 g/l | | Chronos 450 SC | 7276 | Adama SA |
| Potatoes | Anthrachnose; Silver scurf | prochloraz | WP | 500 g/kg | | Octave | 3406 | FMC Chemicals |
| Potatoes | Early blight | procymidone | SC | 250 g/l | 35 days | Sunisclex SC | 6377 | Philagro South Africa |
| Potatoes | Early blight | procymidone | SC | 250 g/l | 35 days | Procyone 250 SC | 8394 | Universal Crop Protection |
| Potatoes | Early blight | procymidone | SC | 250 g/l | 35 days | Typhoon 250 SC | 8397 | Villa Crop Protection |
| Potatoes | Early blight | procymidone | SC | 500g/l | 35 days | Hit 500 SC | 7575 | Dow Agroscience SA |
| Potatoes | Early blight; Late blight | propineb | WP | 700 g/kg | | Antracol 70 WP | 2065 | Bayer |
| Potatoes | Botrytis (grey mold) | pyrimethanil | SC | 400 g/l | 7 days | Protector 400 SC | 8606 | ICA International Chemicals |
| Potatoes | Brown spot | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | 14 | Flint Star | 8291 | Bayer |
| Potatoes | Early blight | tebuconazole | EC | 250 g/l | 14 days | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Potatoes | Early blight | tebuconazole | EC | 250 g/l | 14 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Potatoes | Early blight | tebuconazole | EC | 250 g/l | 14 days | Ardent | 9779 | DNA Crop Protection |
| Potatoes | Early blight | tebuconazole | EW | 0,25 g/l | 14 days | Orius 200 EW RTU | 8302 | Makhro-Agro SA |
| Potatoes | Early blight | tebuconazole | EW | 200 g/l | 14 days | Orius 200 EW | 7479 | Adama SA |
| Potatoes | Early blight | tebuconazole | EW | 200 g/l | 14 days | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Folicur 250 EW | 3857 | Bayer |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Orius 250 EW | 6832 | Adama SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Tebuzole 250 EW | 7551 | Villa Crop Protection |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Corona 250 EW | 7603 | Meridian Agritech Co |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Tacora 25 EW | 8865 | Anasac SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Riza EW | 8882 | Cheminova |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Mystic | 9852 | Nufarm Agriculture |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | 14 days | Tbconazole 250 EW | 8814 | Crop Asure |
| Potatoes | Early blight | tebuconazole/trifloxystrobin | SC | 200/100 g/l | 14 days | Nativo | 8942 | Bayer |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------------|---|------------------------------------|-----|----------------------------|-----------|---------------------------|-------|---|
| Potatoes | Black scurf; Fusarium dry rot; Stem canker | thiabendazole | SC | 500 g/l | see label | Tecto | 5950 | Syngenta SA |
| Potatoes | Black scurf; Fusarium dry rot, Rhizoctonia | thiabendazole | SC | 500 g/l | | ICA -Thiabendazole 500 SC | 7784 | ICA International Chemicals |
| Potatoes | Black scurf; Fusarium dry rot; Stem canker | thiabendazole | SC | 500 g/l | see label | Thiabendazole 500 SC | 7831 | Universal Crop Protection |
| Potatoes | Black scurf; Fusarium dry rot; Stem canker | thiabendazole | SC | 500 g/l | see label | Thiazole 500 SC | 7832 | Villa Crop Protection |
| Potatoes | Black scurf; Fusarium dry rot; Gangrene; Stem canker | thiabendazole | SC | 500 g/l | | Tbendazole 500 SC | 8093 | Crop Asure |
| Potatoes | Black scurf; Dry rot; Gangrene | thiabendazole | SC | 500 g/l | | Ag-Thiabendazole 500 SC | 8733 | Ag-Chem Africa |
| Potatoes | Post-harvest decay; Black scurf; Dry rot; Gangrene; Stem canker | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Potatoes | Black scurf; Stem canker | tolclofos-methyl | WS | 500 g/kg | | Rizolex WP | 6376 | Philagro South Africa |
| Potatoes | Black scurf; Rhizoctoria; Stem canker | trichoderma harzianum | | 2x10 ⁹ spores/g | | Rootguard | 10242 | N Laboratories |
| Potatoes | Early blight | trifloxystrobin | SC | 500 g/l | 14 days | Flint 500 SC | 8866 | Bayer |
| Potatoes | Late blight | zoxamide | SC | 240 g/l | 14 days | Zoxium 240 SC | 7908 | Klub M5 |
| Potatoes (seed) | Bacterial rot | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Spore-Attack | 8178 | ICA International Chemicals |
| Quinces | Black spot | captab | WP | 500 g/kg | 14 days | Captab WP | 6758 | Universal Crop Protection |
| Quinces | Black spot | captab | WP | 500 g/kg | 14 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Quinces | Black spot | captab | WP | 500 g/kg | 14 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Quinces | Black spot | dodine | SC | 400 g/l | 14 days | Syllit 400 SC | 7423 | Arysta Lifescience SA |
| Quinces | Black spot | dodine | SC | 400 g/l | 14 days | Antagon | 8842 | Meridian Agritech Co |
| Quinces | Black spot | mancozeb | SC | 455 g/l | 14 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Newzeb 800 WP | 8167 | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------------|---|--|-----|--------------------|-------------|---------------------|-------|---|
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Ventum 800 WP | 8691 | Nulandis |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | 14 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Radish | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Radish | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |
| Raspberries | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Raspberries | Botrytis rot | fenhexamid | SC | 500 g/l | 1 day | Teldor 500 SC | 6250 | Bayer |
| Raspberries | Botrytis rot | fluopyram | SC | 500 g/l | 3 days | Luna Privilege | 8997 | Bayer |
| Raspberries | Botrytis | pyrimethanil | SC | 400 g/l | 1 day | Scala | 4972 | Bayer |
| Rice | Seedborne diseases | thiram | DS | 500 g/kg | | TMTD 50 DS | 6465 | Almond Agro Chemicals |
| Rooibos tea | Seed decay; Seed borne diseases | thiram | WP | 750 g/kg | | Thiram 750 WP | 7097 | Universal Crop Protection |
| Rye | Blast disease (Grey leaf spot) | azoxystrobin/cyproconazole | SC | 200/80 g/l | 14 days | Amistar Xtra | 8567 | Syngenta SA |
| Rye | Seedborne diseases | thiram | DS | 500 g/kg | | TMTD 50 DS | 6465 | Almond Agro Chemicals |
| Rye grass | Grey leaf spot | azoxystrobin | SC | 250 g/l | 7 days | Amistar | 6230 | Syngenta SA |
| Seedlings | Soil pathogens | trichoderma harzianum | SP | 2x10(9) spores/g | | Tri-Cure SP | 9425 | N Laboratories |
| Seedlings | Fusarium; Pythium; Rhizoctoria root rot | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |
| Shallot | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | 1 day | Amistar | 6230 | Syngenta SA |
| Shallot | Downy mildew; Purple blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 - 14 days | Amistar Opti | 8265 | Syngenta SA |
| Sorghum | Anthrachnose; Grey leaf spot; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 45 days | Amistar | 6230 | Syngenta SA |
| Sorghum | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Sorghum | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Azur Top 325 SC | 9867 | Almond Agro Chemicals |
| Sorghum | Northern leaf blight; Rust; Sooty stripe | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Indicate 250 SC | 9310 | Universal Crop Protection |
| Sorghum | Leaf blight; Rust; Sooty stripe | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Improve 250 SC | 9311 | Villa Crop Protection |
| Sorghum | Leaf blight; Rust; Sooty stripe | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 40 days | Estricon 250 SC | 9433 | Crop Asure |
| Sorghum | Damping off; Decay; Seedling blight | azoxystrobin/fludioxonil/metalaxyl-M/thiabendazole | FS | 15/37,5/30/300 g/l | 14 days | Maxim Quattro | 9494 | Syngenta SA |
| Sorghum | Brown rust; Northern leaf blight; Sooty stripe | azoxystrobin/tebuconazole | SC | 120/200 g/l | 60 days | Custodia 320 SC | 9342 | Adama SA |
| Sorghum | Seedling diseases | captab | FS | 500 g/l | | Royalcap FS | 3152 | Chemtura |
| Sorghum | Covered smut; Damping off; Seed decay | captab | FS | 500 g/l | | Merpan SC | 4668 | Adama SA |
| Sorghum | Covered smut | captab | FS | 500 g/l | | Captan FS | 5981 | Volcano Agroscience /ta Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|-----------------------------------|------------------------------|-----|---------------|--------------------|-----------------------|-------|--------------------------------|
| Sorghum | Covered smut | captab | FS | 500 g/l | | Farmag Captan 500 FS | 10312 | Cedar Falls Properties 130 |
| Sorghum | Ustilago hordei | captab | SC | 500 g/l | | Avicap 500 FS | 9691 | Avima |
| Sorghum | Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 28 days; No F | Difenozim SC | 7924 | Universal Crop Protection |
| Sorghum | Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 28 days; No F | Aria 188 SC | 7943 | Villa Crop Protection |
| Sorghum | Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 60 days | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Sorghum | Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | 60 days | Sparta SC | 8403 | Villa Crop Protection |
| Sorghum | Northern leaf blight; Rust | cyproconazole/propiconazole | EC | 80/250 g/l | 21 days; 90 days F | Artea | 6820 | Syngenta SA |
| Sorghum | Damping off; Root rot; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 35 days | Celest XL | 6353 | Syngenta SA |
| Sorghum | Damping off; Root rot; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 35 days | Celest XL White | 7480 | Syngenta SA |
| Sorghum | Damping off | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Sorghum | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Sorghum | Seedborne diseases | thiram | DS | 500 g/kg | | TMTD 50 DS | 6465 | Almond Agro Chemicals |
| Sorghum | Damping off; Seed decay | thiram | WS | 800 g/kg | | Seedcare Thiram 80 WG | 5696 | D&J Agro Pesticides |
| Soy beans | Leaf rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 40 days | Hyper 28 SC | 10305 | Sharda International Africa CC |
| Soy beans | Rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 40 days | Discovery 280 SC | 10325 | Cedar Falls Properties 130 |
| Soy beans | Rust | carbendazim/flusilazole | SE | 250/125 g/l | 30 days; 42 F | Clout Xtra | 10466 | Meridian Agrochemical Co. |
| Soy beans | Rust | carbendazim/flusilazole | SE | 250/125 g/l | 30 days; 42 F | Clout Xtra | 10466 | Meridian Agrochemical Co. |
| Soy beans | Rust | difenoconazole | EC | 250 g/l | 18 days | Granado | 9767 | DNA Crop Protection |
| Soy beans | Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 39 days | Calculus 125 SE | 10314 | Cedar Falls Properties 130 |
| Soy beans | Soy bean rust | prothioconazole | SC | 480 g/l | 28 days F | Projetron 480 SC | 10050 | Universal Crop Protection |
| Soy beans | Rust | tebuconazole | EC | 250 g/l | 32 days | Ardent | 9779 | DNA Crop Protection |
| Soy beans | Rust | tebuconazole | EW | 250 g/l | 32 days | Tacora 25 EW | 8865 | Anasac SA |
| Spinach | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Spinach | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Spinach | Downy mildew | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------------|--|------------------------------------|-----|--------------|---------|---------------------------|------|---|
| Stone Fruit | Brown rot/Blossom blight (Monilinia laxa) Grey mould (Botrytis cinerea). Powdery mildew (Sphaerotheca pannosa) | azoxystrobin | SC | 250 g/l | 1 | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Stone Fruit | Peach leaf curl (Taphrina deformans) | didecyl dimethyl ammonium chloride | SL | 120 g/l | 82 Days | Sporekill | 7115 | ICA International Chemicals |
| Store rooms | Disinfection | thiabendazole | SC | 500 g/l | | Ag-Thiabendazole 500 SC | 8733 | Ag-Chem Africa |
| Strawberries | Anthrachnose; Leaf rust; Leaf spot; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | 1 day | Amistar Top | 7897 | Syngenta SA |
| Strawberries | Anthrachnose; Botrytis gray mold; Powdery mildew | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Strawberries | Botrytis rot; Leaf spot | captab | WP | 500 g/kg | 10 days | Captab WP | 6758 | Universal Crop Protection |
| Strawberries | Botrytis rot; Leaf spot | captab | WP | 500 g/kg | 10 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Strawberries | Botrytis rot; Leaf spot | captab | WP | 500 g/kg | 10 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Demildex | 5094 | Delta Chemicals |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Coprox Super | 5804 | Arysta Lifescience SA |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | 14 | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Strawberries | Leaf spot | copper oxychloride | WP | 860 g/kg | 14 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Strawberries | Leaf spot | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Strawberries | Leaf spot | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Strawberries | Anthrachnose; Grey mould; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 3 days | Switch | 5926 | Syngenta SA |
| Strawberries | Botrytis | didecyl dimethyl ammonium chloride | SL | 120 g/l | 3 days | Sporekill | 7115 | ICA International Chemicals |
| Strawberries | Botrytis | fludioxonil/pyrimethanil | SC | 100/400 g/l | 3 days | Tutor 500 SC | 9948 | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------------|--|--|-----|---------------|-------------|---------------------|-------|--|
| Strawberries | Botrytis rot | fluopyram | SC | 500 g/l | 1 day | Luna Privilege | 8997 | Bayer |
| Strawberries | Grey Mould | iprodione | SC | 500 g/l | 1 Day | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Strawberries | Leather rot; Vascular collapse | metalaxyl-M (mefenoxam) | SL | 480 g/l | 7 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Strawberries | Powdery mildew | quinoxifen | SC | 250 g/l | 3 days | Legend 250 SC | 6840 | Dow Agroscience SA |
| Sugarcane | Brown rust; Orange rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 200 days | Amistar Xtra | 8567 | Syngenta SA |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Sugarcane | Brown rust; Tawny rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Abacus | 8048 | BASF SA |
| Sugarcane | Brown rust; Tawny rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Abacus Advance | 9132 | BASF SA |
| Sugarcane | Brown rust; Tawny rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Calculus 125 SE | 10314 | Cedar Falls Properties 130 |
| Sugarcane | Brown rust; Tawny rust | fluoxastrobin/tebuconazole | SC | 200/277 g/l | 70 days | Evito T | 10167 | Arysta Lifescience SA |
| Sunflowers | Downy mildew; Leaf diseases | azoxystrobin | SC | 250 g/l | 30 days | Amistar | 6230 | Syngenta SA |
| Sunflowers | Alternaria leaf spot; Rust | azoxystrobin | SC | 250 g/l | 28 | Mycoblock 250 SC | 8591 | Universal Crop Protection |
| Sunflowers | Sclerotinia rot | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Sunflowers | Sclerotinia rot | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Sunflowers | Alternaria leafspot | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Sunflowers | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | 60 (seed) | Oscar | 4382 | Adama SA |
| Sunflowers | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | 60 | Veto Plus | 9776 | Meridian Agritech Co |
| Sunflowers | Damping off; Downy mildew; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 127 days | Celest XL | 6353 | Syngenta SA |
| Sunflowers | Damping off; Downy mildew; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | 127 days | Celest XL White | 7480 | Syngenta SA |
| Sunflowers | Downy mildew | metalaxyl | WS | 350 g/kg | | Eclipse ST | 7321 | Meridian Agritech Co |
| Sunflowers | Downy mildew | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Surfaces | Bacteria; Fungi; Viruses | benzalkonium chloride/poly hexamethylenebiguinaide hydrochloride | SL | 80/20 g/l | | Des-O-Germ | 8513 | Des-O-Germ |
| Sweet potatoes | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | 1 - 14 days | Amistar | 6230 | Syngenta SA |
| Sweet potatoes | Black dot; Early blight; Rust; Septoria leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | 14 days | Amistar Top | 7897 | Syngenta SA |
| Sweet potatoes | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | 7 days | Switch | 5926 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------------------|---|------------------------------------|-----|-------------|-----------|---------------------------|-------|--|
| Sweet potatoes | Bacterial rot, Botrytis | didecyl dimethyl ammonium chloride | SL | 120 g/l | 7 days | Sporekill | 7115 | ICA International Chemicals |
| Sweet potatoes | Rhizopus rot | fludioxonil | SC | 230 g/l | 1 day | Scholar | 8578 | Syngenta SA |
| Sweet potatoes | Rhizopus rot | fludioxonil | SC | 230 g/l | 1 day | Teacher 230 SC | 9919 | ICA International Chemicals |
| Sweet potatoes | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Sweetcorn | Seedling damping off; Root rot | difenoconazole/metalaxyl-M | FS | 92/23 g/l | | Dividend Extreme | 10410 | Syngenta SA |
| Table and Wine grapes | Powdery and Downy Mildew | pyraclostrobin | EC | 250 g/L | 28 days | Constrictor 250 EC | 10457 | ICA International Chemicals |
| Table Grapes | Botrytis | fludioxonil/pyrimethanil | SC | 100/400 g/l | 28 days | Tutor 500 SC | 9948 | ICA International Chemicals |
| Table Grapes | Powdery mildew | tebuconazole | EW | 250 g/l | 42 days | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Tobacco | Leaf spot; Target spot | azoxystrobin | SC | 250 g/l | - | Amistar | 6230 | Syngenta SA |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agroscience /ta Arysta Lifescience SA |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Tobacco | Anthracnose; Black root rot; Black shank; Damping off | captab | SC | 500 g/l | | Farmag Captan 500 SC | 10311 | Cedar Falls Properties 130 |
| Tobacco | Anthracnose; Black root rot; Black shank; Damping off | captab | SC | 500g/l | | Merpan 50 SC | 5511 | Adama SA |
| Tobacco | Seedbed diseases | captab | WP | 500 g/kg | | Captab WP | 6758 | Universal Crop Protection |
| Tobacco | Seedbed disease | captab | WP | 500 g/kg | | Thor 500 WP | 7691 | Ag-Chem Africa |
| Tobacco | Damping off; Wild fire | copper oxychloride | WP | 850 g/kg | 14 days | Rust | 3131 | Kombat |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | | Coprox WP | 4720 | Tsunami Plant Protection/ta Arysta Lifescience |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | | Coprox Super | 5804 | Arysta Lifescience SA |
| Tobacco | Damping off; Wild fire | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Tobacco | Damping off; Wild fire | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | see label | Farmg Cu Super | 7087 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---------------------------------|-----------------------------|-----|-------------------|---------|---------------------|-------|-----------------------------|
| Tobacco | Wild fire | copper oxychloride | WP | 860 g/kg | | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Tobacco | Black shank | dimethomorph/mancozeb | WG | 90/600 g/kg | 55 | Acrobat WG | 6526 | BASF SA |
| Tobacco | Seedbed diseases | fludioxonil | FS | 100 g/l | | Celest | 6173 | Syngenta SA |
| Tobacco | Blue mould | mandipropamid | SC | 250 g/l | 7 days | Revus | 8617 | Syngenta SA |
| Tobacco | Black shank | metalaxyl | GR | 50 g/kg | 42 days | Kickback 5 GR | 7104 | Bitrad Consulting |
| Tobacco | Black shank | metalaxyl | GR | 50 g/kg | 42 days | Rolim 5 GR | 7608 | Arysta Lifescience SA |
| Tobacco | Black shank; Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Tobacco | Black shank; Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | 42 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Tobacco | Black shank | pyraclostrobin | EC | 250 g/l | 83 days | Cabrio | 6818 | BASF SA |
| Tobacco | Black shank | pyraclostrobin | EC | 250 g/l | 83 days | Cerato 250 EC | 9336 | Villa Crop Protection |
| Tobacco | Black shank | pyraclostrobin | EC | 250 g/l | 83 days | Costra 250 EC | 9507 | Crop Asure |
| Tobacco | Black root rot | triadimenol | FS | 150 g/l | | Baytan 150 FS | 1697 | Bayer |
| Tobacco | Black root rot | triadimenol | FS | 150 g/l | | Shavit | 5493 | Adama SA |
| Tobacco | Black root rot | triadimenol | FS | 150 g/l | | Badger 15 FS | 7565 | Chemtura |
| Tobacco | Soil pathogens | Trichoderma fertile | WP | 2x10 (9) spores/g | | Trichoplus | 7161 | BASF SA |
| Tomatoes | Bacterial speck; Bacterial spot | acibenzolar-S-methyl | WG | 500 g/kg | 3 | Bion | 6512 | Syngenta SA |
| Tomatoes | Late blight | ammonium phosphite | SL | 386 g/l | 3 | Brilliant SL | 7225 | Arysta Lifescience SA |
| Tomatoes | Late blight | ammonium phosphite | SL | 386 g/l | 3 | Brilliant 300 SL | 7226 | Nippon Africa Chemicals |
| Tomatoes | Bacterial spot; Early blight | ascorbic acid/bioflavonoids | SL | 12 g/l | | Bestcure | 8933 | Chempac |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | 7 days | Amistar | 6230 | Syngenta SA |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | 7 days | Azoxystrobin 250 SC | 8593 | Sharda International Africa |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | | Mirador 250 SC | 8894 | Adama SA |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | | Aroxy 250 SC | 9259 | Arysta Lifescience SA |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | 7 days | Fortress | 9269 | Meridian Agritech Co |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | 7 days | Banshee | 9786 | DNA Crop Protection |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | 7 days | Azoxystrobin 250 SC | 10058 | Castle Ag-Chem |
| Tomatoes | Early blight; Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | 7 days | Amistar Opti | 8265 | Syngenta SA |
| Tomatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | 7 days | Canal 500 SC | 10288 | Universal Crop Protection |
| Tomatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | 7 days | Central 500 SC | 10289 | Villa Crop Protection |
| Tomatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Amistar Top | 7897 | Syngenta SA |
| Tomatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Azur Top 325 SC | 9867 | Almond Agro Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|-----------------------------|-----|--------------|--------|------------------------|-------|--|
| Tomatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | 7 days | Fortress Ultra | 10450 | Meridian Agrochemical Co. |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | 3 | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Tomatoes | Botrytis; Powdery mildew | benomyl | WP | 500 g/kg | 3 | Benomyl | 7291 | Volcano Agrosience /ta Arysta Lifescience SA |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | 3 days | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Tomatoes | Early blight | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Tomatoes | Late blight; Septoria leaf spot | captab | WG | 800 g/kg | 7 days | Merpan 80 WDG | 5456 | Adama SA |
| Tomatoes | Late blight; Septoria leaf spot | captab | WG | 800 g/kg | 7 days | Captan 800 WG | 9345 | Sharda International Africa |
| Tomatoes | Late blight; Septoria leaf spot | captab | WP | 500 g/kg | 7 days | Captab WP | 6758 | Universal Crop Protection |
| Tomatoes | Late blight; Septoria leaf spot | captab | WP | 500 g/kg | 7 days | Thor 500 WP | 7691 | Ag-Chem Africa |
| Tomatoes | Late blight; Septoria leaf spot | captab | WP | 500 g/kg | 7 days | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |
| Tomatoes | Late blight | captan | WG | 800 g/kg | 7 days | Captan 800 WG | 9249 | Meridian Agritech Co |
| Tomatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 7 days | Difenozim SC | 7924 | Universal Crop Protection |
| Tomatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | 7 days | Aria 188 SC | 7943 | Villa Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 500 g/l | 3 days | Chloroflo 500 SC | 5171 | Plaaskem |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 500 g/l | 3 days | Mission 500 SC | 7020 | Villa Crop Protection |
| Tomatoes | Botrytis rot, Early blight, Late blight, Leaf spot | chlorothalonil | SC | 500 g/l | 3 days | Matrix | 7290 | Bitrad Consulting |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 500 g/l | 3 days | Chloronil 500 SC | 7394 | Universal Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Septoria leaf spot | chlorothalonil | SC | 500 g/l | 3 days | Calonil 500 SC | 7701 | Sidewalk Trading |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 4233 | Agro-Serve t/a Efekto |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Bravo 720 | 7005 | Syngenta SA |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Clortosip 720 SC | 7108 | Sipcam South Africa |
| Tomatoes | Botrytis rot; Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Odeon 720 SC | 7596 | Adama SA |
| Tomatoes | Botrytis rot; Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Makhro-Thalonil 720 SC | 8146 | Makhro-Agro SA |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Mycoguard 720 SC | 8417 | Arysta Lifescience SA |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Oronil 720 SC | 8431 | Universal Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Mission 720 SC | 8432 | Villa Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | TalOnil 720 | 8935 | Erintrade t/a RT Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|--|-----|-------------------------|--------|---------------------------|------|---|
| Tomatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | 3 days | Solsan SC | 9590 | Meridian Agritech Co |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | 3 days | Moniker 720 SC | 9966 | Cedar Falls Properties 130 |
| Tomatoes | Botrytis rot; Early blight; Late blight | chlorothalonil | WG | 825 g/kg | 3 days | Odeon 825 WG | 7597 | Adama SA |
| Tomatoes | Early blight; Late blight | chlorothalonil/cymoxanil | SC | 375 g/l/50 g/l | 7 days | Ruby | 6780 | Sipcam South Africa |
| Tomatoes | Botrytis rot; Late blight | chlorothalonil/dimethomorph | WG | 400/80 g/kg | 3 days | Splinx Star WDG | 9084 | Adama SA |
| Tomatoes | Late blight | chlorothalonil/metalaxyl-M (mefenoxam) | SC | 500/37,5 g/l | 7 days | Ridomil Gold Flo | 6669 | Syngenta SA |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 315 g/l | 3 days | Copper-Flow-Plus | 6831 | Arysta Lifescience SA |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 315 g/l | 3 days | Fungi Flow | 6925 | Villa Crop Protection |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 316 g/l | 3 days | Copper Count-N | 2602 | Hygrotech Properties |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 316 g/l | 3 days | Liquicop | 5586 | Hygrotech Properties |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 686 g/l | 3 days | Fungicop | 6298 | Gouws & Scheepers |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 180 g/l | 3 days | CopStar 120 SC | 7026 | Ag-Chem Africa |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 180 g/l | 3 days | Copmaxx | 9905 | Ag-Chem Africa |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 180 g/l | 3 days | Cupra Super | 9906 | Ag-Chem Africa |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 538 g/l | 3 days | StopBac | 8797 | Plaaskem |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | 3 days | CungFu 538 SC | 7526 | Nulandis |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | WG | 538 g/kg | 3 days | Kocide 2000 | 7805 | Mitsui & Co Europe Plc |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | WP | 770 g/kg | 3 | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Tomatoes | Bacterial spot; Early blight; Septoria leaf spot | copper hydroxide | WP | 770 g/kg | 3 days | Funguran-OH | 4445 | Agri Registrations CC |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | WP | 770 g/kg | 3 days | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Tomatoes | Early blight | copper octanoate | | 100 g/l | | Neudorff Copper Soap | 7064 | Warren Chem |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper oxychloride | SC | 700 g/l | | NanoGreen SC | 8980 | Arysta Lifescience SA |
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leaf spot | copper oxychloride | WP | 850 g/kg | 3 days | Virikop | 527 | Agro-Serve t/a Efekto |
| Tomatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 3 days | Rust | 3131 | Kombat |
| Tomatoes | Bacterial spot; Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 3 days | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Bacterial spot; Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 3 days | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride | WP | 850 g/kg | 3 days | Demildex | 5094 | Delta Chemicals |
| Tomatoes | Bacterial spot; Early blight; Late blight | copper oxychloride | WP | 850 g/kg | 3 days | Coprox Super | 5804 | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|----------------------------|-----|--------------|--------|-----------------------|------|---------------------------|
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leafspot | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leafspot | copper oxychloride | WP | 850 g/kg | 3 days | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride | WP | 850 g/kg | 3 | Famig Cu Super | 7087 | Castle Ag-Chem |
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leaf spot | copper oxychloride | WP | 860 g/kg | 3 days | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride/sulfur | DP | 85/900 g/kg | 3 days | Copsul Dust | 3655 | Applied Chemical Products |
| Tomatoes | Early blight; Septoria leaf spot | copper oxychloride/sulfur | DP | 85/900 g/kg | 3 days | Coppasulfa | 5726 | Sunwood Chemicals |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride/sulfur | DP | 85/900 g/kg | 3 days | Cu-Sul Dust | 6664 | JCJ Agri Chem |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride/sulphur | DP | 85/900 g/kg | 3 days | Copper Sulphur | 3564 | Orchard Agrikem |
| Tomatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | 3 days | Copflo Super | 6981 | Ag-Chem Africa |
| Tomatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | 3 days | Copro Flow S | 8118 | Arysta Lifescience SA |
| Tomatoes | Bacterial spot; Early blight | copper sulphate/lime | WG | 711/289 g/kg | | Cuprofix Ultra | 8888 | Total SA |
| Tomatoes | Bacterial spot; Early blight | copper/mancozeb | WG | 120/300 g/kg | 3 days | Cuprofix 30 Disperss | 7893 | Total SA |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | cuprous oxide | WG | 860 g/kg | 7 days | Nordox 86% WG | 8077 | Avima |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | cuprous oxide | WP | 860 g/kg | 7 days | Nordox 86% WP | 8078 | Avima |
| Tomatoes | Early blight; Late blight | cymoxanil | SC | 300 g/l | 7 days | Vidac Flo | 9688 | Meridian Agritech Co |
| Tomatoes | Early blight; Late blight | cymoxanil/famoxadone | WG | 250/250 g/kg | 3 days | Tanos | 6564 | Du Pont de Nemours |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Curzate Pro | 5698 | Du Pont de Nemours |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Zetanil | 6036 | Sipcam South Africa |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Micexanil | 6322 | Sipcam South Africa |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 | Controller | 6783 | RT Chemicals |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Cymax M WP | 7680 | Meridian Agritech Co |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Fungarrest | 7693 | Universal Crop Protection |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Cymoxazeb WP | 7694 | Villa Crop Protection |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | 7 days | Macoxanil | 8628 | Crop Asure |
| Tomatoes | Damping off | dichlorophen | EC | 200 g/l | 3 days | Xanbac D 200 EC | 2097 | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---------------------------|------------------------------------|-----|---------------|--|---------------------|-------|---|
| Tomatoes | Sour rot; Powdery Mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | 3 days (with Sporekill post harvest application) 0 Days if no Sporekill post harvest application | Sporekill | 7115 | ICA International Chemicals |
| Tomatoes | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | | Spore-Attack | 8178 | ICA International Chemicals |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Score | 5132 | Syngenta SA |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Pronto 250 EC | 7602 | Meridian Agritech Co |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | D-Zole 250 EC | 7923 | Universal Crop Protection |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Scope 250 EC | 7942 | Villa Crop Protection |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Navigator 250 EC | 8412 | Sidewalk Trading |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Dicati | 8414 | Sharda International Africa |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Defender 250 EC | 8471 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Difen 250 EC | 8535 | Crop Asure |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Divino 250 EC | 9343 | Adama SA |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Cipladi-Zole 250 EC | 9438 | Castle Ag-Chem |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | 7 days | Granado | 9767 | DNA Crop Protection |
| Tomatoes | Late blight | dimethomorph/mancozeb | WG | 90/600 g/kg | 5 | Acrobat WG | 6526 | BASF SA |
| Tomatoes | Early blight; Late blight | fenamidone/mancozeb | WG | 100/500 g/kg | 15 days | No-Blite | 6681 | Bayer |
| Tomatoes | Powdery mildew | fludioxonil/pyrimethanil | SC | 100/400 g/l | 1 day | Tutor 500 SC | 9948 | ICA International Chemicals |
| Tomatoes | Late blight | fluopicolide/propamocarb-HCL | SC | 62,5/62,5 g/l | 7 days | Infinito 687,5 SC | 8470 | Bayer |
| Tomatoes | Early blight; Late blight | folpet | SC | 500 g/l | 3 days | Folpan 500 SC | 4662 | Adama SA |
| Tomatoes | Early blight; Late blight | folpet | SC | 500 g/l | 3 days | Valeo 500 SC | 9086 | Meridian Agritech Co |
| Tomatoes | Early blight; Late blight | folpet | WG | 800 g/kg | 3 days | Folpan 80 WDG | 5333 | Adama SA |
| Tomatoes | Early blight; Late blight | folpet | WG | 800 g/kg | 3 days | Volt 80 WG | 10465 | Sharda International Africa CC |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|-----------------------|-----|-------------|---------|-----------------------|------|---|
| Tomatoes | Post harvest decay Sour Rot Rhizopus | guazatine | SL | 210 g/l | | Megacide | 7126 | ICA International Chemicals |
| Tomatoes | Early blight; Grey rot | iprodione | SC | 255 g/l | 3 days | Rovral Flo | 1046 | FMC Chemicals |
| Tomatoes | Botrytis rot | iprodione | SC | 255 g/l | 3 days | Iprodione 255 | 7340 | Erintrade t/a RT Chemicals |
| Tomatoes | Botrytis | iprodione | SC | 500 g/l | 3 days | Prodione | 7222 | Nulandis |
| Tomatoes | Botrytis rot | iprodione | SC | 500 g/l | 3 days | IproFlo 500 SC | 8213 | ICA International Chemicals |
| Tomatoes | Botrytis rot; Early blight | iprodione | SC | 500 g/l | 3 days | Iprone 500 SC | 8452 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Botrytis rot | iprodione | SC | 500 g/l | 3 days | Pickle 500 SC | 9141 | Ag-Chem Africa |
| Tomatoes | Botrytis rot | iprodione | SC | 500 g/l | 3 days | Roflo | 9573 | Wentek Chemicals |
| Tomatoes | Late blight | iprovalicarb/propineb | WG | 90/600 g/kg | 3 | Melody Duo 69 WG | 6714 | Bayer |
| Tomatoes | Late blight | iprovalicarb/propineb | WP | 90/600 g/kg | 3 days | Melody Duo 69 WP | 8829 | Bayer |
| Tomatoes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | 14 days | Ardent 50 SC | 7284 | Adama SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | DF | 750 g/kg | 3 days | Mancozeb DF | 8876 | Cropchem (Pty)Ltd |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 420 g/l | 3 days | Pennfluid | 7733 | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 455 g/l | 3 days | Crater 455 SC | 7303 | Volcano Agroscience /ta Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 455 g/l | 3 days | Multizeb 455 SC | 9174 | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 455 g/l | 3 days | Newzeb 455 SC | 9175 | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 480 g/l | 3 days | Newzeb 480 SC | 9178 | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 480 g/l | 3 days | Unizeb 480 SC | 9179 | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WG | 750 g/kg | 3 days | Dithane 750 WG Neotec | 4213 | Dow Agroscience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WG | 750 g/kg | 3 days | Penncozeb WG | 4655 | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WG | 750 g/kg | 3 days | Newzeb 750 WDG | 8811 | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WG | 750 g/kg | 3 days | Villa Unizeb 750 WDG | 8812 | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 750 g/kg | 3 days | Cozeb 750 WDG | 8964 | Crop Asure |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Vondozeb | 2177 | Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 | 2741 | Kombat |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP | 2914 | Dow Agroscience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Sancozeb 800 WP | 3459 | Dow Agroscience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Farmag Mancozeb | 4754 | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|----------|---|------------------------------|-----|-----------------|--------|------------------------|-------|--|
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Tsumeb | 4797 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Tridex | 5323 | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Cozeb 800 WP | 7098 | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7352 | Volcano Agroscience /ta Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 7381 | Ag-Chem Africa |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Dithane M-45 800 WP NT | 7484 | Dow Agroscience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Villa Unizeb 800 WP | 8056 | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Newzeb 800 WP | 8167 | CropASURE |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Tozeb WP | 8526 | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | 3 days | Ventum 800 WP | 8691 | Nulandis |
| Tomatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | 3 days | Mancozeb 800 WP | 9169 | Meridian Agritech Co |
| Tomatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Milor 700 WP | 5884 | Rotam RSA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Sanlaxyl 700 WP | 6100 | Dow Agroscience SA |
| Tomatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Kickback 700 WP | 7105 | Bitrad Consulting |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 day | Mancolax 700 WP | 7382 | Gouws & Scheepers (Plaaskem) |
| Tomatoes | Early blight; Late blight; Leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Metazeb 700 WP | 7462 | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Metazeb 700 WP | 7463 | Villa Crop Protection |
| Tomatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Rolim 700 WP | 7609 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight; Late blight; Leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | 7 days | Crater MX 700 WP | 8427 | Volcano Agroscience /ta Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb/metalaxyl- m | WG | 640/40 g/kg | 7 days | Ridomil Gold Pepite | 7191 | Syngenta SA |
| Tomatoes | Late blight | mancozeb/valifenalate | WG | 600/60 g/kg | 7 days | Valis M | 10408 | Belchim Crop Protection (Disa Bio-Technologies CC) |
| Tomatoes | Late blight | mandipropamid | SC | 250 g/l | 3 days | Revus | 8617 | Syngenta SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/procymidone/zinc oxide | SC | 325/125/4,7 g/l | 3 days | Barrier 450 SC | 7604 | Gouws & Scheepers (Plaaskem) |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Manager SC | 3538 | Applied Chemical Products |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Mangle SC | 5985 | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-----------|---|-------------------------|-----|--------------|---------|---------------------|-------|--------------------------------|
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | 3 days | Vandal | 8462 | Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | metiram | WG | 700 g/kg | 3 days | Polyram WG | 5268 | BASF SA |
| Tomatoes | Early blight; Late blight | organic plant acids | SL | 19 g/l | 1 day | Kanguard 940 | 7421 | Kannar CC |
| Tomatoes | Late blight | potassium phosphite | SL | 600 g/l | 21 days | Fosfonex 400 SL | 9740 | In-line Trading 112 |
| Tomatoes | Botrytis rot; Early blight | procymidone | SC | 250 g/l | 3 days | Sunmisclex SC | 6377 | Philagro South Africa |
| Tomatoes | Botrytis rot; Early blight | procymidone | SC | 500g/l | 3 days | Hit 500 SC | 7575 | Dow Agrosience SA |
| Tomatoes | Early blight; Late blight | propineb | WP | 700 g/kg | 3 days | Antracol 70 WP | 2065 | Bayer |
| Tomatoes | Early blight | tebuconazole | EC | 250 g/l | 7 days | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Tomatoes | Early blight | tebuconazole | EC | 250 g/l | 7 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Tomatoes | Early blight | tebuconazole | EC | 250 g/l | 7 days | Ardent | 9779 | DNA Crop Protection |
| Tomatoes | Early blight | tebuconazole | EW | 0,25 g/l | 7 days | Orius 200 EW RTU | 8302 | Makhro-Agro SA |
| Tomatoes | Early blight | tebuconazole | EW | 200 g/l | 7 days | Orius 200 EW | 7479 | Adama SA |
| Tomatoes | Early blight | tebuconazole | EW | 200 g/l | 7 days | Makhroteb 200 EW | 8149 | Makhro-Agro SA |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Folicur 250 EW | 3857 | Bayer |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Orius 250 EW | 6832 | Adama SA |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Corona 250 EW | 7603 | Meridian Agritech Co |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Tacora 25 EW | 8865 | Anasac SA |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Riza EW | 8882 | Cheminova |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | 7 days | Mystic | 9852 | Nufarm Agriculture |
| Tomatoes | Late blight | zoxamide | SC | 240 g/l | 3 days | Zoxium 240 SC | 7908 | Klub M5 |
| Tree nuts | Anthrachnose; Blossom blight; Husk spot | boscalid/pyraclostrobin | WG | 252/128 g/kg | | Bellis | 7817 | BASF SA |
| Tree nuts | Alternaria; Botrytis fruit rot | cyprodinil | WG | 500 g/kg | 7 days | Chorus | 5383 | Syngenta SA |
| Tree nuts | Husk spot | difenoconazole | EC | 250 g/l | 45 days | Score | 5132 | Syngenta SA |
| Tree nuts | Scab | propiconazole | EC | 250 g/l | 90 days | Propin 250 EC | 10487 | Sharda International Africa CC |
| Tumeric | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|--------------|--|--|-----|-------------------|---------|-----------------------------|-------|----------------------------|
| Turf | Anthracnose; Brown patch; Grey leaf spot; Helminthosporium disease; Pythium leaf blight; Pythium root rot; Red thread; Rust diseases; Seedling damping off; Spring dead spot; Winter fusarium | azoxystrobin | DC | 95 g/l | | Heritage Maxx | 10300 | Syngenta SA |
| Turf | Anthracnose; Brown patch; Dollar spot; Couchgrass decline; Fairy ring; Fusarium spot; Grey leaf spot; Helminthosporium disease; Leaf blight; Leaf rust; Leaf spot; Melting out; Pink snow mould; Powdery mildew; Pythium blight; Pythium root rot; Red thread; Seedling damping off; Spring dead spot; Stem rust; Stripe rust; Take-all patch; Winter fusarium | azoxystrobin/propiconazole | ME | 62/104 g/l | | Headway Maxx Turf Fungicide | 10302 | Syngenta SA |
| Turf | Anthracnose; Brown patch; Dollar spot; Helminthosporium disease; Microdochium patch; Winter fusarium | chlorothalonil/fludioxonil/propiconazole | SE | 362/14,5/56,9 g/l | | Instrata | 10301 | Syngenta SA |
| Turf | Damping off: Pythium | metalaxyl-M (mefenoxam) | FS | 240 g/l | | Subdue Maxx | 8914 | Syngenta SA |
| Turf | Anthracnose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 156 g/l | | Banner Maxx | 7689 | Syngenta SA |
| Turf | Dollar spot; Fusarium; Helminthosporium leaf spot | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Turf grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL | 6353 | Syngenta SA |
| Turf grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | | Celest XL White | 7480 | Syngenta SA |
| Turnip | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | 14 days | Ridomil Gold 480 SL | 8962 | Syngenta SA |
| Various | Bacteria; Fungi; Viruses | benzalkonium chloride/poly hexamethylenebiguinaide hydrochloride | SL | 80/20 g/l | | Des-O-Germ | 8513 | Des-O-Germ |
| Various | Bacteria; Fungi; Viruses | benzalkonium chloride/poly hexamethylenebiguinaide hydrochloride | SL | 80/20 g/l | | Des-O-Germ | 8513 | Des-O-Germ |
| Various | Pruning wounds | Busan 1009/8-hydroxyquinoline sulphate | PA | 10/10 g/kg | | Steriseal | 4231 | Agro-Serve t/a Efekto |
| Various | Seedling diseases | captab | FS | 500 g/l | | Royalcap FS | 3152 | Chemtura |
| Various | Seed decay | captab | FS | 500 g/l | | Merpan SC | 4668 | Adama SA |
| Various | Seed decay; External seed-borne diseases | captab | FS | 500 g/l | | Farmag Captan 500 FS | 10312 | Cedar Falls Properties 130 |
| Various | Soil pathogens | captab | WP | 500 g/kg | | Captab WP | 6758 | Universal Crop Protection |
| Various | Soil pathogens | captab | WP | 500 g/kg | | Thor 500 WP | 7691 | Ag-Chem Africa |
| Various | Soil pathogens | captab | WP | 500 g/kg | | Fungi-Nil 500 WP | 7918 | Agro-Serve t/a Efekto |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------|---|------------------------------------|-----|-------------------------|-----------|--------------------------|-------|-------------------------------|
| Various | Soil pathogens | chloropicrin | FU | 855 g/kg | | PIC Plus Soil Fumigant | 9554 | Trical Crop Protection Africa |
| Various | Soil borne diseases | chloropicrin/1,3 dichloropropene | AL | 465/850 g/kg | | Telopic | 7164 | Dow Agroscience SA |
| Various | Bacterial wilts; Soil-borne fungal diseases | chloropicrin/dichloropropene (1,3) | FU | 596/390 g/kg | | TriForm 60 | 9839 | Trical Crop Protection Africa |
| Various | Sclerotinia | Coniothyrium minitans | WG | 1 x 10(12) spores/kg | | Contans WG | 10157 | Bayer |
| Various | Soil pathogens | copper hydroxide | SC | 538 g/l | | StopBac | 8797 | Plaaskem |
| Various | Soil pathogens | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | | CungFu 538 SC | 7526 | Nulandis |
| Various | Damping off; Soil pathogens | copper hydroxide | WP | 770 g/kg | see label | Farm-Ag Hydrox | 4355 | Castle Ag-Chem |
| Various | Damping off; Soil pathogens | copper hydroxide | WP | 770 g/kg | | Funguran-OH | 4445 | Agri Registrations CC |
| Various | Damping off; Soil pathogens | copper hydroxide | WP | 770 g/kg | | Champion Wettable powder | 7081 | Nufarm Agriculture |
| Various | Soilborne disease | copper oxychloride | WP | 850 g/kg | | Virikop | 527 | Agro-Serve t/a Efekto |
| Various | Soil borne diseases | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Various | Soil borne diseases | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 6231 | Villa Crop Protection |
| Various | Soil pathogens | dazomet | GE | 980 g/kg | | Basamid Granular | 277 | Mitsui & Co Europe Plc |
| Various | Damping off | dichlorophen | EC | 200 g/l | | Xanbac D 200 EC | 2097 | Nulandis |
| Various | Seedling diseases | fludioxonil | FS | 100 g/l | | Celest | 6173 | Syngenta SA |
| Various | Soil pathogens | furfural | EC | 990 g/l | | Protect | 7534 | Illovo Sugar |
| Various | Damping off | metalaxy-M (mefenoxam) | FS | 240 g/l | | Subdue Maxx | 8914 | Syngenta SA |
| Various | Soil pathogens | metam-potassium | SL | 690 g/l | | Tamifume K 690 | 7704 | D&J Agro Pesticides |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | | Herbifume 510 SL | 138 | Gouws & Scheepers (Plaaskem) |
| Various | Soil pathogens | metam-sodium | SL | 510 g/l | | Nemasol | 6296 | D&J Agro Pesticides |
| Various | Soil pathogens | metam-sodium | SL | 510 g/l | | Ag-Fume | 7365 | Ag-Chem Africa |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | | Vapam | 7858 | Universal Crop Protection |
| Various | Soil pathogens | metam-sodium | SL | 510 g/l | | Raisan 51 | 8588 | Nulandis |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | | Vault 510 SL | 9144 | Universal Crop Protection |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | | Wabek 510 SL | 9145 | Villa Crop Protection |
| Various | Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Previcur-N | 3394 | Bayer |
| Various | Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Proplant | 5831 | Arysta Lifescience SA |
| Various | Soil pathogens | propamocarb-HCl | SL | 722 g/l | | Basic N | 6680 | RT Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|---------------------------|---|--|-----|-------------------|--------|---------------------------|-------|---|
| Various | Seedborne diseases | thiram | DS | 500 g/kg | | TMTD 50 DS | 6465 | Almond Agro Chemicals |
| Various | Soil pathogens | thiram | WP | 750 g/kg | | Thiram WP | 4948 | Dow Agroscience SA |
| Various | Soil pathogens | thiram | WP | 750 g/kg | | Thiram 75 WP | 6687 | Arysta Lifescience SA |
| Various | Damping off | thiram | WS | 800 g/kg | | Seedcare Thiram 80 WG | 5696 | D&J Agro Pesticides |
| Various | Damping off | tolclofos-methyl | WS | 500 g/kg | | Rizolex WP | 6376 | Philagro South Africa |
| Various | Inoculant | Trichoderma asperelloides | SL | 2x10(9) spores/g | | Trichoplus | 7161 | BASF SA |
| Various | Soil pathogens | Trichoderma fertile | WP | 2x10 (9) spores/g | | Trichoplus | 7161 | BASF SA |
| Various | Soil pathogens | trichoderma harzianum | SP | 2x10(9) spores/g | | Tri-Cure SP | 9425 | N Laboratories |
| Various | Pruning wounds | Trichoderma harzianum | WP | 2x10 (9) spores/g | | Eco-77 | 7495 | Plant Health Products |
| Various | Soil pathogens | Trichoderma harzianum | WP | 2x10(9) spores/g | | Eco-T | 6938 | Plant Health Products |
| Various | Soil pathogens | Trichoderma harzianum | WP | 2x10(9) spores/g | | Tri-Cure WP | 8295 | N Laboratories |
| Various | Root diseases | trichoderma harzianum | | 2x10)9) spores/g | | Eco-T Ezi-Flo | 9276 | Plant Health Products |
| Various (deciduous fruit) | Pruning wounds & die back | 8-hydroxyquinoline sulfate/octhilinone | PA | 5/5 g/kg | | Neocil-Plus | 3876 | Algro-Chem |
| Various (vegetables) | Seed decay; Seedling diseases | captab | FS | 500 g/l | | Captan FS | 5981 | Volcano Agroscience /ta Arysta Lifescience SA |
| Various seedlings | Seedling diseases | fludioxonil | FS | 100 g/l | | Celest | 6173 | Syngenta SA |
| Vegetable seedlings | Damping off | metalaxyf-M (mefenoxam) | FS | 350 g/l | | Apron XL | 6837 | Syngenta SA |
| Vegetables | Fusarium spp; Phythophthora spp; Pythium spp; Rhizoctonia spp | captab | SC | 500 g/l | | Avicap 500 FS | 9691 | Avima |
| Vegetables | Fusarium; Pythium; Rhizoctoria root rot | trichoderma harzianum | | 2x10(9) spores/g | | Rootguard | 10242 | N Laboratories |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | | Coprox WP | 4720 | Tsunami Plant Protection/t/a Arysta Lifescience |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | | Farmag Copper Oxychloride | 5000 | Castle Ag-Chem |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | | Coprox Super | 5804 | Arysta Lifescience SA |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 5809 | Universal Crop Protection |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | | Copper Oxychloride WP | 6231 | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|------------|--|--------------------------------------|-----|----------------|---------------|--------------------|-------|--|
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | see label | Farmg Cu Super | 7087 | Castle Ag-Chem |
| Walnuts | Bacterial blight | copper oxychloride | WP | 860 g/kg | | Copper oxychloride | 5969 | Cropchem (Pty)Ltd |
| Walnuts | Bacterial blight | cuprous oxide | WG | 860 g/kg | 14 days | Nordox 86% WG | 8077 | Avima |
| Walnuts | Bacterial blight | cuprous oxide | WP | 860 g/kg | 14 days | Nordox 86% WP | 8078 | Avima |
| Warehouses | Post-harvest decay; Aspergillus spp; Botrytis spp; Penicillium spp | thiabendazole | SC | 500 g/l | | TBZ 500 SC | 10083 | Citrashine |
| Watermelon | Post Harvest Decay Penicillium | imazalil | EC | 500 g/l | | ImazaCure 500 EC | 7927 | ICA International Chemicals |
| Wheat | Brown rust; Eye spot; Powdery mildew; Speckled leaf and glume blotch; Stem rust; Yellow rust | azoxystrobin | SC | 250 g/l | | Obstructo 250 SC | 9323 | ICA International Chemicals |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 63 days | Amistar Xtra | 8567 | Syngenta SA |
| Wheat | Glume blotch; Powdery mildew; Speckled leaf blotch; Yellow rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | 63 days | Hyper 28 SC | 10305 | Sharda International Africa CC |
| Wheat | Powdery mildew; Speckled leaf blotch | azoxystrobin/cyproconazole | SC | 200/80 g/l | 63 days | Discovery 280 SC | 10325 | Cedar Falls Properties 130 |
| Wheat | Brown rust; Eyespot; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 60 days | Improve 250 SC | 9311 | Villa Crop Protection |
| Wheat | Brown rust; Eyespot; Powdery mildew; Speckled leaf and glume blotch; Stem rust; Yellow rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 60 days; No F | Estricon 250 SC | 9433 | Crop Asure |
| Wheat | Brown rust; Eyespot; Speckled leaf blotch, Stem rust; Yellow rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | 60 days | Az-Well 250 SC | 10078 | ICA International Chemicals |
| Wheat | Glume blotch | azoxystrobin/prochloraz/tebuconazole | EC | 56/200/100 g/l | 70 days | Almagor 360 EC | 10077 | Adama SA |
| Wheat | Glume blotch; Powdery mildew | azoxystrobin/tebuconazole | SC | 120/200 g/l | 70 days | Custodia 320 SC | 9342 | Adama SA |
| Wheat | Eyespot; Powdery mildew; Speckled leaf blotch | azoxystrobin/tebuconazole | SC | 200/125 g/l | 77 days | Katana 325 SC | 9465 | Anasac SA |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | see label | Farmag Benomyl 500 | 4589 | Castle Ag-Chem |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 6909 | Villa Crop Protection |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | | Benomyl | 7291 | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | | Benomyl 500 WP | 7384 | Universal Crop Protection |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | | Benomilo 50 WP | 7839 | Makhro-Agro SA |
| Wheat | Leaf rust; Powdery mildew; Stem rust | bixafen/prothioconazole | EC | 75/150 g/l | 42 days | Aviator Xpro | 10089 | Bayer |
| Wheat | Stinking smut | captab | FS | 500 g/l | | Royalcap FS | 3152 | Chemtura |
| Wheat | Damping off; Flag smut; Seed decay; Stinking smut | captab | FS | 500 g/l | | Merpan SC | 4668 | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|---|---------------------------|-----|-------------|------------------|------------------------------|-------|--|
| Wheat | Flag smut; Stinking smut | captab | FS | 500 g/l | | Captan FS | 5981 | Volcano Agroscience /ta Arysta Lifescience SA |
| Wheat | Stink smut; Flag smut | captab | FS | 500 g/l | | Farmag Captan 500 FS | 10312 | Cedar Falls Properties 130 |
| Wheat | Tilletia caries; Tilletia foetida | captab | SC | 500 g/l | | Avicap 500 FS | 9691 | Avima |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Duett | 5791 | BASF SA |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Soprano C | 8079 | Adama SA |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Endura Plus | 9131 | ICA International Chemicals |
| Wheat | Eye spot; Glume blotch; Speckled leaf blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Solo | 9321 | Arysta Lifescience SA |
| Wheat | Brown rust; Eye spot; Glume blotch; Speckled leaf blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | 60 days; No f | Epic Xtra | 10085 | Meridian Agritech Co |
| Wheat | Eye spot; Glume blotch; Leaf rust | carbendazim/flusilazole | SC | 125/250 g/l | 56 days | Clout CM | 8281 | Meridian Agritech Co |
| Wheat | Eye spot; Glume blotch; Leaf rust | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Clout CM | 8281 | Meridian Agritech Co |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Flusilazim 375 SC | 8400 | Universal Crop Protection |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Sparta SC | 8403 | Villa Crop Protection |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Colloso | 9284 | Arysta Lifescience SA |
| Wheat | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | 56 days | Sparta Plus 375 SC | 9499 | Villa Crop Protection |
| Wheat | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | 56 days | Flusilazim Extra 375 SC | 9500 | Universal Crop Protection |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | 56 days; No F | Flusicarb 375 SC | 9409 | Crop Asure |
| Wheat | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | 56 days | Flusicarb Extra 375 SC | 9562 | Crop Asure |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flutriafol | SC | 150/94 g/l | 56 days; No F | Early Impact | 5175 | Cheminova |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/propiconazole | SC | 125/125 g/l | 56 days | Propazim 250 SC | 7530 | Villa Crop Protection |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/propiconazole | SC | 125/125 g/l | 56 days | Propiconazole Plus 250 SC | 7535 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|---|-----|--------------------|--------------------|----------------------|-------|-----------------------------|
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/tebuconazole | SC | 133/167 g/l | 77 days; 77 days F | Folicur C 300 SC | 4602 | Bayer |
| Wheat | Eye spot; Leaf rust; Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 56 days | Ranchero 365 SC | 6331 | Rotam RSA |
| Wheat | Eye spot; Leaf rust; Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | 56 days | Rambo | 7292 | Bitrad Consulting |
| Wheat | Loose smut; Stinking smut | carboxin/thiram | FS | 200/200 g/l | | Vitavax Neutral | 3695 | Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | carboxin/thiram | FS | 200/200 g/l | | Anchor Red | 7301 | Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | carboxin/thiram | FS | 200/200 g/l | | Vitavax Neutral | 7498 | Arysta Lifescience SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Stem rust; Yellow rust | cyproconazole/propiconazole | EC | 80/250 g/l | 63 days | Artea | 6820 | Syngenta SA |
| Wheat | Eyespot; Speckled leaf blotch | cyprodinil | WG | 750 g/kg | 42 days | Unix | 4906 | Syngenta SA |
| Wheat | Loose smut; Stinking smut | difenoconazole | FS | 30 g/l | | Dividend 030 FS | 6390 | Syngenta SA |
| Wheat | Seedling damping off; Root rot; Stink smut; Loose smut | difenoconazole/metalxyl-M | FS | 92/23 g/l | 56 days | Dividend Extreme | 10410 | Syngenta SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch | epoxiconazole | SC | 125 g/l | 60 days; No F | Epic 125 SC | 7963 | Meridian Agritech Co |
| Wheat | Leaf rust | epoxiconazole | SC | 125 g/l | 60 days; No F | EpoX SC | 8147 | Villa Crop Protection |
| Wheat | Leaf rust | epoxiconazole | SC | 125 g/l | 60 days; No F | Epoxiconazole 125 SC | 8148 | Universal Crop Protection |
| Wheat | Eye spot; Powdery mildew; Speckled leaf blotch & glume blotch; Yellow rust | epoxiconazole | SC | 125 g/l | 60 days; No F | Rubric 125 SC | 8873 | Cheminova |
| Wheat | Eye spot; Leaf Rust; Powdery mildew; Speckled leaf blotch and glume blotch; Yellow rust | epoxiconazole | SC | 125 g/l | 60 days; No F | Endura 125 SC | 8905 | ICA International Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Yellow rust | epoxiconazole | SC | 125 g/l | 60 days; No F | Epoxee 125 SC | 9572 | Wentek Chemicals |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stripe rust | epoxiconazole | SC | 125 g/l | 60 days; No F | Expert | 10114 | Nufarm Agriculture |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | epoxiconazole/fluxapyroxad/pyraclostrobin | EC | 41,6/41,6/66,6 g/l | 90 days | Cerix | 9801 | BASF SA |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Abacus | 8048 | BASF SA |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Abacus Advance | 9132 | BASF SA |
| Wheat | Leaf rust; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Paradox | 10216 | Meridian Agritech Co |
| Wheat | Brown rust; Speckled leaf blotch and Glume blotch; Powdery mildew; Stem rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | 60 days | Calculus 125 SE | 10314 | Cedar Falls Properties 130 |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|----------------------------------|-----|-------------|--------------------|----------------------|-------|--|
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | epoxiconazole/thiophanate-methyl | SC | 187/310 g/l | 60 days | Duett Ultra | 9278 | BASF SA |
| Wheat | Leaf rust; Loose smut; Stinking smut; Take-all | fluquinconazole | FS | 167 g/l | 42 days | Galmano 167 FS | 9363 | Bayer |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Yellow rust | flutriafol | SC | 125 g/l | 42 days | Impact | 4088 | Cheminova (Disa Bio-Technologies CC) |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | flutriafol | SC | 250 g/l | 42 days | Impact 250 SC | 9064 | Cheminova |
| Wheat | Glume blotch; Yellow rust | flutriafol/tebuconazole | SC | 75/225 g/l | 77 days | Impact Gold 300 SC | 9312 | Cheminova |
| Wheat | Loose smut; Stinking smut | flutriafol/thiabendazole | FS | 25/25 g/l | | Vincit F | 3799 | Cheminova |
| Wheat | Yellow rust | hexaconazole | SC | 50 g/l | 88 days; 28 days F | Richter | 6978 | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | imidacloprid/tebuconazole | FS | 233/13 g/l | 100 days F | Portal FS | 8934 | Anasac SA |
| Wheat | Loose smut; Stinking smut | imidacloprid/tebuconazole | FS | 350/10 g/l | 100 days | Captivo 360 FS | 10404 | Villa Crop Protection |
| Wheat | Loose smut; Stinking smut | imidacloprid/tebuconazole | FS | 350/10 g/l | 100 days | Intension 360 FS | 10405 | Universal Crop Protection |
| Wheat | Seed decay: Damping off; Seed decay; Stinking smut | mancozeb | DS | 800 g/kg | | Ifax 800 DS | 270 | Villa Crop Protection |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf & glume blotch; Yellow rust | picoxystrobin | SC | 250 g/l | 35 days | Acanto 250 SC | 8233 | Du Pont de Nemours |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | picoxystrobin | SC | 250 g/l | 35 days | Faculty 250 SC | 10032 | Universal Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | picoxystrobin | SC | 250 g/l | 35 days | Academy 250 SC | 10034 | Villa Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | picoxystrobin | SC | 250 g/l | 35 days | Pinchot 250 SC | 10092 | Crop Asure |
| Wheat | Brown rust; Eye spot; Powdery mildew | picoxystrobin/prothioconazole | EC | 150/100 g/l | 35 days | Faculty Top 250 SC | 10213 | Universal Crop Protection |
| Wheat | Brown rust; Eye spot; Powdery mildew | picoxystrobin/prothioconazole | EC | 150/100 g/l | 35 days | Academy Super 250 SC | 10214 | Villa Crop Protection |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch | prochloraz | EC | 450 g/l | 42 days | Pakua 450 EC | 7933 | Ag-Chem Africa |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Bumper 250 EC | 6034 | Adama SA |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Tilt | 6668 | Syngenta SA |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Propiconazole 250 EC | 7306 | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|--------------------------------------|-----|----------------|--------------------|---------------------|-------|---|
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Propicon 250 EC | 7547 | Volcano Agroscience /ta Arysta Lifescience SA |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Propazole 250 EC | 7561 | Villa Crop Protection |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Speckled leaf blotch & glume blotch; Powdery mildew; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Makhrozole 250 EC | 7974 | Makhro-Agro SA |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Ag-Propiconazole | 8319 | Ag-Chem Africa |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Ppconazole 250 EC | 8627 | Crop Asure |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | 40 days | Admiral 250 EC | 9358 | Cedar Falls Properties 130 |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 500 g/l | | Propicon 500 EC | 7506 | Volcano Agroscience /ta Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | prothioconazole | FS | 100 g/l | | Redigo | 8616 | Bayer |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | prothioconazole | SC | 480 g/l | 77 days; 77 days F | Santana 480 SC | 10049 | Villa Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | prothioconazole | SC | 480 g/l | 77 days; 77 days F | Projetron 480 SC | 10050 | Universal Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | prothioconazole | SC | 480 g/l | 77 days | Proley 480 SC | 10094 | Crop Asure |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Stem rust | prothioconazole/tebuconazole | EC | 125/125 g/l | 77 days; 77 days F | Prosaro 250 EC | 8510 | Bayer |
| Wheat | Glume blotch; Leaf rust; Powdery mildew | spiroxamine/tebuconazole | EW | 250/133 g/l | 80 days | Folicur Plus 383 EW | 7428 | Bayer |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | spiroxamine/tebuconazole/triadimenol | EC | 150/167/43 g/l | 56-80 days | Prosper Trio | 9083 | Bayer |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | tebuconazole | EC | 250 g/l | 77 days | TebuDew | 7871 | Erintrade t/a RT Chemicals |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EC | 250 g/l | 77 days | Tebuconazole 250 EC | 8413 | Sharda International Africa |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EC | 250 g/l | 77 days | Ardent | 9779 | DNA Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|--------------|-----|---------|--------------------|---------------------|------|-----------------------------|
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 200 g/l | 77 days; 77 days F | Orius 200 EW | 7479 | Adama SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Stem rust; Stripe rust | tebuconazole | EW | 200 g/l | 77 days | Makrozeb-200 EW | 8149 | Makhro-Agro SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Folicur 250 EW | 3857 | Bayer |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Orius 250 EW | 6832 | Adama SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Tebuzole 250 EW | 7551 | Villa Crop Protection |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Tebuconazole 250 EW | 7564 | Universal Crop Protection |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Corona 250 EW | 7603 | Meridian Agritech Co |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days; 77 days F | TebuCure 250 EW | 7992 | ICA International Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Tenazole 250 EW | 8558 | Arysta Lifescience SA |
| Wheat | Eye spot; Leaf rust; Glume blotch; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Tacora 25 EW | 8865 | Anasac SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Riza EW | 8882 | Cheminova |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Zole 250 EW | 9142 | Ag-Chem Africa |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days; 77 days F | Curfew 250 EW | 9327 | Cedar Falls Properties 130 |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Mystic | 9852 | Nufarm Agriculture |
| Wheat | Loose smut; Stinking smut | tebuconazole | FS | 60 g/l | | Orius 6 FS | 7418 | Adama SA |
| Wheat | Loose smut; Stinking smut | tebuconazole | FS | 60 g/l | | Ingwe 6 FS | 7567 | Crompton Chemicals |

| Crop | Problem | Active/s | F/T | Conc | P.H.I. | Product name | L No | Company name |
|-------|--|---------------|-----|---------|---------|-------------------|------|--------------------|
| Wheat | Loose smut; Stinking smut | tebuconazole | WS | 20 g/kg | | Ingwe 2 WS | 7566 | Crompton Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | 77 days | Tbconazole 250 EW | 8814 | Crop Asure |
| Wheat | Leaf rust | triadimefon | SC | 250 g/l | 56 days | Repute | 6824 | Bitrad Consulting |
| Wheat | Loose smut; Stinking smut | triadimenol | FS | 150 g/l | | Baytan 150 FS | 1697 | Bayer |
| Wheat | Loose smut; Stinking smut | triadimenol | FS | 150 g/l | | Shavit | 5493 | Adama SA |
| Wheat | Loose smut; Stinking smut | triadimenol | FS | 150 g/l | | Badger 15 FS | 7565 | Chemtura |
| Wheat | Loose smut; Powdery mildew; Speckled leaf blotch; Stinking smut; Stripe rust (yellow rust) | triticonazole | FS | 200 g/l | 180 | Flite | 4965 | BASF SA |

COPYRIGHT CROPLIFE SOUTH AFRICA 2019