

FUNGICIDES DECEMBER 2017

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|--|-----------------------------|-----|-------------|----------------------|------|---------|--|
| Afforestation | Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | | Syngenta SA |
| Afforestation | Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Indicate 250 SC | 9310 | | Universal Crop Protection |
| Afforestation | Wattle rust | azoxystrobin/tebuconazole | SC | 120/200 g/l | Custodia 320 SC | 9342 | | Adama SA |
| Afforestation | Rust | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | | Syngenta SA |
| Afforestation | Powdery mildew | fenarimol | EC | 120 g/l | Rubigan | 5228 | | Klub M5 |
| Afforestation | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apfon XL | 6837 | | Syngenta SA |
| Afforestation | Soil pathogens | propamocarb-HCl | SL | 722 g/l | Previcur-N | 3394 | | Bayer |
| Afforestation | Powdery mildew | propiconazole | EC | 250 g/l | Makhroazole 250 EC | 7974 | | Makhro-Agro SA |
| Afforestation | Powdery mildew | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | | Crop Asure |
| Afforestation | Powdery mildew; Rust | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | | Universal Crop Protection |
| Afforestation | Powdery mildew; Rust | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | | Villa Crop Protection |
| Alfalfa | Downy mildew; Leaf spot; Powdery mildew; Rust | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 14 days | Syngenta SA |
| Alfalfa | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Alfalfa | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Alfalfa | Damping off; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 60 days | Syngenta SA |
| Almonds | Alternaria leaf spot; Anthracnose; Blossom blight; Leaf rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 28 days | Syngenta SA |
| Almonds | Brown rot blossom blight; Green fruit rot | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 60 days | Syngenta SA |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | Benomyl | 7291 | 14 | Volcano Agrosience /ta Arysta Lifescience SA |
| Apples & Pears | Blossom end rot; Post-harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 14 days | Villa Crop Protection |
| Apples & Pears | Blossom end rot; Post-harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 14 days | Universal Crop Protection |
| Apples & Pears | Blossom end rot; Post harvest decay; Powdery mildew; Scab | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 14 | Castle Ag-Chem |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | Nimrod | 1117 | 14 | Adama SA |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | Nobel 250 EC | 9234 | 14 | Villa Crop Protection |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | Nobits 250 EC | 9702 | 14 days | Crop Asure |
| Apples & Pears | Powdery mildew | bupirimate | EC | 250 g/l | Notice 250 EC | 9233 | 14 | Universal Crop Protection |
| Apples & Pears | Powdery mildew | bupirimate | EW | 250 g/l | Veto EW | 9656 | 14 | Meridian Agritech Co |
| Apples & Pears | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Veto Plus | 9776 | 14 | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|--------------------------|-------------------------|-----|----------|---------------------------|------|---------|---|
| Apples & Pears | Scab | captab | SC | 500g/l | Captan Flo | 5982 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab | captab | SC | 500g/l | Merpan 50 SC | 5511 | 14 days | Adama SA |
| Apples & Pears | Scab | captab | WG | 800 g/kg | Captan 800 WG | 9249 | 14 days | Meridian Agritech Co |
| Apples & Pears | Post harvest decay; Scab | captab | WG | 800 g/kg | Captan 800 WG | 9345 | 14 days | Sharda International Africa |
| Apples & Pears | Scab | captab | WG | 800 g/kg | Merpan 80 WDG | 5456 | 14 days | Adama SA |
| Apples & Pears | Post harvest decay; Scab | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Apples & Pears | Post harvest decay; Scab | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Apples & Pears | Post harvest decay; Scab | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Apples & Pears | Post harvest decay | chlorine dioxide | SL | 20 g/l | Harvest Wash WT | 7252 | | BTC Products and Services |
| Apples & Pears | Specific replant disease | chloropicrin | AL | 1656 g/l | Tripicrin | 8306 | | Nippon Africa Chemicals |
| Apples & Pears | Scab | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 14 days | Hygrotech Properties |
| Apples & Pears | Scab | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 14 days | Hygrotech Properties |
| Apples & Pears | Scab | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 14 days | Gouws & Scheepers |
| Apples & Pears | Scab | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Apples & Pears | Scab | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Apples & Pears | Scab | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 14 days | Agro-Serve t/a Efekto |
| Apples & Pears | Post harvest decay | Cryptococcus albidus | WP | 840 g/kg | Yieldplus | 5887 | | Rymco trading as Anchor Yeast |
| Apples & Pears | Scab | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | | Avima |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | Chant 500 WDG | 8958 | 74 days | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|-----------------------------------|------------------------------------|-----|-------------|-----------------------|-------|---------|---|
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | Choir 500 WDG | 8957 | 74 days | Villa Crop Protection |
| Apples & Pears | Dry eye rot; Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 74 days | Syngenta SA |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | Mirano 50 WG | 8845 | 74 days | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | cyprodinil | WG | 500 g/kg | Cronil 500 WDG | 9018 | 74 days | Crop Asure |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | | ICA International Chemicals |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | | ICA International Chemicals |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 126 g/l | Quattro-Kill | 8004 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 250 g/l | Terminator | 5990 | | Agricultural Protection Systems |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 14 days | Castle Ag-Chem |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Dicati | 8414 | 14 days | Sharda International Africa |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 14 days | Crop Asure |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Difenoconazole 250 EC | 10087 | 14 days | Bitrad Kaap |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 14 days | Adama SA |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Granado | 9767 | 14 days | DNA Crop Protection |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 14 days | Sidewalk Trading |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab | difenoconazole | EC | 250 g/l | Score | 5132 | 14 days | Syngenta SA |
| Apples & Pears | Powdery mildew, Scab | difenoconazole/penconazole | EC | 150/125 g/l | Ethos 275 EC | 8740 | 14 days | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | Quantum 275 EC | 8200 | 14 days | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | Saltus 275 EC | 8528 | 14 days | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | difenoconazole/penconazole | EC | 150/125 g/l | Venture 275 EC | 8185 | 14 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew, Scab | difenoconazole/penconazole | EW | 150/125 g/l | Ethos 275 EW | 8742 | 14 days | Meridian Agritech Co |
| Apples & Pears | Superficial scald | diphenylamine | EC | 310 g/l | Shield Liquid DPA | 6099 | | Chempac |
| Apples & Pears | Scab | dithianon | SC | 400 g/l | Detect 400 SC | 9238 | 21 days | Universal Crop Protection |
| Apples & Pears | Scab | dithianon | SC | 400 g/l | Expose 400 SC | 9511 | 21 days | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|------------------------------------|---------------------------|-----|-------------|--------------------|------|----------------------------|--|
| Apples & Pears | Scab | dithianon | SC | 400 g/l | Inspect 400 SC | 9182 | 21 days | Villa Crop Protection |
| Apples & Pears | Scab | dithianon | SC | 500 g/l | Delan 500 SC | 5440 | 21 days | BASF SA |
| Apples & Pears | Scab | dithianon | WG | 660 g/kg | Nugget 660 WDG | 9287 | 21 days | Villa Crop Protection |
| Apples & Pears | Scab | dithianon | WG | 660 g/kg | Scuff 660 WDG | 9508 | 21 days | Crop Asure |
| Apples & Pears | Scab | dithianon | WG | 660 g/kg | Sense 660 WDG | 9288 | 21 days | Universal Crop Protection |
| Apples & Pears | Scab | dithianon | WG | 700 g/kg | Alaris WG | 9102 | 21 days | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyraclostrobin | WG | 120/40 g/kg | Maccari | 8198 | 28 | BASF SA |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyrimethanil | SC | 250/250 g/l | Diril 500 SC | 9753 | 35 | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyrimethanil | SC | 250/250 g/l | Pyrinon 500 SC | 9754 | 35 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/pyrimethanil | SC | 250/250 g/l | Pyriithia 500 SC | 9954 | 21 days | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | dithianon/trifloxystrobin | WG | 120/40 g/kg | Combine 160 WDG | 9765 | 21 | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/trifloxystrobin | WG | 120/40 g/kg | Combo 160 WDG | 9766 | 21 days | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | dithianon/trifloxystrobin | WG | 120/40 g/kg | Triflothia 160 WDG | 9970 | 21 days | Crop Asure |
| Apples & Pears | Scab | dodine | SC | 400 g/l | Antagon | 8842 | 14 days | Meridian Agritech Co |
| Apples & Pears | Scab; Septoria leaf spot | dodine | SC | 400 g/l | Syllit 400 SC | 7423 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Powdery mildew; Scab | fenarimol | EC | 120 g/l | Rubigan | 5228 | 21 days | Klub M5 |
| Apples & Pears | Scab | fenbuconazole | EW | 50 g/l | Indar 50 EW | 5453 | 14 days | Dow Agroscience SA |
| Apples & Pears | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Apples & Pears | Bitter rot; Blue mould; Grey mould | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Apples & Pears | Powdery mildew; Scab | fluopyram/tebuconazole | SC | 200/200 g/l | Luna Experience | 9436 | 28 days (A); 21 days(P) | Bayer |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EC | 100 g/l | Verona | 8179 | 14 days | Erintrade t/a RT Chemicals |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | Galactica | 9286 | 21 days | Arysta Lifescience SA |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | Intensive 100 EW | 9334 | 14 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | Manage 100 EW | 9335 | | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | flusilazole | EW | 100 g/l | Verge 100 EW | 9956 | 14 days | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | fluxapyroxad | SC | 300 g/l | Sercadis | 9800 | 56 days | BASF SA |
| Apples & Pears | Post harvest decay | imazalil/pyrimethanil | SC | 200/200 g/l | Philabuster 400 SC | 8220 | | Janssen Pharmaceutica t/a Janssen-Cilag |
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | Iprodione 500 SC | 8459 | | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|-----------------------------------|-----------------|-----|----------|-------------------------|------|---------|---|
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | | ICA International Chemicals |
| Apples & Pears | Calyx end rot | iprodione | SC | 500 g/l | Iprone 500 SC | 8452 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | | Ag-Chem Africa |
| Apples & Pears | Calyx-end rot; Post harvest decay | iprodione | SC | 500 g/l | Prodione | 7222 | | Nulandis |
| Apples & Pears | Botrytis rot; Post harvest decay | iprodione | SC | 500 g/l | Roflo | 9573 | | Wentek Chemicals |
| Apples & Pears | Calyx-end rot; Post harvest decay | iprodione | SC | 500 g/l | Royal Aquaflo | 5140 | | FMC Chemicals |
| Apples & Pears | Calyx end rot; Post harvest decay | iprodione | SC | 500 g/l | Tabrus 500 SC | 8499 | | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | SC | 500 g/l | Ardent 50 SC | 7284 | 45 days | Adama SA |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | SC | 500 g/l | Vista Flo | 8208 | 45 days | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | Kreso 50 WG | 8266 | 45 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | Kreso WDG | 8193 | 45 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | Kresoxim-Methyl 500 WDG | 8194 | 45 days | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | Oxim 500 WDG | 8574 | 45 days | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | kresoxim-methyl | WG | 500 g/kg | Stroby WG | 5687 | 45 days | BASF SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Apples & Pears | Scab | mancozeb | SC | 455 g/l | Multizeb 455 SC | 9174 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab | mancozeb | SC | 455 g/l | Newzeb 455 SC | 9175 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab | mancozeb | SC | 480 g/l | Newzeb 480 SC | 9178 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab | mancozeb | SC | 480 g/l | Unizeb 480 SC | 9179 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agroscience SA |
| Apples & Pears | Scab | mancozeb | WG | 750 g/kg | Newzeb 750 WDG | 8811 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Apples & Pears | Scab | mancozeb | WG | 750 g/kg | Villa Unizeb 750 WDG | 8812 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab | mancozeb | WP | 750 g/kg | Cozeb 750 WDG | 8964 | 14 days | Crop Asure |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|--------------------------|-----------------------|-----|-------------|------------------------|------|------------|---|
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agrosience SA |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 28 days | Castle Ag-Chem |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 14 days | Meridian Agritech Co |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Sahcozeb 800 WP | 3459 | 14 days | Dow Agrosience SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Apples & Pears | Scab | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Apples & Pears | Scab; Septoria leaf spot | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 14 days | Applied Chemical Products |
| Apples & Pears | Scab; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab | metiram | WG | 700 g/kg | Polyram WG | 5268 | 14-21 days | BASF SA |
| Apples & Pears | Powdery mildew; Scab | myclobutanil | EW | 200 g/l | Rally 200 EW | 6534 | 14 days | Dow Agrosience SA |
| Apples & Pears | Powdery mildew; Scab | myclobutanil | EW | 200 g/l | Validus 200 EW | 8481 | 14 days | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | Captain | 7778 | 14 days | Erintrade t/a RT Chemicals |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | Excalibur 200 EW | 7493 | 14 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | Pencomax 200 EW | 7879 | 14 days | Meridian Agritech Co |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | Penconazole 200 EW | 7492 | 14 days | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | Penconazole 200 EW | 8092 | 14 dayd | Crop Asure |
| Apples & Pears | Powdery mildew; Scab | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 14 days | Syngenta SA |
| Apples & Pears | Powdery mildew; Scab | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 4230 | | Agro-Serve t/a Efekto |
| Apples & Pears | Powdery mildew; Scab | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 7686 | | Delta Chemicals |
| Apples & Pears | Powdery mildew; Scab | potassium bicarbonate | SP | 850 g/kg | Agri-Cure SP | 8549 | | Natrol |
| Apples & Pears | Calyx end rot | procymidone | SC | 250 g/l | Sumislex SC | 6377 | | Philagro South Africa |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|--|------------------------------|-----|-------------|---------------------------|------|-----------|-----------------------------|
| Apples & Pears | Calyx end rot | procymidone | SC | 500g/l | Hit 500 SC | 7575 | see label | Dow Agrosience SA |
| Apples & Pears | Post harvest decay | pyrimethanil | SC | 160 g/l | Ecofog-160 | 8820 | | Chempac |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | pyrimethanil | SC | 400 g/l | Origin 400 SC | 9698 | 35 days | Crop Asure |
| Apples & Pears | Post harvest decay | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | | ICA International Chemicals |
| Apples & Pears | Post harvest decay | pyrimethanil | SC | 400 g/l | Pyrimet 400 SC | 9575 | | Wentek Chemicals |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | pyrimethanil | SC | 400 g/l | Source 400 SC | 9283 | 35 days | Universal Crop Protection |
| Apples & Pears | Post harvest decay; Powdery mildew; Scab | pyrimethanil | SC | 400 g/l | Support 400 SC | 9282 | 35 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | Filum 520 SC | 9755 | 35 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | Fission 520 SC | 9756 | 35 days | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | Flint Star | 8291 | 35 | Bayer |
| Apples & Pears | Powdery mildew; Scab | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | Pyrifloxy 520 SC | 9955 | 35 days | Crop Asure |
| Apples & Pears | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | | Ag-Chem Africa |
| Apples & Pears | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 5241 | | Sunwood Chemicals |
| Apples & Pears | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Apples & Pears | Powdery mildew; Scab | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Kumulus | 2404 | | BASF SA |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Apples & Pears | Powdery mildew; Scab | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Apples & Pears | Powdery mildew; Scab | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Apples & Pears | Post harvest decay | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|---|-----------------------------|-----|---------------------------|---------------------------|------|------------------------------|---|
| Apples & Pears | Scab | thiram | WP | 750 g/kg | Thiram 75 WP | 6687 | 14 days | Arysta Lifescience SA |
| Apples & Pears | Scab; Seedling diseases | thiram | WP | 750 g/kg | Thiram 750 WP | 7097 | 14 days | Universal Crop Protection |
| Apples & Pears | Scab | thiram | WP | 750 g/kg | Thiram WP | 4948 | 14 days | Dow Agrosience SA |
| Apples & Pears | Scab | thiram | WP | 800 g/kg | Ag-Thiram 800 WP | 8175 | 14 days | Ag-Chem Africa |
| Apples & Pears | Powdery mildew; Scab | trifloxystrobin | WG | 500 g/kg | Connect 500 WDG | 9324 | 7-14 days | Villa Crop Protection |
| Apples & Pears | Powdery mildew; Scab | trifloxystrobin | WG | 500 g/kg | Unite 500 WDG | 9325 | 7-14 days | Universal Crop Protection |
| Apples & Pears | Powdery mildew; Scab | trifloxystrobin | WG | 500 g/kg | Foxy 500 WDG | 9512 | Apples 7 days; Pears 14 days | Crop Asure |
| Apricots | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | Crown Gall Inoculant | 1380 | | Stimuplant |
| Apricots | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Apricots | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rot; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Apricots | Blossom blight | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Apricots | Gum spot; Freckle | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Apricots | Freckle; Gum spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Apricots | Freckle; Gum spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Apricots | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Apricots | Bacterial canker; Gum spot | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 14 days | Agro-Serve t/a Efekto |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|-------------------------------------|--------------------------|-----|--------------|------------------------|------|---------|---|
| Apricots | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Apricots | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Apricots | Bacterial canker; Gum spot | copper sulphate/lime | WG | 770/174 g/kg | Cuprofix Disperss | 6784 | 14 days | Chempac |
| Apricots | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 2 days | Syngenta SA |
| Apricots | Brown rot | fenbuconazole | EW | 50 g/l | Indar 50 EW | 5453 | 1 day | Dow Agroscience SA |
| Apricots | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Apricots | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Apricots | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | Tutor 500 SC | 9948 | 3 days | ICA International Chemicals |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | 3 days | ICA International Chemicals |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | 3 days | Ag-Chem Africa |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | Prodione | 7222 | 3 days | Nulandis |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | Roflo | 9573 | 3 days | Wentek Chemicals |
| Apricots | Post harvest decay | iprodione | SC | 500 g/l | Rovral Aquaflo | 5140 | 3 days | FMC Chemicals |
| Apricots | Freckle; Gum spot; Rust | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 28 days | Total SA |
| Apricots | Freckle; Gumspot; Rust | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 28 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 28 days | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 28 days | Total SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 28 days | Kombat |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Apricots | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 28 days | Castle Ag-Chem |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 28 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 28 days | Ag-Chem Africa |
| Apricots | Freckle; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 28 days | Meridian Agritech Co |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 28 days | Total SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---------------------------------|-------------------------|-----|-------------|----------------------|------|---------|---|
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Tridex | 5323 | 28 days | Total SA |
| Apricots | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 28 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Apricots | Gumspot; Rust | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Apricots | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 28 days | Arysta Lifescience SA |
| Apricots | Freckle; Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 14 days | Arysta Lifescience SA |
| Apricots | Freckle; Gumspot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 14 days | Arysta Lifescience SA |
| Apricots | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Apricots | Gum spot | metiram | WG | 700 g/kg | Polyram WG | 5268 | 14 days | BASF SA |
| Apricots | Blossom blight | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Apricots | Blossom blight | prochloraz | WP | 500 g/kg | Octave | 3406 | | FMC Chemicals |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Admiral 250 EC | 9358 | | Cedar Falls Properties 130 |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | | Adama SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | | Makhro-Agro SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | | Crop Assure |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Propicon 250 EC | 7547 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | | Universal Crop Protection |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | | Villa Crop Protection |
| Apricots | Blossom blight | propiconazole | EC | 250 g/l | Tilt | 6668 | | Syngenta SA |
| Apricots | Blossom blight | propiconazole | EC | 500 g/l | Propicon 500 EC | 7506 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | 3 days | ICA International Chemicals |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | Pyrimet 400 SC | 9575 | 3 days | Wentek Chemicals |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | Source 400 SC | 9283 | 3 days | Universal Crop Protection |
| Apricots | Post harvest decay | pyrimethanil | SC | 400 g/l | Support 400 SC | 9282 | 3 days | Villa Crop Protection |
| Apricots | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 5241 | | Sunwood Chemicals |
| Apricots | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |
| Apricots | Rust | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Apricots | Rust | sulphur | SC | 700 g/l | Sufflo 700 SC | 6433 | | Sunwood Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|-------------------------|-----|----------|-----------------------|------|----------|--|
| Apricots | Rust | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Apricots | Rust | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Apricots | Rust | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Apricots | Rust | sulphur | WG | 800 g/kg | Kumululus | 2404 | | BASF SA |
| Apricots | Rust | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |
| Apricots | Rust | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Apricots | Rust | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Apricots | Rust | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Apricots | Rust | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Apricots | Rust | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WG | 800 g/kg | Thiram Granuflo 80% | 5983 | | D&J Agro Pesticides |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WP | 750 g/kg | Thiram 75 WP | 6687 | 14 days | Arysta Lifescience SA |
| Apricots | Blossom blight; Gum spot; Green rot | thiram | WP | 750 g/kg | Thiram 750 WP | 7097 | 14 days | Universal Crop Protection |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WP | 750 g/kg | Thiram WP | 4948 | 14 days | Dow Agrosience SA |
| Apricots | Blossom blight; Green rot; Gum spot | thiram | WP | 800 g/kg | Ag-Thiram 800 WP | 8175 | 14 days | Ag-Chem Africa |
| Artichokes | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 200 days | Syngenta SA |
| Asparagus | Stemphyllium purple spot | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 100 days | Syngenta SA |
| Asparagus | Crown rot; Spear rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 1 day | Syngenta SA |
| Avocados | Anthracoze; Cercospora spot; Dothiorella fruit rot | azoxystrobin | SC | 250 g/l | Fungaway 250 SC | 8590 | 28 | Villa Crop Protection |
| Avocados | Anthracoze; Cercospora spot; Dothiorella fruit rot | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Avocados | Anthracoze; Cercospora spot; Dothiorella fruit rot | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 28 days | Syngenta SA |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | 14 days | Makhro-Agro SA |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | Benomyl | 7291 | 14 | Volcano Agrosience /ta Arysta Lifescience SA |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 120 days | Villa Crop Protection |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 14 days | Universal Crop Protection |
| Avocados | Fruit spot | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 14 | Castle Ag-Chem |
| Avocados | Cercospora spot | carbendazim | SC | 500 g/l | Ag-Carbendazim 500 SC | 8870 | 90 days | Ag-Chem Africa |
| Avocados | Fruit spot | carbendazim | SC | 500 g/l | Bendazid 500 SC | 6961 | 90 days | Nulandis |
| Avocados | Fruit spot | carbendazim | SC | 500 g/l | Knowin 500 SC | 7027 | 90 days | Nulandis |
| Avocados | Cercospora spot | carbendazim | SC | 500 g/l | Nova CBZ 500 SC | 9819 | 90 days | AgriNova Trust |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------|---|------------------------------------|-----|-------------------------|---------------------------|------|---------|---|
| Avocadoes | Cercospora fruit spot | carbendazim | SC | 500 g/l | Zimbo | 9429 | 90 days | Meridian Agritech Co |
| Avocadoes | Anthracoese; Fruit spot; Sooty blotch | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 14 days | Arysta Lifescience SA |
| Avocadoes | Anthracoese; Fruit spot; Sooty blotch | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 14 days | Villa Crop Protection |
| Avocadoes | Anthracoese; Cercospora spot; Sooty blotch | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 14 days | Hygrotech Properties |
| Avocadoes | Fruit spot | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 14 days | Hygrotech Properties |
| Avocadoes | Fruit spot | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 14 days | Gouws & Scheepers |
| Avocadoes | Fruit spot | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Avocadoes | Fruit spot | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Avocadoes | Fruit spot | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Avocadoes | Fruit spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Avocadoes | Fruit spot | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Avocadoes | Fruit spot | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 14 days | Nufarm Agriculture |
| Avocadoes | Fruit spot | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 14 days | Agri Registrations CC |
| Avocadoes | Anthracoese; Fruit spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Avocadoes | Anthracoese; Fruit spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Avocadoes | Fruit spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Avocadoes | Fruit spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Avocadoes | Fruit spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Avocadoes | Fruit spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Avocadoes | Fruit spot | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Avocadoes | Fruit spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Avocadoes | Fruit spot | copper sulphate/lime | WG | 711/289 g/kg | Cuprofix Ultra | 8888 | 14 days | Total SA |
| Avocadoes | Fruit spot | copper/mancozeb | WG | 120/300 g/kg | Cuprofix 30 Disperss | 7893 | 14 days | Total SA |
| Avocadoes | Fruit spot | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Avocadoes | Fruit spot | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Avocadoes | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Avocadoes | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | | ICA International Chemicals |
| Avocadoes | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | | ICA International Chemicals |
| Avocadoes | Post harvest decay | fatty acids | SC | 250 g/l | Westfalia Biocoat | 7107 | | Hans Merenski |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------|-------------------------------------|-------------------------|-----|----------|---------------------------|------|-----------|--|
| Avocadoes | Root & Trunk rot | fosetyl-Al | WG | 800 g/kg | Aliette WG | 5689 | | Bayar |
| Avocadoes | Root & Trunk rot | metalaxyl | GR | 50 g/kg | Kickback 5 GR | 7104 | 30 days | Bitrad Consulting |
| Avocadoes | Root & Trunk rot | metalaxyl | GR | 50 g/kg | Rolim 5 GR | 7608 | 30 days | Arysta Lifescience SA |
| Avocadoes | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Avocadoes | Root rot | phosphorous acid | SP | 980 g/l | Rootmaster 98 | 5252 | 100 days | Universal Crop Protection |
| Avocadoes | Root rot | potassium phosphite | SL | 777 g/l | Avoguard 500 SL | 6723 | 30 | Nulandis |
| Avocadoes | Root rot | potassium phosphite | SL | 777 g/l | Fighter 500 SL | 8677 | 30 days | Ag-Chem Africa |
| Avocadoes | Post harvest decay | prochloraz | EC | 450 g/l | Chronos 45 EC | 5589 | | Adama SA |
| Avocadoes | Post harvest decay | prochloraz | EC | 450 g/l | ICA-Prochloraz 450 EC | 8478 | | ICA International Chemicals |
| Avocadoes | Post harvest decay | prochloraz | EC | 450 g/l | Pakua 450 EC | 7933 | | Ag-Chem Africa |
| Avocadoes | Post harvest decay | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Avocadoes | Post harvest decay | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |
| Bananas | Post harvest decay; Yellow sigatoka | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | | Makhro-Agro SA |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Bananas | Post harvest decay | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Bananas | Sigatoka disease | difenoconazole | EC | 250 g/l | Score | 5132 | 1 day | Syngenta SA |
| Bananas | Sigatoka disease | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agrosience SA |
| Bananas | Sigatoka disease | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agrosience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agrosience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 14 days | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|---|----------------------------|-----|-------------|---------------------------|-------|---------------|--|
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agrosience SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Bananas | Sigatoka disease | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Bananas | Sigatoka disease | mineral oil | EC | 840 g/l | H&R Spray Mist | 6352 | | H&R Global Special Products |
| Bananas | Post harvest decay | prochloraz | EC | 450 g/l | Chronos 45 EC | 5589 | | Adama SA |
| Bananas | Post harvest decay | prochloraz | EC | 450 g/l | ICA-Prochloraz 450 EC | 8478 | | ICA International Chemicals |
| Bananas | Post harvest decay | prochloraz | EC | 450 g/l | Pakua 450 EC | 7933 | | Ag-Chem Africa |
| Bananas | Post harvest decay | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Bananas | Post harvest decay | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Barley | Leaf rust; Leaf scald, Net blotch, Powdery mildew | azoxystrobin/cyproconazole | SC | 200/80 g/l | Amistar Xtra | 8567 | 63 days | Syngenta SA |
| Barley | Leaf rust; Leaf spot | azoxystrobin/cyproconazole | SC | 200/80 g/l | Discovery 280 SC | 10325 | 63 days | Cedar Falls Properties 130 |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Az-Well 250 SC | 10078 | 60 days | ICA International Chemicals |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Estricon 250 SC | 9433 | 60 days; No F | Crop Asure |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Improve 250 SC | 9311 | 60 days | Villa Crop Protection |
| Barley | Leaf blotch; Net blotch | azoxystrobin/tebuconazole | SC | 120/200 g/l | Custodia 320 SC | 9342 | 77 days | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|-----------------------------|-----|-------------|---------------------------|-------|--------------------|-----------------------------|
| Barley | Brown leaf rust; Leaf spot; Net blotch; Ramularia leaf spot | bixafen/prothioconazole | EC | 75/150 g/l | Aviator Xpro | 10089 | 42 days | Bayer |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/epoxiconazole | SC | 125/125 g/l | Duett | 5791 | 60 days; No f | BASF SA |
| Barley | Leaf spot | carbendazim/epoxiconazole | SC | 125/125 g/l | Endura Plus | 9131 | 60 days; No f | ICA International Chemicals |
| Barley | Leaf spot | carbendazim/epoxiconazole | SC | 125/125 g/l | Solo | 9321 | 60 days; No f | Arysta Lifescience SA |
| Barley | Leaf spot | carbendazim/epoxiconazole | SC | 125/125 g/l | Soprano C | 8079 | 60 days; No f | Adama SA |
| Barley | Leaf rust; Leaf spot | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 56 days | Meridian Agritech Co |
| Barley | Leaf rust; Leaf spot | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 56 days; No F | Meridian Agritech Co |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Coloso | 9284 | 56 days; No F | Arysta Lifescience SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 56 days; No F | Universal Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 56 days; No F | Villa Crop Protection |
| Barley | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | Flusilazim Extra 375 SC | 9500 | 56 days | Universal Crop Protection |
| Barley | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | Sparta Plus 375 SC | 9499 | 56 days | Villa Crop Protection |
| Barley | Leaf rust; Leafspot; Net blotch; Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Flusicarb 375 SC | 9409 | 56 days; No F | CropASURE |
| Barley | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | Flusicarb Extra 375 SC | 9562 | 56 days | CropASURE |
| Barley | Leaf rust; Leaf spot; Powdery mildew | carbendazim/flutriafol | SC | 150/94 g/l | Early Impact | 5175 | 56 days; No F | Cheminova |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/propiconazole | SC | 125/125 g/l | Propazim 250 SC | 7530 | 56 days | Villa Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/propiconazole | SC | 125/125 g/l | Propiconazole Plus 250 SC | 7535 | 56 days | Universal Crop Protection |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | carbendazim/tebuconazole | SC | 133/167 g/l | Folicur C 300 SC | 4602 | 77 days; 77 days F | Bayer |
| Barley | Leaf rust; Leaf spot, Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Rambo | 7292 | 56 days | Bitrad Consulting |
| Barley | Leaf rust; Leaf spot; Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Ranchero 365 SC | 6331 | 56 days | Rotam RSA |
| Barley | Covered smut; Loose smut | carboxin/thiram | FS | 200/200 g/l | Anchor Red | 7301 | | Arysta Lifescience SA |
| Barley | Covered smut; Loose smut | carboxin/thiram | FS | 200/200 g/l | Vitavax Neutral | 3695 | | Arysta Lifescience SA |
| Barley | Leaf rust; Leaf spot, Net blotch, Powdery mildew | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | 63 days | Syngenta SA |
| Barley | Leaf spot (Scald) | cyprodinil | WG | 750 g/kg | Unix | 4906 | 42 days | Syngenta SA |
| Barley | Leaf Spot; Leaf rust; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | Endura 125 SC | 8905 | 60 days; No F | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|---|-----|--------------------|----------------------|-------|--------------------|--------------------------------------|
| Barley | Leaf rust; Leaf spot; Net blotch | epoxiconazole | SC | 125 g/l | Epic 125 SC | 7963 | 60 days; No F | Meridian Agritech Co |
| Barley | Net blotch | epoxiconazole | SC | 125 g/l | EpoX SC | 8147 | 60 days; No F | Villa Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | Epoxee 125 SC | 9572 | 60 days; No F | Wentek Chemicals |
| Barley | Net blotch | epoxiconazole | SC | 125 g/l | Epoxiconazole 125 SC | 8148 | 60 days; No F | Universal Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | epoxiconazole | SC | 125 g/l | Rubic 125 SC | 8873 | 60 days; No F | Cheminova |
| Barley | Leaf spot; Net blotch | epoxiconazole | SC | 125 g/l | Soprano 125 SC | 8338 | 60 days; No F | Adama SA |
| Barley | Leaf rust; Leaf scald; Net blotch; Powdery mildew | epoxiconazole/fluxapyroxad/pyraclostrobin | EC | 41,6/41,6/66,6 g/l | Cerix | 9801 | 90 days | BASF SA |
| Barley | Leaf rust; Leaf spot, Net blotch, Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus | 8048 | 70 days | BASF SA |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus Advance | 9132 | 70 days | BASF SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Calculus 125 SE | 10314 | 70 days | Cedar Falls Properties 130 |
| Barley | Leaf rust; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Paradox | 10216 | 70 days | Meridian Agritech Co |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | flutriafol | SC | 125 g/l | Impact | 4088 | 42 days | Cheminova (Disa Bio-Technologies CC) |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | flutriafol | SC | 250 g/l | Impact 250 SC | 9064 | 42 days | Cheminova |
| Barley | Net blotch | flutriafol/tebuconazole | SC | 75/225 g/l | Impact Gold 300 SC | 9312 | 77 days | Cheminova |
| Barley | Covered smut; Loose smut | flutriafol/thiabendazole | FS | 25/25 g/l | Vincit F | 3799 | | Cheminova |
| Barley | Net blotch | kresoxim-methyl | SC | 500 g/l | Arden 50 SC | 7284 | 50 days | Adama SA |
| Barley | Seed decay; Covered smut; Damping off; Seed decay | mancozeb | DS | 800 g/kg | lfax 800 DS | 270 | | Villa Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | picoxystrobin | SC | 250 g/l | Academy 250 SC | 10034 | 50 days; 35 days F | Villa Crop Protection |
| Barley | Leaf spot; Net blotch; Leaf rust; Powdery mildew | picoxystrobin | SC | 250 g/l | Acanto 250 SC | 8233 | 50 days | Du Pont de Nemours |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | picoxystrobin | SC | 250 g/l | Faculty 250 SC | 10032 | 50 days; 35 days F | Universal Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | picoxystrobin | SC | 250 g/l | Pinchot 250 SC | 10092 | 50 days; 35 days F | CropASURE |
| Barley | Leaf spot; Net blotch | picoxystrobin/prothioconazole | EC | 150/100 g/l | Academy Super 250 SC | 10214 | 50 days | Villa Crop Protection |
| Barley | Leaf spot; Net blotch | picoxystrobin/prothioconazole | EC | 150/100 g/l | Faculty Top 250 SC | 10213 | 50 days | Universal Crop Protection |
| Barley | Eye spot; Leaf spot; Net blotch; Powdery mildew | prochloraz | EC | 450 g/l | Pakua 450 EC | 7933 | 42 days | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|------------------------------|-----|-------------|----------------------|-------|--------------------|--|
| Barley | Leaf blotch; Leaf rust; Leaf spot; Powdery mildew | propiconazole | EC | 250 g/l | Admiral 250 EC | 9358 | 40 days | Cedar Falls Properties 130 |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | Ag-Propiconazole | 8319 | 40 days | Ag-Chem Africa |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | 40 days | Adama SA |
| Barley | Leaf blotch; Leaf rust; Leaf spot; Powdery mildew | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | 40 days | Makhro-Agro SA |
| Barley | Leaf blotch; Leaf rust; Leaf spot; Powdery mildew | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | 40 days | Crop Asure |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | Propicon 250 EC | 7547 | 40 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | 40 days | Universal Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | 40 days | Villa Crop Protection |
| Barley | Leaf rust; Leaf spot; Net blotch; Powdery mildew | propiconazole | EC | 250 g/l | Tilt | 6668 | 40 days | Syngenta SA |
| Barley | Leaf rust; Leaf spot; Leaf blotch; Powdery mildew | propiconazole | EC | 500 g/l | Propicon 500 EC | 7506 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Barley | Covered smut; Loose smut | prothioconazole | FS | 100 g/l | Redigo | 8616 | | Bayer |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | prothioconazole | SC | 480 g/l | Projetron 480 SC | 10050 | 77 days; 77 days F | Universal Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | prothioconazole | SC | 480 g/l | Santana 480 SC | 10049 | 77 days; 77 days F | Villa Crop Protection |
| Barley | Leaf rust; leaf spot; Net blotch; Powdery mildew | prothioconazole | SC | 480 g/l | Proley 480 SC | 10094 | 77 days | Crop Asure |
| Barley | Brown rust; Leaf spot Net blotch; Powdery mildew | prothioconazole/tebuconazole | EC | 125/125 g/l | Prosaro 250 EC | 8510 | 77 days; 77 days F | Bayer |
| Barley | Leaf rust; Leaf spot; Powdery mildew | spiroxamine/tebuconazole | EW | 250/133 g/l | Folicur Plus 383 EW | 7428 | 50 days | Bayer |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch | tebuconazole | EC | 250 g/l | Ardent | 9779 | 77 days | DNA Crop Protection |
| Barley | Eye spot; Halo spot, Leaf rust, Leaf spot, Net blotch; Powdery mildew | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 77 days | Sharda International Africa |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 77 days | Erintrade t/a RT Chemicals |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 77 days | Makhro-Agro SA |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 77 days; 77 days F | Adama SA |
| Barley | Eye spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | 77 days | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--|------------------------------|-----|-------------|------------------------|------|--------------------|-----------------------------|
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 77 days; 77 days F | Cedar Falls Properties 130 |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 77 days; 77 days F | Bayer |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 77 days; 77 days F | Adama SA |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 77 days; 77 days F | Cheminova |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | 77 days | Universal Crop Protection |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | TebuCore 250 EW | 7992 | 77 days; 77 days F | ICA International Chemicals |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | 77 days | Villa Crop Protection |
| Barley | Eye spot; Halo spot; Leaf rust; Leaf spot; Net blotch; Powdery mildew | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 77 days; 77 days F | Arysta Lifescience SA |
| Barley | Covered smut; Loose smut | tebuconazole | FS | 60 g/l | Ingwe 6 FS | 7567 | | Crompton Chemicals |
| Barley | Covered smut; Loose smut | tebuconazole | FS | 60 g/l | Orius 6 FS | 7418 | | Adama SA |
| Barley | Covered smut; Loose smut | tebuconazole | WS | 20 g/kg | Ingwe 2 WS | 7566 | | Crompton Chemicals |
| Barley | Eye spot; Leaf rust; Leaf spot; Net blotch | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | 77 days | CropASURE |
| Barley | Leaf spot; New blotch | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 7 days | Bayer |
| Barley | Seedborne diseases | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Barley | Leaf rust | triadimefon | SC | 250 g/l | Repute | 6824 | 56 days | Bitrad Consulting |
| Barley | Covered smut; Loose smut | triadimenol | FS | 150 g/l | Badger 15 FS | 7565 | | Chemtura |
| Barley | Covered smut; Loose smut | triadimenol | FS | 150 g/l | Baytan 150 FS | 1697 | | Bayer |
| Barley | Covered smut; Loose smut | triadimenol | FS | 150 g/l | Shavit | 5493 | | Adama SA |
| Barley | Covered smut; Leaf spot; Loose smut; Powdery mildew | triticonazole | FS | 200 g/l | Flite | 4965 | 180 | BASF SA |
| Beans | Alternaria blight; Anthracnose; Leaf blight; Leaf spot; Leaf and pod spot; Rust; Southern blight; Web blight | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Beans | Alternaria; Anthracnose; Ascochyta; Rust; Soybean rust; Web blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 14 days | Syngenta SA |
| Beans | Soybean rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Estricon 250 SC | 9433 | 40 days | CropASURE |
| Beans | Soybean rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Flustricon 450 SC | 9974 | 40 days | CropASURE |
| Beans | Ascochyta leaf spot; Soybean rust; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusicarb 375 SC | 9409 | 30 days; 42 days F | CropASURE |
| Beans | Ascochyta leaf spot; Soybean rust | carbendazim/flusilazole | SC | 250/125 g/l | Flusicarb Extra 375 SC | 9562 | 30 days; 42 days F | CropASURE |
| Beans | Rust | carbendazim/tebuconazole | SC | 133/167 g/l | Folicur C 300 SC | 4602 | 14 days; 42 days F | Bayer |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|------------------|-------------------------|-----|-------------------------|------------------------|------|------------------|----------------------------|
| Beans | Rust | chlorothalonil | SC | 500 g/l | Calonil 500 SC | 7701 | 3 days; 42 (hay) | Sidewalk Trading |
| Beans | Rust | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | 3 days; 42 (hay) | Plaaskem |
| Beans | Rust | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | 3 days; 42 (hay) | Universal Crop Protection |
| Beans | Rust | chlorothalonil | SC | 500 g/l | Matrix | 7290 | 3 days; 42 (hay) | Bitrad Consulting |
| Beans | Rust | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | 3 days; 42 (hay) | Villa Crop Protection |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Bravo 720 | 4233 | 3 days | Agro-Serve t/a Efekto |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 3 days; 42 (hay) | Syngenta SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Clortosip 720 SC | 7108 | 3 days; 42 (hay) | Sipcam South Africa |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | 3 days; 42 (hay) | Makhro-Agro SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | 3 days; 42 (hay) | Villa Crop Protection |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 3 days; 42 (hay) | Cedar Falls Properties 130 |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Mycoguard 720 SC | 8417 | 3 days; 42 (hay) | Arysta Lifescience SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | 3 days; 42 (hay) | Adama SA |
| Beans | Rust | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | 3 days; 42 (hay) | Universal Crop Protection |
| Beans | Rust | chlorothalonil | SC | 720 g/l | TalOnil 720 | 8935 | 3 days; 42 (hay) | Erintrade t/a RT Chemicals |
| Beans | Rust | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | 3 days; 42 (hay) | Adama SA |
| Beans | Bacterial blight | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 3 days | Arysta Lifescience SA |
| Beans | Bacterial blight | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 3 days | Villa Crop Protection |
| Beans | Bacterial blight | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 3 days | Hygrotech Properties |
| Beans | Bacterial blight | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 3 days | Hygrotech Properties |
| Beans | Bacterial blight | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 3 days | Gouws & Scheepers |
| Beans | Bacterial blight | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 3 days | Ag-Chem Africa |
| Beans | Bacterial blight | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 3 days | Ag-Chem Africa |
| Beans | Bacterial blight | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 3 days | Plaaskem |
| Beans | Bacterial blight | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 3 days | Nulandis |
| Beans | Bacterial blight | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 3 days | Mitsui & Co Europe Plc |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--------------------------|------------------------|-----|--------------|---------------------------|------|-------------------------|---|
| Beans | Bacterial blight | copper hydroxide | WP | 770 g/kg | Champion Wetttable powder | 7081 | 3 days | Nufarm Agriculture |
| Beans | Bacterial blight | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 3 days | Agri Registrations CC |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 3 days | Universal Crop Protection |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 3 days | Villa Crop Protection |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 3 days | Arysta Lifescience SA |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 3 days | Delta Chemicals |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 3 days | Castle Ag-Chem |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 3 days | Kombat |
| Beans | Bacterial blight | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 3 days | Agro-Serve t/a Efekto |
| Beans | Bacterial blight | copper/mancozeb | WG | 120/300 g/kg | Cuprofix 30 Disperss | 7893 | 3 days | Total SA |
| Beans | Bacterial blight | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 7 days | Avima |
| Beans | Bacterial blight | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 7 days | Avima |
| Beans | Grey mould; White mould | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Beans | Root rot | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Beans | Brown rust | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 14 days | Castle Ag-Chem |
| Beans | Rust | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Beans | Rust | difenoconazole | EC | 250 g/l | Dicati | 8414 | 14 days | Sharda International Africa |
| Beans | Brown rust; Soybean rust | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 14 days; Soybeans 18 | CropASURE |
| Beans | Brown rust | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 14 days | Adama SA |
| Beans | Rust | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 14 days | Universal Crop Protection |
| Beans | Rust | difenoconazole | EC | 250 g/l | Granado | 9767 | 14 days | DNA Crop Protection |
| Beans | Rust; Soybean rust | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 14-18 days | Sidewalk Trading |
| Beans | Rust | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 14 days | Villa Crop Protection |
| Beans | Rust; Soybean rust | difenoconazole | EC | 250 g/l | Score | 5132 | 14 days; Soybeans 18 | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|---------------------------|-------------------------|-----|-------------|---------------------------|------|----------------------------------|--|
| Beans | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | 56 days; Soybeans 175 days | Syngenta SA |
| Beans | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | 56 days; Soybeans 175 days | Syngenta SA |
| Beans | Anthracnose; Rust | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 3 days | Total SA |
| Beans | Anthracnose; Rust | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Beans | Anthracnose; Rust | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 3 days | Dow Agrosience SA |
| Beans | Anthracnose; Rust | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 3 days | Total SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 3 days | Universal Crop Protection |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 3 days | Kombat |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 3 days | Dow Agrosience SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 3 days | Dow Agrosience SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 3 days | Castle Ag-Chem |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 3 days | Ag-Chem Africa |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 3 days | CropASURE |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 3 days | Dow Agrosience SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 3 days | Total SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Tridex | 5323 | 3 days | Total SA |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 3 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 3 days | Nulandis |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 3 days | Villa Crop Protection |
| Beans | Anthracnose; Rust | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 3 days | Arysta Lifescience SA |
| Beans | Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 3 days | Applied Chemical Products |
| Beans | Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 3 days | Arysta Lifescience SA |
| Beans | Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 3 days | Arysta Lifescience SA |
| Beans | Anthracnose | metiram | WG | 700 g/kg | Polyram WG | 5268 | 3 days | BASF SA |
| Beans | Rust | oxycarboxin | EC | 200 g/l | Plantvax EC | 5147 | 14 days | Crompton Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------------|------------------------------------|-----------------------------|-----|-------------|---------------------|-------|----------------------|-----------------------------|
| Beans | Stem rot | procymidone | SC | 250 g/l | Sumisclex SC | 6377 | 14 days | Philagro South Africa |
| Beans | Stem rot | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 14 days | Dow Agrosience SA |
| Beans | Soy bean rust | prothioconazole | SC | 480 g/l | Projatron 480 SC | 10050 | | Universal Crop Protection |
| Beans | Rust | tebuconazole | EC | 250 g/l | Ardent | 9779 | 14 days; 42 days F | DNA Crop Protection |
| Beans | Rust | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 14 days; 42 days F | Sharda International Africa |
| Beans | Rust | tebuconazole | EW | 0,25 g/l | Orius 200 EW RTU | 8302 | 14 days | Makhro-Agro SA |
| Beans | Rust | tebuconazole | EW | 200 g/l | Makhröteb 200 EW | 8149 | 14 days; 42 days F | Makhro-Agro SA |
| Beans | Rust | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 14 days; 42 days F | Adama SA |
| Beans | Rust | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 14 days; 42 days F | Cedar Falls Properties 130 |
| Beans | Rust | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 14 days; 42 days F | Bayer |
| Beans | Rust | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 14 days; 42 days F | Adama SA |
| Beans | Rust | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 14 days; 42 days F | Cheminova |
| Beans | Rust | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Beans | Rust | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 14 days; 42 days F | Arysta Lifescience SA |
| Beans | Damping off | tolclofos-methyl | WS | 500 g/kg | Rizolex WP | 6376 | | Philagro South Africa |
| Beans | Rust | triforine | EC | 190 g/l | Denarin EC | 5210 | 3 days | Sumitomo Corporation |
| Beans | Rust | triforine | EC | 190 g/l | Funginex | 2469 | 3 days | Agro-Serve t/a Efekto |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 45 days | Syngenta SA |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | Fortress | 9269 | 45 days | Meridian Agritech Co |
| Beans (dry) | Anthracnose; Rust | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Beans (dry) | Anthracnose | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Beans (dry) | Anthracnose; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 45 days | Syngenta SA |
| Beans (dry) | Anthracnose; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Azur Top 325 SC | 9867 | 45 days | Almond Agro Chemicals |
| Beans (dry) | Rust | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 30 days; 42 days (F) | Meridian Agritech Co |
| Beans (dry) | Brown rust | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 30 days; 42 days F | Meridian Agritech Co |
| Beans (dry) | Angular Leaf spot; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Colloso | 9284 | 30 days; 42 days (F) | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------------|---|-----------------------------|-----|------------------|-------------------------|-------|----------------------|--|
| Beans (dry) | Angular Leaf spot; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 30 days; 42 days (F) | Universal Crop Protection |
| Beans (dry) | Angular Leaf spot; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 30 days; 42 days (F) | Villa Crop Protection |
| Beans (dry) | Rust (only in tank mix with hexaconazole) | chlorothalonil | SC | 720 g/l | Solsan SC | 9590 | 7 days; 42 (hay) | Meridian Agritech Co |
| Beans (dry) | Rust | hexaconazole | SC | 50 g/l | Optan 50 SC | 7878 | 14 days | Meridian Agritech Co |
| Beans (dry) | Rust | hexaconazole | SC | 50 g/l | Richter | 6978 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Beans (dry) | Damping off | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Beans (dry) | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Beans (dry) | Fusarium; Rhizoctoria | trichoderma harzianum | | 2x10(9) spores/g | Rootguard | 10242 | | N Laboratories |
| Beans (green) | Rust (only in tank mix with hexaconazole) | chlorothalonil | SC | 720 g/l | Solsan SC | 9590 | 3 days; 42 (hay) | Meridian Agritech Co |
| Beans (green) | Rust | hexaconazole | SC | 50 g/l | Optan 50 SC | 7878 | 3 days | Meridian Agritech Co |
| Beans (green) | Rust | hexaconazole | SC | 50 g/l | Richter | 6978 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Beans (green) | Fusarium; Rhizoctoria | trichoderma harzianum | | 2x10(9) spores/g | Rootguard | 10242 | | N Laboratories |
| Beans (soy) | Soybean rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | Amistar Xtra | 8567 | 40 days | Syngenta SA |
| Beans (soy) | Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Az-Well 250 SC | 10078 | 40 days | ICA International Chemicals |
| Beans (soy) | Soybean rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Improve 250 SC | 9311 | 40 days | Villa Crop Protection |
| Beans (soy) | Soybean rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Indicate 250 SC | 9310 | 40 days | Universal Crop Protection |
| Beans (soy) | Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Budget 450 SC | 9648 | 40 days | Villa Crop Protection |
| Beans (soy) | Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Buzzard 450 SC | 9649 | 40 days | Universal Crop Protection |
| Beans (soy) | Rust | azoxystrobin/tebuconazole | SC | 120/200 g/l | Custodia 320 SC | 9342 | 60 days | Adama SA |
| Beans (soy) | Ascochyta blight; Soybean rust | carbendazim/flusilazole | SC | 125/250 g/l | Colloso | 9284 | 30 days | Arysta Lifescience SA |
| Beans (soy) | Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 42 days F | Universal Crop Protection |
| Beans (soy) | Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 42 days F | Villa Crop Protection |
| Beans (soy) | Ascochyta leafspot; Rust | carbendazim/flusilazole | SC | 250/125 g/l | Flusilazim Extra 375 SC | 9500 | 30 days; 42 days (F) | Universal Crop Protection |
| Beans (soy) | Ascochyta leafspot; Rust | carbendazim/flusilazole | SC | 250/125 g/l | Sparta Plus 375 SC | 9499 | 30 days; 42 days (F) | Villa Crop Protection |
| Beans (soy) | Soybean rust | cyproconazole/picoxystrobin | SC | 80/200 g/l | Acanto Plus 280 SC | 9149 | 56 days | Du Pont de Nemours |
| Beans (soy) | Soybean rust | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | 40 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------------|--|------------------------------|-----|------------------|---------------------|-------|--------------------|---|
| Beans (soy) | Soybean rust | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 18 days | Castle Ag-Chem |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 18 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Beans (soy) | Soybean rust | difenoconazole | EC | 250 g/l | Dicati | 8414 | 18 days | Sharda International Africa |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 18 days | Adama SA |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 18 days | Universal Crop Protection |
| Beans (soy) | Rust | difenoconazole | EC | 250 g/l | Pronto 250 EC | 7602 | 18 days | Meridian Agritech Co |
| Beans (soy) | Soybean rust | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 18 days | Villa Crop Protection |
| Beans (soy) | Soybean rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus | 8048 | 39 days | BASF SA |
| Beans (soy) | Soy bean rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus Advance | 9132 | 39 days | BASF SA |
| Beans (soy) | Soybean rust | flutriafol | SC | 125 g/l | Impact | 4088 | 49 days | Cheminova (Disa Bio-Technologies CC) |
| Beans (soy) | Soybean rust | flutriafol | SC | 250 g/l | Impact 250 SC | 9064 | 49 days | Cheminova |
| Beans (soy) | Soybean rust | flutriafol/tebuconazole | SC | 75/225 g/l | Impact Gold 300 SC | 9312 | 49 days | Cheminova |
| Beans (soy) | Damping off | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Beans (soy) | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Beans (soy) | Soy bean rust | prothioconazole | SC | 480 g/l | Santana 480 SC | 10049 | 28 days F | Villa Crop Protection |
| Beans (soy) | Soybean rust | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 32 days | Sharda International Africa |
| Beans (soy) | Rust | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 14 days; 42 days F | Cedar Falls Properties 130 |
| Beans (soy) | Soybean rust | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 32 days | Bayer |
| Beans (soy) | Soybean rust | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 32 days | Cheminova |
| Beans (soy) | Soybean rust | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Beans (soy) | Soybean rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 32 days | Bayer |
| Beans (soy) | Soybean rust | triadimenol | EC | 250 g/l | Shavit 25 EC | 5601 | 56 days | Adama SA |
| Beans (soy) | Fusarium; Rhizoctoria | trichoderma harzianum | | 2x10(9) spores/g | Rootguard | 10242 | | N Laboratories |
| Beans (soy) | Soybean rust | triforine | EC | 190 g/l | Denarin EC | 5210 | 3 days | Sumitomo Corporation |
| Beets | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Beets | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Beets | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Beets | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Beets | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|---|-------------------------|-----|--------------|---------------------------|------|----------------|---|
| Berries and small fruit | Alternaria fruit rot; Anthracnose; Botryosphaeria canker; Colletotrichum rot; Powdery mildew; Septoria blight | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Berries and small fruit | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Berries and small fruit | Alternaria fruit rot; Anthracnose; Botrytis fruit rot; Phomopsis | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Berries and small fruit | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Blackberries | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Blackberries | Botrytis rot | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 3 days | Bayer |
| Blueberries | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Blueberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Blueberries | Botrytis rot | fenhexamid | SC | 500 g/l | Teldor 500 SC | 6250 | 3 days-6 weeks | Bayer |
| Blueberries | Botrytis rot | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 3 days | Bayer |
| Blueberries | Botrytis | pyrimethanil | SC | 400 g/l | Scala | 4972 | 3 days | Bayer |
| Boysenberries & Youngberries | Downy mildew | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Boysenberries & Youngberries | Downy mildew | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Boysenberries & Youngberries | Downy mildew | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Boysenberries & Youngberries | Anthracnose | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Boysenberries & Youngberries | Downy mildew | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|---------------------------|--------------------|-----|--------------|------------------------|------|---------|---|
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agrosience SA |
| Boysenberries & Youngberries | Downy mildew | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agrosience SA |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agrosience SA |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 14 days | Castle Ag-Chem |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agrosience SA |
| Boysenberries & Youngberries | Downy mildew | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Boysenberries & Youngberries | Downy mildew | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Boysenberries & Youngberries | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Kickback 700 WP | 7105 | 14 days | Bitrad Consulting |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Mancolax 700 WP | 7382 | 14 days | Gouws & Scheepers (Plaaskem) |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7462 | 14 days | Universal Crop Protection |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7463 | 14 days | Villa Crop Protection |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Milor 700 WP | 5884 | 14 days | Rotam RSA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|---|--------------------------------------|-----|----------------|---------------------|------|--------------------|---|
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Rolim 700 WP | 7609 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Sanlaxyl 700 WP | 6100 | 14 days | Dow Agrosience SA |
| Boysenberries & Youngberries | Downy mildew | mancozeb/metalaxyl- m | WG | 640/40 g/kg | Ridomil Gold Pepite | 7191 | 14 days | Syngenta SA |
| Boysenberries & Youngberries | Anthracoese | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 4230 | | Agro-Serve t/a Efekto |
| Boysenberries & Youngberries | Anthracoese | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 7686 | | Delta Chemicals |
| Boysenberries & Youngberries | Downy mildew | propineb | WP | 700 g/kg | Antracol 70 WP | 2065 | 14 days | Bayer |
| Brinjals | Crown rot; Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Canola | Alternaria black spot; Blackleg; Sclerotinia stem rot | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 30 days | Syngenta SA |
| Canola | Dark leaf and pod spot | azoxystrobin/cyproconazole | SC | 200/80 g/l | Amistar Xtra | 8567 | 30 days | Syngenta SA |
| Canola | Leaf and pod spots; Stem canker | difenoconazole | EC | 250 g/l | Score | 5132 | 30 days | Syngenta SA |
| Canola | Damping off; Blackleg; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | 50 days | Syngenta SA |
| Canola | Damping off; Blackleg; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | 50 days | Syngenta SA |
| Canola | Damping off; Seed decay | fludioxonil/metalaxyl-m/thiamethoxam | FS | 8/33,3/280 g/l | Cruiser OSR | 8451 | 42 days | Syngenta SA |
| Canola | Blackleg | fluquinconazole | FS | 167 g/l | Galmano 167 FS | 9363 | | Bayer |
| Canola | Blackleg; Stem rot | prothioconazole/tebuconazole | EC | 125/125 g/l | Prosaro 250 EC | 8510 | 21 days; 21 days F | Bayer |
| Capsicums | Anthracoese; Cercospora leaf spot; Powdery mildew | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Capsicums | Crown rot; Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Carrots | Early blight; Late blight; Soil-borne diseases; White mould | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Carrots | Early blight; Late blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 1 day | Syngenta SA |
| Carrots | Alternaria blight; Leaf spot; Powdery mildew; Southern blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Carrots | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Carrots | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | 3 days | ICA International Chemicals |
| Carrots | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | 3 days | ICA International Chemicals |
| Carrots | Leaf blight | difenoconazole | EC | 250 g/l | Score | 5132 | 7 days | Syngenta SA |
| Carrots | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Carrots | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------------|---|------------------------------|-----|---------------------------|---------------------------|------|-------------|---|
| Carrots | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Carrots | Leaf blight; Powdery mildew | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 21 days | Bayer |
| Cashew nuts | Foliar diseases | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 45 days | Syngenta SA |
| Cassava | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 - 14 days | Syngenta SA |
| Cassava | Black dot; Early blight; Rust; Septoria leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Cassava | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Cassava | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Celery | Early blight; Late blight; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Celery | Basal stalk rot; Early blight; Late blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 days | Syngenta SA |
| Celery | Leaf spot | captab | WP | 500 g/kg | Captab WP | 6758 | 3 days | Universal Crop Protection |
| Celery | Leaf spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 3 days | Agro-Serve t/a Efekto |
| Celery | Leaf spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 3 days | Ag-Chem Africa |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 1 day | Universal Crop Protection |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 1 day | Villa Crop Protection |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 1 day | Arysta Lifescience SA |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 1 day | Tsunami Plant Protection/t/a Arysta Lifescience |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 1 day | Delta Chemicals |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 1 day | Castle Ag-Chem |
| Celery | Leaf spot | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 1 day | Kombat |
| Celery | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 1 day | Syngenta SA |
| Celery | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Cherries | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | Crown Gall Inoculant | 1380 | | Stimuplant |
| Cherries | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Cherries | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rot; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|--|-----|--------------|---------------------------|-------|--------------------------|---|
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cherries | Bacterial canker | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Cherries | Bacterial canker | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | | Avima |
| Cherries | Bacterial cancer | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | | Avima |
| Cherries | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 2 days | Syngenta SA |
| Cherries | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Cherries | Post harvest decay | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Cherries | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Cherries | Blossom blight | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Cherries | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | 14 days | Adama SA |
| Chicory | Leaf spot | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 85 days | Villa Crop Protection |
| Chicory | Leaf spot | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenzim SC | 7924 | 85 days | Universal Crop Protection |
| Chives | Botrytis rot; Leaf blight; Leaf spot; Powdery midlew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Chives | Downy mildew | dimethomorph/mancozeb | WG | 90/600 g/kg | Acrobat WG | 6526 | 14 | BASF SA |
| Chives | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Citrus | Post harvest decay | 2,4-D (sodium salt) | SL | 25 g/l | Deccomone Solution | 5562 | | Bayer |
| Citrus | Pruning wounds & die back | 8-hydroxyquinoline sulfate/octhilinone | PA | 5/5 g/kg | Neocil-Plus | 3876 | | Algro-Chem |
| Citrus | Brown rot | ammonium phosphite | SL | 386 g/l | Brilliant 300 SL | 7226 | | Nippon Africa Chemicals |
| Citrus | Brown rot | ammonium phosphite | SL | 386 g/l | Brilliant SL | 7225 | | Arysta Lifescience SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 77 days (lemons 14 days) | Castle Ag-Chem |
| Citrus | Alternaria spot; Black spot | azoxystrobin | SC | 250 g/l | Aztrix 250 SC | 9574 | | Wentek Chemicals |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Banshee | 9786 | 14 days | DNA Crop Protection |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Fortress | 9269 | 77 days | Meridian Agritech Co |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Fungaway 250 SC | 8590 | 21 - 77 | Villa Crop Protection |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Nanok 250 SC | 8893 | | Cheminova |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Nova Z-Strobin 250 SC | 9703 | | AgriNova Trust |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--------------------------------|------------------------------|-----|-------------------------|-----------------------|------|-------------------------|--|
| Citrus | Alternaria spot; Black spot | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 77 days; lemons 14 days | Syngenta SA |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Segar | 8593 | 14 days | Sharda International Africa |
| Citrus | Black spot | azoxystrobin | SC | 250 g/l | Strobin 250 SC | 8625 | 14 days; 21 lemons | Crop Assure |
| Citrus | Black spot; Melanose | azoxystrobin | WG | 500 g/kg | Essence 500 WDG | 8956 | 77 days; lemons 14 days | Villa Crop Protection |
| Citrus | Black spot; Melanose | azoxystrobin | WG | 500 g/kg | Monarch 500 WDG | 8955 | 77 days; lemons 14 days | Universal Crop Protection |
| Citrus | Black spot | azoxystrobin | WG | 500 g/kg | Nova Z-Strobin 500 WG | 9674 | lemons 14 days; 77 days | AgriNova Trust |
| Citrus | Black spot | azoxystrobin/kresoxim-methyl | SC | 225/25 g/l | Bistro 250 SC | 9245 | 77 days | Meridian Agritech Co |
| Citrus | Black spot | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | 14 days | Makhro-Agro SA |
| Citrus | Black spot | benomyl | WP | 500 g/kg | Benomyl | 7291 | 14 | Volcano Agrosience /ta Arysta Lifescience SA |
| Citrus | Black spot; Post harvest decay | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 14 days | Villa Crop Protection |
| Citrus | Black spot; Post harvest decay | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 14 days | Universal Crop Protection |
| Citrus | Black spot; Post harvest decay | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 14 | Castle Ag-Chem |
| Citrus | Black spot | borax/orange oil | SL | 10/50 g/l | Prev- Am | 7130 | | Oro Agri SA |
| Citrus | Black spot | carbendazim | SC | 500 g/l | Ag-Carbendazim 500 SC | 8870 | 14 days | Ag-Chem Africa |
| Citrus | Black spot | carbendazim | SC | 500 g/l | Bendazid 500 SC | 6961 | 14 days | Nulandis |
| Citrus | Black spot | carbendazim | SC | 500 g/l | Knowin 500 SC | 7027 | 14 days | Nulandis |
| Citrus | Black spot | carbendazim | SC | 500 g/l | Nova CBZ 500 SC | 9819 | 14 days | AgriNova Trust |
| Citrus | Black spot | carbendazim | SC | 500 g/l | Zimbo | 9429 | 14 days | Meridian Agritech Co |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Citrus | Alternaria spot; Black spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Citrus | Alternaria spot; Black spot | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--|------------------------------------|-----|--------------|---------------------------|------|---------|---|
| Citrus | Alternaria spot; Black spot | copper hydroxide | WP | 770 g/kg | Champion Wetttable powder | 7081 | 14 days | Nufarm Agriculture |
| Citrus | Black spot | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 14 days | Agri Registrations CC |
| Citrus | Black Spot | copper oxychloride | SC | 700 g/l | NanoGreen SC | 8980 | 14 days | Arysta Lifescience SA |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Alternaria spot; Black spot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Citrus | Black spot; Brown rot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Citrus | Black spot; Melanose; Scab | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Citrus | Black spot | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Citrus | Black spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Citrus | Black spot | copper sulphate/lime | WG | 711/289 g/kg | Cuprofix Ultra | 8888 | | Total SA |
| Citrus | Black spot | copper/mancozeb | WG | 120/300 g/kg | Cuprofix 30 Disperss | 7893 | | Total SA |
| Citrus | Black spot; Scab | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Citrus | Black spot; Scab | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Citrus | Alternaria spot; Black spot; Post harvest decay; Trunk & branch canker | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | | ICA International Chemicals |
| Citrus | Alternaria spot; Black spot; Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | | ICA International Chemicals |
| Citrus | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 126 g/l | Quattro-Kill | 8004 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 250 g/l | Terminator | 5990 | | Agricultural Protection Systems |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 90 days | Castle Ag-Chem |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 90 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Dicati | 8414 | 90 days | Sharda International Africa |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 90 days | Crop Asure |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 90 days | Adama SA |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 90 days | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---------------------------|--------------------|-----|-------------|--------------------------|------|----------|--------------------------------------|
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Granado | 9767 | 90 days | DNA Crop Protection |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 90 days | Sidewalk Trading |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 90 days | Villa Crop Protection |
| Citrus | Brown spot; Navel end rot | difenoconazole | EC | 250 g/l | Score | 5132 | 90 days | Syngenta SA |
| Citrus | Post harvest decay | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Citrus | Navel end rot | flutriafol | SC | 125 g/l | Impact | 4088 | 120 days | Cheminova (Disa Bio-Technologies CC) |
| Citrus | Navel end rot | flutriafol | SC | 250 g/l | Impact 250 SC | 9064 | 120 days | Cheminova |
| Citrus | Root & Collar rot | fosetyl-Al | WG | 800 g/kg | Aliette WG | 5689 | | Bayer |
| Citrus | Post harvest decay | guazatine | SL | 200 g/l | Kenopel 200 SL | 7459 | | Adama SA |
| Citrus | Post harvest decay | guazatine | SL | 210 g/L | CitruCure | 6739 | | ICA International Chemicals |
| Citrus | Post harvest decay | guazatine | SL | 210 g/l | Megacide | 7126 | | ICA International Chemicals |
| Citrus | Post harvest decay | guazatine | SL | 3 g/l | CitriWax | 6971 | | ICA International Chemicals |
| Citrus | Post harvest decay | guazatine | SL | 3 g/l | CitruWax Dual | 7613 | | ICA International Chemicals |
| Citrus | Post harvest decay | guazatine/imazalil | SL | 200/134 g/l | Guazalil SL | 7962 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | EF Natural HS Plus | 9056 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | EF Natural MS Plus | 9097 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | Imaz Quick Dry Poly | 9075 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | NatuCure IMZ | 9686 | | Citrashine |
| Citrus | Post harvest decay | imazalil | AL | 2 g/l | PolyCure IMZ | 9689 | | Citrashine |
| Citrus | Post harvest decay | imazalil | EC | 300 g/l | Imaculate 300 EC | 9080 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | EC | 500 g/l | Magnate 500 EC | 8086 | | Adama SA |
| Citrus | Post harvest decay | imazalil | EC | 800 g/l | Magnate 800 EC | 4643 | | Adama SA |
| Citrus | Post harvest decay | imazalil | SG | 750 g/kg | ImazaCure 750 SG | 7926 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | SG | 750 g/kg | Imazalil Sulphate 750 SG | 8180 | | Villa Crop Protection |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | ImazaCure 750 SP | 7928 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | Imazalil 750 SP | 7946 | | Arysta Lifescience SA |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | Imazalil Sulphate | 7285 | | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|-----------------------|-----|-------------|-------------------------|------|----------|---|
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | Imazapen 750 SP | 7486 | | Ag-Chem Africa |
| Citrus | Post harvest decay | imazalil | SP | 750 g/kg | Magnate Sulphate 750 SP | 4611 | | Adama SA |
| Citrus | Post harvest decay | imazalil | EC | 500 g/l | ImazaCure 500 EC | 7927 | | ICA International Chemicals |
| Citrus | Post harvest decay | imazalil/pyrimethanil | SC | 200/200 g/l | Philabuster 400 SC | 8220 | | Janssen Pharmaceutica t/a Janssen-Cilag |
| Citrus | Alternaria brown spot | iprodione | SC | 255 g/l | Rovral Flo | 1046 | 115 days | FMC Chemicals |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | Kreso 50 WG | 8266 | 56 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | Kreso WDG | 8193 | 56 days | Villa Crop Protection |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | Kresoxim-Methyl 500 WDG | 8194 | 56 days | Universal Crop Protection |
| Citrus | Black spot | kresoxim-methyl | WG | 500 g/kg | Oxim 500 WDG | 8574 | 56 days | Crop Assure |
| Citrus | Black spot | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 28 days | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 455 g/l | Multizeb 455 SC | 9174 | 14 days | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 455 g/l | Newzeb 455 SC | 9175 | 14 days | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 480 g/l | Newzeb 480 SC | 9178 | 14 days | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | SC | 480 g/l | Unizeb 480 SC | 9179 | 14 days | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agroscience SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | Newzeb 750 WDG | 8811 | 14 days | Universal Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WG | 750 g/kg | Villa Unizeb 750 WDG | 8812 | 14 days | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 750 g/kg | Cozeb 750 WDG | 8964 | 14 days | Crop Assure |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 14 days | Castle Ag-Chem |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 14 days | Meridian Agritech Co |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Assure |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|----------------------------|-----|-------------|-----------------------|------|---------|---|
| Citrus | Black spot; Melanose | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Citrus | Black spot; Brown rot; Melanose | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Citrus | Black spot; Brown rot; Melanose; Necrostoma | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Citrus | Black spot | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 14 days | Applied Chemical Products |
| Citrus | Black spot | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 14 days | Arysta Lifescience SA |
| Citrus | Black spot | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 14 days | Arysta Lifescience SA |
| Citrus | Root & Collar rot | metalaxyl | GR | 50 g/kg | Kickback 5 GR | 7104 | 30 days | Bitrad Consulting |
| Citrus | Root & Collar rot | metalaxyl | GR | 50 g/kg | Rolim 5 GR | 7608 | 30 days | Arysta Lifescience SA |
| Citrus | Collar & root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Citrus | Black spot | mineral oil | EC | 850 g/l | H&R Medium Spray Oil | 6491 | | H&R Global Special Products |
| Citrus | Black spot | mineral oil (heavy narrow) | EC | 840 g/l | Cipron | 6133 | | H&R Global Special Products |
| Citrus | Root & Collar rot | phosphorous acid | SP | 980 g/l | Rootmaster 98 | 5252 | | Universal Crop Protection |
| Citrus | Root & Collar rot | potassium phosphite | SL | 370 g/l | Phosguard 200 SL | 6635 | 14 days | Ocean Agriculture |
| Citrus | Brown rot; Root & Collar rot | potassium phosphite | SL | 555 g/l | Fighter | 7330 | 14 days | Ag-Chem Africa |
| Citrus | Brown rot; Root rot | potassium phosphite | SL | 555 g/l | Inteli-Phite | 9859 | 14 days | Ag-Chem Africa |
| Citrus | Root and collar rot | potassium phosphite | SL | 560 g/l | Leafguard 400 SL | 7803 | 28 days | Nulandis |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | Mariphos 400 SL | 7961 | 14 days | Arysta Lifescience SA |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | Phosguard 400 SL | 6477 | 28 days | Nulandis |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | Phosphite 400 SL | 7468 | | Villa Crop Protection |
| Citrus | Collar rot; Root rot | potassium phosphite | SL | 560 g/l | Potassium P 400 SL | 8091 | | Crop Asure |
| Citrus | Root & Collar rot | potassium phosphite | SL | 560 g/l | Rootex 400 SL | 7467 | | Universal Crop Protection |
| Citrus | Root rot | potassium phosphite | SL | 605 g/l | Ag-Phos 400 SL | 8216 | 14 days | Ag-Chem Africa |
| Citrus | Root & Collar rot | potassium phosphonate | SL | 200 g/l | Phytex | 5263 | 14 days | Horticura |
| Citrus | Post harvest decay | prochloraz | EC | 450 g/l | Chronos 45 EC | 5589 | | Adama SA |
| Citrus | Post harvest decay | prochloraz | EC | 450 g/l | ICA-Prochloraz 450 EC | 8478 | | ICA International Chemicals |
| Citrus | Post harvest decay | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--------------------|----------------------------|-----|-------------|---------------------------|-------|----------|-----------------------------|
| Citrus | Alternaria spot | procymidone | SC | 250 g/l | Sumislex SC | 6377 | 120 days | Philagro South Africa |
| Citrus | Alternaria spot | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 120 days | Dow Agrosience SA |
| Citrus | Post harvest decay | propiconazole | EC | 250 g/l | Citrigan | 10165 | | Adama SA |
| Citrus | Post harvest decay | propiconazole | EC | 250 g/l | Propicure 250 EC | 9870 | | ICA International Chemicals |
| Citrus | Post harvest decay | propiconazole/pyrimethanil | EC | 120/150 g/l | Citrigan Plus | 10148 | | Adama SA |
| Citrus | Post harvest decay | propiconazole/pyrimethanil | EC | 120/150 g/l | Propirly 270 EC | 9869 | | ICA International Chemicals |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | Caprio | 6818 | 45 days | BASF SA |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | Cerato 250 EC | 9336 | 45 days | Villa Crop Protection |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | Costra 250 EC | 9507 | 45 days | Crop Asure |
| Citrus | Black spot | pyraclostrobin | EC | 250 g/l | Pyrax | 10376 | 45 days | Meridian Agrochemical Co |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | Origin 400 SC | 9698 | | Crop Asure |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | | ICA International Chemicals |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | Pyrimet 400 SC | 9575 | | Wentek Chemicals |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | Source 400 SC | 9283 | | Universal Crop Protection |
| Citrus | Post harvest decay | pyrimethanil | SC | 400 g/l | Support 400 SC | 9282 | | Villa Crop Protection |
| Citrus | Navel-end rot | tebuconazole | EC | 250 g/l | Ardent | 9779 | 25 weeks | DNA Crop Protection |
| Citrus | Navel end rot | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 25 weeks | Sharda International Africa |
| Citrus | Navel end rot | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 25 weeks | Erintrade t/a RT Chemicals |
| Citrus | Navel-end rot | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 175 days | Makhro-Agro SA |
| Citrus | Navel end rot | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 175 days | Adama SA |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 25 weeks | Cedar Falls Properties 130 |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 25 weeks | Bayer |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | | Adama SA |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 175 days | Cheminova |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | 175 days | Universal Crop Protection |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Citrus | Navel end rot | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | 175 days | Villa Crop Protection |
| Citrus | Navel-end rot | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | 175 days | Crop Asure |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|-------------------------|-----|-------------------------|---------------------------|------|-----------|---|
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Citrus | Post harvest decay | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |
| Citrus | Black spot | trifloxystrobin | SC | 500 g/l | Flint 500 SC | 8866 | 76 days | Bayer |
| Citrus | Black spot | trifloxystrobin | SC | 500 g/l | Protivo | 9247 | 76 days | Meridian Agritech Co |
| Citrus | Black spot | trifloxystrobin | WG | 500 g/kg | Connect 500 WDG | 9324 | 76 days | Villa Crop Protection |
| Citrus | Black spot | trifloxystrobin | WG | 500 g/kg | Unite 500 WDG | 9325 | 76 days | Universal Crop Protection |
| Citrus | Black spot | trifloxystrobin | WG | 500 g/kg | Foxy 500 WDG | 9512 | 76 days | Crop Asure |
| Clover | Alternaria leaf spot; Cercospora leaf spot; Down mildew; Powdery mildew; Rust; Sclerotinia crown rot and wilt | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 14 days | Syngenta SA |
| Clover | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Clover | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Clover | Damping off; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 90 days | Syngenta SA |
| Coffee | Rust | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Coffee | Rust | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Coffee | Rust | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Coffee | Rust | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Coffee | Rust | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Coffee | Rust | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 14 days | Nufarm Agriculture |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Coffee | Rust | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Coffee | Leaf rust | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------------|--|-------------------------|-----|-------------|---------------------------|------|---------|--|
| Coffee | Rust | epoxiconazole | SC | 125 g/l | Endura 125 SC | 8905 | 28 days | ICA International Chemicals |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | Epoxee 125 SC | 9572 | 28 days | Wentek Chemicals |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | Rubric 125 SC | 8873 | 28 days | Cheminova |
| Coffee | Rust | epoxiconazole | SC | 125 g/l | Soprano 125 SC | 8338 | 28 days | Adama SA |
| Coffee | Rust | triadimenol | EC | 250 g/l | Shavit 25 EC | 5601 | | Adama SA |
| Cotton | Anthraco-nose; Boll rot; Seedling disease | captab | FS | 500 g/l | Captan FS | 5981 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Cotton | Anthraco-nose; Root & boll rot | captab | FS | 500 g/l | Merpan SC | 4668 | | Adama SA |
| Cotton | Seedling diseases | captab | FS | 500 g/l | Royalcap FS | 3152 | | Chemtura |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | Anchor Red | 7301 | | Arysta Lifescience SA |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | Anchor Red | 7301 | | Arysta Lifescience SA |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | Vitavax Neutral | 3695 | | Arysta Lifescience SA |
| Cotton | Seedling diseases | carboxin/thiram | FS | 200/200 g/l | Vitavax Neutral | 7498 | | Arysta Lifescience SA |
| Cotton | Seedling diseases | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | | Universal Crop Protection |
| Cotton | Seedling diseases | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | | Villa Crop Protection |
| Cotton | Anthraco-nose; Bacterial blight; Boll & root rot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | | Tsunami Plant Protection/ta Arysta Lifescience |
| Cotton | Anthraco-nose; Bacterial blight; Boll and root rot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | | Castle Ag-Chem |
| Cotton | Angular leaf spot (bacterial blight) | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 14 days | Nulandis |
| Cotton | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Cotton | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Cotton | Damping off | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Cotton | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Cotton | Damping off | tolclofos-methyl | WS | 500 g/kg | Rizolex WP | 6376 | | Philagro South Africa |
| Cranberries | Fruit rot; Lophodermium twig blight | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 3 days | Syngenta SA |
| Cranberries | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Cruciferae | Alternaria leaf spot; Black spot; Cercospora leaf spot; Downy mildew; Pin rot; White blister | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 14 days | Syngenta SA |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | Azaka 250 SC | 8867 | | Cheminova |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 8593 | 14 days | Sharda International Africa |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|---|--|-----|--------------|--------------------------|-------|---------|--|
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 14 days | Castle Ag-Chem |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | Banshee | 9786 | 14 days | DNA Crop Protection |
| Cruciferae | White blister | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Cruciferae | White blister | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 days | Syngenta SA |
| Cruciferae | Anthracnose; Black spot (Alternaria); Leaf spot; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 3 days | Syngenta SA |
| Cruciferae | Ring spot | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | 3 days | Makhro-Agro SA |
| Cruciferae | Ring spot | benomyl | WP | 500 g/kg | Benomyl | 7291 | 3 | Volcano Agrosience /ta Arysta Lifescience SA |
| Cruciferae | Ring spot | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 3 | Castle Ag-Chem |
| Cruciferae | White blister | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 14 days | Syngenta SA |
| Cruciferae | White blister | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 14 days | Cedar Falls Properties 130 |
| Cruciferae | White blister | chlorothalonil/metalaxyl-M (mefenoxam) | SC | 500/37,5 g/l | Ridomil Gold Flo | 6669 | 14 days | Syngenta SA |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 3 days | Arysta Lifescience SA |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 3 days | Villa Crop Protection |
| Cruciferae | downy mildew | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 3 days | Hygrotech Properties |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 3 days | Hygrotech Properties |
| Cruciferae | Downy mildew | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 3 days | Gouws & Scheepers |
| Cruciferae | Downy mildew | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 3 days | Ag-Chem Africa |
| Cruciferae | Downy mildew | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 3 days | Ag-Chem Africa |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | SC | 538 g/l | CungFu 538 SC | 7526 | 3 | Nulandis |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 3 days | Plaaskem |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 3 days | Mitsui & Co Europe Plc |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 3 days | Nufarm Agriculture |
| Cruciferae | Bacterial spot; Downy mildew | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 3 days | Agri Registrations CC |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 3 days | Universal Crop Protection |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 3 days | Villa Crop Protection |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 3 days | Arysta Lifescience SA |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 3 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 3 days | Delta Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|-------------------------|-----|--------------|---------------------------|------|---------|--|
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 3 days | Castle Ag-Chem |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Cruciferae | Bacterial spot; Downy mildew | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 3 days | Agro-Serve t/a Efekto |
| Cruciferae | Bacterial spot; Downy mildew | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 7 days | Avima |
| Cruciferae | Alternaria leaf blight; Cercospora leaf spot; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Cruciferae | Bacterial spot | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Cruciferae | Clubroot disease | flusulfamide | SC | 220 g/l | Scablok | 5956 | - | Mitsui & Co Europe Plc |
| Cruciferae | Downy mildew | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 3 days | Total SA |
| Cruciferae | Downy mildew | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Cruciferae | Downy mildew | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agrosience SA |
| Cruciferae | Downy mildew | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 3 days | Total SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 3 days | Universal Crop Protection |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 14 days | Kombat |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agrosience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agrosience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 3 days | Castle Ag-Chem |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 3 days | Ag-Chem Africa |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 3 days | Crop Asure |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agrosience SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 3 days | Total SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Tridex | 5323 | 3 days | Total SA |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 3 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 3 days | Villa Crop Protection |
| Cruciferae | Downy mildew | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 3 days | Arysta Lifescience SA |
| Cruciferae | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 1 day | Syngenta SA |
| Cruciferae | Basal stem rot; Damping off; Downy mildew | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|--|-----|--------------------|---------------------|-------|--------------------------|--|
| Cruciferae | Ring spot | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 7 days | Syngenta SA |
| Cruciferae | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | Basic N | 6680 | | RT Chemicals |
| Cruciferae | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | Previcur-N | 3394 | | Bayer |
| Cruciferae | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | Proplant | 5831 | | Arysta Lifescience SA |
| Cruciferae | Black leaf spot; Ring spot; White blister | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 21 days | Bayer |
| Cucurbits | Anthracoise; Belly rot; Downy mildew; Leaf spot; Powdery mildew; Seedling disease | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 3 days | Syngenta SA |
| Cucurbits | Powdery mildew | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Cucurbits | Powdery mildew | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 3 days | Castle Ag-Chem |
| Cucurbits | Powdery mildew | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Cucurbits | Anthracoise; Belly rot; Downy mildew; Gummy stem blight; Leaf spot; Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 3 days; Patty pans 1 day | Syngenta SA |
| Cucurbits | Alternaria blight; Anthracnose; Belly rot; Downy mildew; Leaf blight; Leaf spot; Powder mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 3 days; Patty pans 1 day | Syngenta SA |
| Cucurbits | Damping off; Decay; Seedling blight | azoxystrobin/fludioxanil/metalaxyl-M/thiabendazole | FS | 15/37,5/30/300 g/l | Maxim Quattro | 9494 | 3 days | Syngenta SA |
| Cucurbits | Powdery mildew | Bacillus amyloliquefaciens | SL | 5x10(10) cfu/g | Amylo-X | 10051 | | Madumbi Sustainable Agriculture |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | 3 days | Makhro-Agro SA |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl | 7291 | 3 | Volcano Agrosience /ta Arysta Lifescience SA |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 3 days | Villa Crop Protection |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 3 days | Universal Crop Protection |
| Cucurbits | Powdery mildew | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 3 | Castle Ag-Chem |
| Cucurbits | Powdery mildew | borax/orange oil | SL | 10/50 g/l | Prev- Am | 7130 | | Oro Agri SA |
| Cucurbits | Powdery mildew | boscalid/kresoxim-methyl | SC | 200/100 g/l | Collis | 7489 | 7 | BASF SA |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | Nimrod | 1117 | 3 | Adama SA |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | Nobel 250 EC | 9234 | 3 | Villa Crop Protection |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | Nobits 250 EC | 9702 | 3 days | Crop Asure |
| Cucurbits | Powdery mildew | bupirimate | EC | 250 g/l | Notice 250 EC | 9233 | 3 | Universal Crop Protection |
| Cucurbits | Powdery mildew | bupirimate | EW | 250 g/l | Veto EW | 9656 | 3 | Meridian Agritech Co |
| Cucurbits | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Oscar | 4382 | 3 | Adama SA |
| Cucurbits | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Veto Plus | 9776 | 3 | Meridian Agritech Co |
| Cucurbits | Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Rambo | 7292 | 3 days | Bitrad Consulting |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------|---------------------------|-------------------------|-----|----------|---------------------------|------|--------|---|
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 500 g/l | Calonil 500 SC | 7701 | 3 days | Sidewalk Trading |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | 3 days | Plaaskem |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | 3 days | Universal Crop Protection |
| Cucurbits | Anthracnose, Downy mildew | chlorothalonil | SC | 500 g/l | Matrix | 7290 | 3 days | Bitrad Consulting |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | 3 days | Villa Crop Protection |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Bravo 720 | 4233 | 3 days | Agro-Serve t/a Efekto |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 3 days | Syngenta SA |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Clortosp 720 SC | 7108 | 3 days | Sipcam South Africa |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | 3 days | Makhro-Agro SA |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | 3 days | Villa Crop Protection |
| Cucurbits | Anthracnose, Downy mildew | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 3 days | Cedar Falls Properties 130 |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Mycoguard 720 SC | 8417 | 3 days | Arysta Lifescience SA |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | 3 days | Adama SA |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | 3 days | Universal Crop Protection |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | SC | 720 g/l | TalOnil 720 | 8935 | 3 days | Erintrade t/a RT Chemicals |
| Cucurbits | Anthracnose; Downy mildew | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | 3 days | Adama SA |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 3 days | Arysta Lifescience SA |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 3 days | Villa Crop Protection |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 3 days | Hygrotech Properties |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 3 days | Hygrotech Properties |
| Cucurbits | Downy mildew | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 3 days | Gouws & Scheepers |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 3 days | Universal Crop Protection |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 3 days | Villa Crop Protection |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 3 days | Arysta Lifescience SA |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cucurbits | downy mildew | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 3 days | Delta Chemicals |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 3 days | Castle Ag-Chem |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 3 days | Kombat |
| Cucurbits | Downy mildew | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 3 days | Agro-Serve t/a Efekto |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------|--|------------------------------------|-----|--------------|------------------------|------|--------|---|
| Cucurbits | Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Coppasulfa | 5726 | 3 days | Sunwood Chemicals |
| Cucurbits | Downy mildew; Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | Copper Sulphur | 3564 | 3 days | Orchard Agrikem |
| Cucurbits | Powdery mildew | cyflufenamid | EW | 50 g/l | Cyflamid | 9799 | 7 days | Arysta Lifescience SA |
| Cucurbits | Leaf blight; Leaf spot; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 1 day | Syngenta SA |
| Cucurbits | Cucumber wilt | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Cucurbits | Powdery Mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | 2 days | ICA International Chemicals |
| Cucurbits | Powdery mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | 2 days | ICA International Chemicals |
| Cucurbits | Powdery mildew | kresoxim-methyl | SC | 500 g/l | Ardent 50 SC | 7284 | 4 days | Adama SA |
| Cucurbits | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kreso 50 WG | 8266 | 4 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cucurbits | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Stroby WG | 5687 | 4 days | BASF SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 3 days | Total SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 3 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 3 days | Dow Agroscience SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 3 days | Total SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 3 days | Universal Crop Protection |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 3 days | Kombat |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 3 days | Dow Agroscience SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 3 days | Dow Agroscience SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 3 days | Castle Ag-Chem |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 3 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 3 days | Ag-Chem Africa |
| Cucurbits | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 3 days | Meridian Agritech Co |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 3 days | CropASURE |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 3 days | Dow Agroscience SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 3 days | Total SA |
| Cucurbits | Anthracnose; Downy mildew | mancozeb | WP | 800 g/kg | Tridex | 5323 | 3 days | Total SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------|-----------------------------------|-------------------------|-----|----------|---------------------|------|--------|---|
| Cucurbits | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 3 days | Nulandis |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 3 days | Villa Crop Protection |
| Cucurbits | Anthracoze; Downy mildew | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 3 days | Arysta Lifescience SA |
| Cucurbits | Downy mildew; Phytophthora blight | mandipropamid | SC | 250 g/l | Revus | 8617 | 1 day | Syngenta SA |
| Cucurbits | Damping off; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 5 days | Syngenta SA |
| Cucurbits | Powdery mildew | organic plant acids | SL | 19 g/l | Kanguard 940 | 7421 | 1 day | Kannar CC |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | Excalibur 200 EW | 7493 | 7 days | Villa Crop Protection |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | Pencomax 200 EW | 7879 | 7 days | Meridian Agritech Co |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | Penconazole 200 EW | 7492 | 7 days | Universal Crop Protection |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | Penconazole 200 EW | 8092 | 7 days | Crop Asure |
| Cucurbits | Powdery mildew | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 7 days | Syngenta SA |
| Cucurbits | Powdery mildew | potassium bicarbonate | SP | 850 g/kg | Agri-Cure SP | 8549 | | Natrol |
| Cucurbits | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | Basic N | 6680 | 3 days | RT Chemicals |
| Cucurbits | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | Previcur-N | 3394 | 3 days | Bayer |
| Cucurbits | Downy mildew; Soil pathogens | propamocarb-HCl | SL | 722 g/l | Proplant | 5831 | | Arysta Lifescience SA |
| Cucurbits | Powdery mildew | proquinazid | | 200 g/l | Talendo | 8116 | 3 days | Du Pont de Nemours |
| Cucurbits | Powdery mildew | quinoxifen | SC | 250 g/l | Legend 250 SC | 6840 | 3 days | Dow Agroscience SA |
| Cucurbits | Powdery mildew | quinoxifen | SC | 250 g/l | Proxima | 8696 | 3 days | Meridian Agritech Co |
| Cucurbits | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | | Ag-Chem Africa |
| Cucurbits | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | | Universal Crop Protection |
| Cucurbits | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | | Ag-Chem Africa |
| Cucurbits | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | | Orchard Agrikem |
| Cucurbits | Powdery mildew | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Cucurbits | Powdery mildew | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Cucurbits | Powdery mildew | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Cucurbits | Powdery mildew | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Cucurbits | powdery mildew | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | Kumululus | 2404 | | BASF SA |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------|--|------------------------------|-----|--------------|---------------------------|------|-------------|-----------------------------|
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Cucurbits | Powdery mildew | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Cucurbits | Powdery mildew | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Cucurbits | Post harvest decay | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |
| Cucurbits | Post harvest rot | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Cucurbits | Post harvest decay | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Cucurbits | Powdery mildew | triforine | EC | 190 g/l | Deparin EC | 5210 | 1 day | Sumitomo Corporation |
| Cucurbits | Powdery mildew | triforine | EC | 190 g/l | Funginex | 2469 | 1 day | Agro-Serve t/a Efekto |
| Cucurbits (musk melon) | Post harvest decay | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Cucurbits (musk melon) | Post harvest decay | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |
| Cucurbits (patty pans) | Powdery mildew | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 1 day | Syngenta SA |
| Figs | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 5241 | | Sunwood Chemicals |
| Figs | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |
| Forage grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Forage grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Garlic | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Garlic | Botrytis rot; Leaf blight; Leaf spot; Powdery midlew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Garlic | Botrytis leaf blight; Neck rot; Purple blotch | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 7 days | Syngenta SA |
| Garlic | Black mould; Botrytis leaf blight; Neck rot; Purple blotch; Stemphyllium leaf blight | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Garlic | Pink root; White bulb rot | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Garlic | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 7 days | Syngenta SA |
| Garlic | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Garlic | Botrytis; Purple blotch | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | 3 days | ICA International Chemicals |
| Garlic | Purple blotch; Rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 21 days | Bayer |
| Ginger | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 - 14 days | Syngenta SA |
| Ginger | Black dot; Early blight; Rust; Septoria leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Ginger | Leaf spot | iprodione | SC | 255 g/l | Rovral Flo | 1046 | 28 days | FMC Chemicals |
| Ginger | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------|--|-----------------------------|-----|----------------|---------------------------|-------|----------|---|
| Gooseberries | Botrytis rot | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 3 days | Bayer |
| Granadillas | Anthrachnose; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 3 days | Universal Crop Protection |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 3 days | Villa Crop Protection |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 3 days | Arysta Lifescience SA |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 3 days | Delta Chemicals |
| Granadillas | Leaf and fruit spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 3 days | Castle Ag-Chem |
| Granadillas | Leaf & Fruit spot | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 3 days | Kombat |
| Grapes | Downy mildew | ametoctradin/dimethomorph | SC | 300/225 g/l | Orvego | 9185 | 21 | BASF SA |
| Grapes | Downy mildew | ammonium phosphite | SL | 386 g/l | Brilliant 300 SL | 7226 | 28 | Nippon Africa Chemicals |
| Grapes | Downy mildew | ammonium phosphite | SL | 386 g/l | Brilliant SL | 7225 | 28 | Arysta Lifescience SA |
| Grapes | Powdery mildew | Ampelomyces quisqualis | WG | 580 g/kg | AQ-10 Biofungicide | 6118 | | Chempac |
| Grapes | Downy mildew | ascorbic acid | SL | 100 g/l | Bio-Protector | 7038 | | Agro Organics |
| Grapes | Botrytis rot | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 14 days | Castle Ag-Chem |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | Aztrix 250 SC | 9574 | | Wentek Chemicals |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | Nanok 250 SC | 8893 | | Cheminova |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | Essence 500 WDG | 8956 | T14 days | Villa Crop Protection |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | Monarch 500 WDG | 8955 | T14 days | Universal Crop Protection |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | Quadris 50 WG | 5605 | 14 | Syngenta SA |
| Grapes | Downy mildew; Powdery mildew | azoxystrobin | WG | 500 g/kg | Strovine | 8953 | 14 days | Crop Asure |
| Grapes | Downy mildew; Powdery mildew | Bacillus amyloliquefaciens | SL | 5x10(10) cfu/g | Amylo-X | 10051 | | Madumbi Sustainable Agriculture |
| Grapes | Botrytis rot; Powdery mildew (not mentioned in text) | bacillus subtilis DB 101 | SC | 5x10(7) CFU/g | Shelter | 7457 | | Dagutat Biolab |
| Grapes | Botrytis rot; Powdery mildew (not mentioned in text) | bacillus subtilis DB 102 | SC | 1x10(8) CFU/g | Artemis | 7455 | | Dagutat Biolab |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|------------------------------|--|-----|---------------|-----------------------|------|-------------------------|---|
| Grapes | Botrytis rot | Bacillus subtilis strain QST 713 | SC | 1,34% w/w | Serenade ASO | 8544 | | Bayer |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl | 7291 | T4-6 weeks; W14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | T4-6 weeks; W14 days | Villa Crop Protection |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | T4-6 weeks; W14 days | Universal Crop Protection |
| Grapes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 14 days - 6 weeks | Castle Ag-Chem |
| Grapes | Downy mildew | benthiavalicarb- isopropyl/mancozeb | WG | 17,5/700 g/kg | Valbon WG | 7681 | 28 | Mitsui & Co Europe Plc |
| Grapes | Downy mildew, Powdery mildew | borax/orange oil | SL | 10/50 g/l | Prev- Am | 7130 | | Oro Agri SA |
| Grapes | Botrytis; Powdery mildew | boscalid | SC | 500 g/kg | Basis SC | 9775 | 28 days | Meridian Agritech Co |
| Grapes | Botrytis rot; Powdery mildew | boscalid | WG | 500 g/kg | Cantus WG | 7444 | 28 | BASF SA |
| Grapes | Powdery mildew | boscalid/kresoxim-methyl | SC | 200/100 g/l | Collis | 7489 | 28 | BASF SA |
| Grapes | Powdery mildew | boscalid/kresoxim-methyl | SC | 200/100 g/l | Mascot | 9777 | 28 | Meridian Agritech Co |
| Grapes | Anthracoze | captab | WG | 800 g/kg | Captan 800 WG | 9345 | T4-6 weeks | Sharda International Africa |
| Grapes | Anthracoze | captab | WG | 800 g/kg | Merpan 80 WDG | 5456 | T4-6 weeks | Adama SA |
| Grapes | Anthracoze | captab | WP | 500 g/kg | Captab WP | 6758 | T4-6 weeks | Universal Crop Protection |
| Grapes | Anthracoze | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | T4-6 weeks | Agro-Serve t/a Efekto |
| Grapes | Anthracoze | captab | WP | 500 g/kg | Thor 500 WP | 7691 | T4-6 weeks | Ag-Chem Africa |
| Grapes | Anthracoze | captan | WG | 800 g/kg | Captan 800 WG | 9249 | T4-6 weeks | Meridian Agritech Co |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | Ag-Carbendazim 500 SC | 8870 | 4-6 weeks | Ag-Chem Africa |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | Bendazid 500 SC | 6961 | 4-6 weeks | Nulandis |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | Knowin 500 SC | 7027 | 4-6 weeks | Nulandis |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | Nova CBZ 500 SC | 9819 | 4-6 weeks | AgriNova Trust |
| Grapes | Botrytis rot | carbendazim | SC | 500 g/l | Zimbo | 9429 | 4-6 weeks | Meridian Agritech Co |
| Grapes | Botrytis rot | carbendazim/tebuconazole | SC | 133/167 g/l | Folicur C 300 SC | 4602 | | Bayer |
| Grapes | Downy mildew | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | T4-6 weeks; W21 days | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--|-------------------------|-----|----------------------------|-----------------------------|------|---------------------------|---------------------------|
| Grapes | Downy mildew | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | T4-6 weeks; W21 days | Villa Crop Protection |
| Grapes | Downy mildew; Powdery mildew | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | T4-6 weeks; W21 days | Hygrotech Properties |
| Grapes | Downy mildew; Powdery mildew | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | T4-6 weeks; W21 days | Hygrotech Properties |
| Grapes | Downy mildew | copper ammonium acetate | SL | 686 g/l | Copper Clear | 7194 | T4-6 weeks | Ag-Chem Africa |
| Grapes | Downy mildew | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | T4-6 weeks; W21 days | Gouws & Scheepers |
| Grapes | Downy mildew | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | T4-6 weeks; W21 days | Ag-Chem Africa |
| Grapes | Downy mildew | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | T 4-6 weeks; W 21 days | Ag-Chem Africa |
| Grapes | Downy mildew | copper hydroxide | SC | 538 g/l | StopBac | 8797 | T4-6 weeks; W21 days | Plaaskem |
| Grapes | Downy mildew | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | T4-6 weeks; W21 days | Nulandis |
| Grapes | Downy mildew | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | T4-6 weeks; W21 days | Mitsui & Co Europe Plc |
| Grapes | Downy mildew | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | W21 days | Nufarm Agriculture |
| Grapes | Downy mildew | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | T4-6 weeks; W21 days | Agri Registrations CC |
| Grapes | Downy mildew | copper oxychloride | SC | 700 g/l | NanoGreen SC | 8980 | 28-42 days | Arysta Lifescience SA |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | T28-42 days; W21 days | Universal Crop Protection |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | T28-42 days; W21 days | Villa Crop Protection |
| Grapes | Anthracnose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | T28-42 days; W21 days | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|------------------------------|-----|--------------|---------------------------|------|-----------------------|---|
| Grapes | Anthraco-nose; Bacterial blight; Botrytis rot; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | T28-42 days; W21 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Anthraco-nose; Bacterial blight; Dead arm disease; Downy mildew | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | T4-6 weeks; W21 days | Delta Chemicals |
| Grapes | Botrytis rot; Downy mildew | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | T28-42 days; W21 days | Castle Ag-Chem |
| Grapes | Anthraco-nose; Bacterial blight; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 3-6 weeks | Kombat |
| Grapes | Anthraco-nose; Bacterial blight; Dead-arm; Downy mildew | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 4-6 weeks | Agro-Serve t/a Efekto |
| Grapes | Downy mildew | copper oxychloride/cymoxanil | WP | 689/40 g/kg | Copcanil | 6924 | T4-6 weeks; W28 days | Sipcam South Africa |
| Grapes | Anthraco-nose; Bacterial blight; Botrytis rot; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Coppasulfa | 5726 | 4-6 weeks | Sunwood Chemicals |
| Grapes | Anthraco-nose; Bacterial blight; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Copsul Dust | 3655 | T3 days; W4-6 weeks | Applied Chemical Products |
| Grapes | Anthraco-nose; Bacterial blight; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Cu-Sul Dust | 6664 | T3 days; W4-6 weeks | JCJ Agri Chem |
| Grapes | Anthraco-nose; Bacterial blight; Botrytis rot; Dead arm disease; Downy mildew; Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | Copper Sulphur | 3564 | T3 days; W4-6 weeks | Orchard Agrikem |
| Grapes | Downy mildew | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | T4-6 weeks; W21 days | Ag-Chem Africa |
| Grapes | Downy mildew | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | T4-6 weeks; W21 days | Arysta Lifescience SA |
| Grapes | Downy mildew | copper sulphate/lime | WG | 711/289 g/kg | Cuprofix Ultra | 8888 | T60 days; W42 days | Total SA |
| Grapes | Anthraco-nose; Bacterial blight; Dead arm disease; Downy mildew | copper sulphate/lime | WG | 770/174 g/kg | Cuprofix Disperss | 6784 | T4-6 weeks; W21 days | Chempac |
| Grapes | Downy mildew | copper/mancozeb | WG | 120/300 g/kg | Cuprofix 30 Disperss | 7893 | T4-6 weeks; W14 days | Total SA |
| Grapes | Downy mildew | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 45 days | Avima |
| Grapes | Downy mildew | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 45 days | Avima |
| Grapes | Downy mildew | cymoxanil | SC | 300 g/l | Vidac Flo | 9688 | 28 days | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---------------------------------|------------------------------------|-----|----------------|---------------------|-------|-------------------------|-----------------------------|
| Grapes | Downy mildew | cymoxanil | WG | 500 g/kg | Cymox | 10160 | 14 | Sipcam South Africa |
| Grapes | Downy mildew | cymoxanil | WG | 600 g/kg | Curzate 600 WG | 10150 | 28 | Du Pont De Nemours |
| Grapes | Downy mildew | cymoxanil/famoxadone | WG | 300/225 g/kg | Equation Pro | 6677 | 28 | Du Pont de Nemours |
| Grapes | Downy mildew | cymoxanil/famoxadone/folpet | WG | 80/40/333 g/kg | Tanos Pro | 8456 | T4-6 weeks; W28 days | Du Pont de Nemours |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Controller | 6783 | T*; W14 days | RT Chemicals |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Curzate Pro | 5698 | T4-6 weeks; W14 days | Du Pont de Nemours |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Cymax M WP | 7680 | T4-6 weeks; W14 days | Meridian Agritech Co |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Cymoxazeb WP | 7694 | T4-6 weeks; W14 days | Villa Crop Protection |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Fungarrest | 7693 | T4-6 weeks; W14 days | Universal Crop Protection |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Macoxanil | 8628 | T4-6 weeks; W14 days | CropASURE |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Micexanil | 6322 | 4-6 weeks | Sipcam South Africa |
| Grapes | Downy mildew | cymoxanil/mancozeb | WP | 60/700 g/kg | Zetanil | 6036 | T4-6 weeks; W14 days | Sipcam South Africa |
| Grapes | Downy mildew | cymoxanil/propineb | WP | 60/700 g/kg | Milraz 76 WP | 2879 | T4-6 weeks; W14 days | Bayer |
| Grapes | Botrytis | cyprodinil | WG | 500 g/kg | Chant 500 WDG | 8958 | 28 days (T) | Universal Crop Protection |
| Grapes | Botrytis | cyprodinil | WG | 500 g/kg | Choir 500 WDG | 8957 | 28 days (T) | Villa Crop Protection |
| Grapes | Botrytis | cyprodinil | WG | 500 g/kg | Cronil 500 WDG | 9018 | 28 days | CropASURE |
| Grapes | Botrytis rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | Cyprocide WG | 9058 | 28 days | Meridian Agritech Co |
| Grapes | Botrytis | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 28 days | Syngenta SA |
| Grapes | Dieback pathogens; Downy mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | 14-21 days | ICA International Chemicals |
| Grapes | Dieback pathogens; Downy mildew | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | 14-21 days | ICA International Chemicals |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 28 days | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|----------------|-----------------------|-----|---------------|-----------------------|-------|---------------------|---|
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 28 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Dicati | 8414 | 28 days | Sharda International Africa |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 28 days | Crop Asure |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Difenoconazole 250 EC | 10087 | 28 days | Bitrad Kaap |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 28 days | Adama SA |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 28 days | Universal Crop Protection |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Granado | 9767 | 28 days | DNA Crop Protection |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 28 days | Sidewalk Trading |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Pronto 250 EC | 7602 | 28 days | Meridian Agritech Co |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 28 days | Villa Crop Protection |
| Grapes | Powdery mildew | difenoconazole | EC | 250 g/l | Score | 5132 | 28 days | Syngenta SA |
| Grapes | Downy mildew | dimethomorph | SC | 500g/l | Sovrin Flo | 7601 | 21-56 | Meridian Agritech Co |
| Grapes | Downy mildew | dimethomorph/folpet | WG | 113/600 g/kg | Sphinx Extra WG | 9294 | T56 | Adama SA |
| Grapes | Downy mildew | dimethomorph/mancozeb | WG | 90/600 g/kg | Acrobat WG | 6526 | T56; W14 | BASF SA |
| Grapes | Downy mildew | dimethomorph/mancozeb | WP | 90/600 g/kg | Decorus WP | 8726 | 56 days | Crop Asure |
| Grapes | Downy mildew | dimethomorph/mancozeb | WP | 90/600 g/kg | Dimethozeb 690 WP | 7985 | 56 | Universal Crop Protection |
| Grapes | Downy mildew | dimethomorph/mancozeb | WP | 90/600 g/kg | Vimethozeb 690 WP | 7986 | 56 | Villa Crop Protection |
| Grapes | Downy mildew | dithianon | SC | 400 g/l | Detect 400 SC | 9238 | 21 days | Universal Crop Protection |
| Grapes | Downy mildew | dithianon | SC | 400 g/l | Inspect 400 SC | 9182 | 21 days | Villa Crop Protection |
| Grapes | Downy mildew | dithianon | WG | 700 g/kg | Alaris WG | 9102 | 21 days | Meridian Agritech Co |
| Grapes | Downy mildew | fenamidone/fosetyl-Al | WG | 44,4/667 g/kg | Verita Fenomen | 6625 | T49 days; W 28 days | Bayer |
| Grapes | Downy mildew | fenamidone/mancozeb | WG | 100/500 g/kg | No-Blite | 6681 | T49 days; W 28 days | Bayer |
| Grapes | Powdery mildew | fenarimol | EC | 120 g/l | Rubigan | 5228 | 14 days | Klub M5 |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | Electron 500 SC | 9637 | T3 days; W7 days | Villa Crop Protection |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | Femida 500 SC | 9638 | T3 days; W7 days | Universal Crop Protection |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | Fright 500 SC | 9934 | T3 days; W7 days | Crop Asure |
| Grapes | Botrytis rot | fenhexamid | SC | 500 g/l | Teldor 500 SC | 6250 | T3 days; W7 days | Bayer |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|-------------------------|-----|-----------------|------------------|------|-------------------------|---|
| Grapes | Downy mildew | fluopicolide/fosetyl-Al | WG | 44,4/666,7 g/kg | Profiler | 8596 | 28 days | Bayer |
| Grapes | Botrytis rot; Powdery mildew; Sour rot | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 3 days | Bayer |
| Grapes | Powdery mildew | fluopyram/tebuconazole | SC | 200/200 g/l | Luna Experience | 9436 | 4 - 6 weeks | Bayer |
| Grapes | Powdery mildew | flusilazole | WG | 200 g/kg | Flustar WG | 8419 | 21 days | Meridian Agritech Co |
| Grapes | Powdery mildew | flutriafol/tebuconazole | SC | 75/225 g/l | Topguard 300 SC | 9198 | 28 days | Cheminova (Disa Bio-Technologies CC) |
| Grapes | Botrytis rot; Downy mildew; Deadarm | folpet | SC | 500 g/l | Figure 500 SC | 9920 | W14 days | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | folpet | SC | 500 g/l | Fixed 500 SC | 9953 | W14 days | CropASURE |
| Grapes | Anthracoze; Botrytis rot; Deadarm disease; Downy mildew | folpet | SC | 500 g/l | Folpan 500 SC | 4662 | T4-6 weeks; W14 days | Adama SA |
| Grapes | Botrytis rot; Downy mildew; Deadarm | folpet | SC | 500 g/l | Fortune 500 SC | 9918 | W14 days | Villa Crop Protection |
| Grapes | Anthracoze; Botrytis rot; Deadarm; Downy mildew | folpet | SC | 500 g/l | Valeo 500 SC | 9086 | W14 days | Meridian Agritech Co |
| Grapes | Anthracoze; Botrytis rot; Deadarm disease; Downy mildew | folpet | WG | 800 g/kg | Folpan 80 WDG | 5333 | T4-6 weeks; W14 days | Adama SA |
| Grapes | Root rot | fosetyl-Al | WG | 800 g/kg | Aliette WG | 5689 | | Bayer |
| Grapes | Downy mildew | fosetyl-Al | WG | 800 g/kg | Fostonic 80 WP | 8322 | 28 | Arysta Lifescience SA |
| Grapes | Powdery mildew | furfural | EC | 990 g/l | Defend | 7719 | | Illovo Sugar |
| Grapes | Powdery mildew | hexaconazole | SC | 50 g/l | Optan 50 SC | 7878 | 7 days | Meridian Agritech Co |
| Grapes | Powdery mildew | hexaconazole | SC | 50 g/l | Richter | 6978 | 7 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Grapes | Grey mold (Botrytis) | iprodione | DP | 30 g/kg | Rovral Talc | 1216 | 3 days | FMC Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 255 g/l | Iprodione 255 | 7340 | W21 days | Erintrade t/a RT Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 255 g/l | Rovral Flo | 1046 | W7 days | FMC Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | Ipro 500 SC | 8961 | 7 days | CropASURE |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | Iprodione 500 SC | 8459 | 7 days | Universal Crop Protection |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | T3 days; W7 days | ICA International Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | Iprone 500 SC | 8452 | T3 days; W7 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Botrytis | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | T3 days | Ag-Chem Africa |
| Grapes | Botrytis | iprodione | SC | 500 g/l | Prodione | 7222 | T3 days; W7 days | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--------------------------------|-----------------------|-----|---------------|-------------------------|-------|----------------------|---|
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | Roflo | 9573 | T3 days; W7 days | Wentek Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | Rovral Aquaflo | 5140 | T3 days | FMC Chemicals |
| Grapes | Botrytis rot | iprodione | SC | 500 g/l | Taurus 500 SC | 8499 | 7 days | Villa Crop Protection |
| Grapes | Downy mildew | iprovalicarb | SC | 250 g/l | Argento | 10036 | 28 days | Meridian Agritech Co |
| Grapes | Downy mildew | iprovalicarb/propineb | WG | 55/612,5 g/kg | Melody Care 66,75 WG | 6715 | W28 days | Bayer |
| Grapes | Downy mildew | iprovalicarb/propineb | WG | 90/600 g/kg | Melody Duo 69 WG | 6714 | W28 | Bayer |
| Grapes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | Arden 50 SC | 7284 | 14 days | Adama SA |
| Grapes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | Vista Flo | 8208 | 14 days | Meridian Agritech Co |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kreso 50 WG | 8266 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kreso WDG | 8193 | 28 days | Villa Crop Protection |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kresoxim-Methyl 500 WDG | 8194 | 28 days | Universal Crop Protection |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Oxim 500 WDG | 8574 | 28 day | CropASURE |
| Grapes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Stroby WG | 5687 | 14 days | BASF SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 420 g/l | Pennfluid | 7733 | T4-6 weeks; W14 days | Total SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 4-6 weeks | Volcano Agrosience /ta Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 455 g/l | Multizeb 455 SC | 9174 | T4-6 weeks | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 455 g/l | Newzeb 455 SC | 9175 | T4-6 weeks | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 480 g/l | Newzeb 480 SC | 9178 | T4-6 weeks | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | SC | 480 g/l | Unizeb 480 SC | 9179 | T4-6 weeks | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | T4-6 weeks; W14 days | Dow Agrosience SA |
| Grapes | Dead arm disease, Downy mildew | mancozeb | WG | 750 g/kg | Newzeb 750 WDG | 8811 | T4-6 weeks; W14 days | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | T4-6 weeks; W14 days | Total SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--------------------------------|----------|-----|----------|---------------------------|------|-------------------------|---|
| Grapes | Dead arm disease, Downy mildew | mancozeb | WG | 750 g/kg | Villa Unizeb 750 WDG | 8812 | T4-6 weeks; W14 days | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 750 g/kg | Cozeb 750 WDG | 8964 | T4-6 weeks | Crop Asure |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | T4-6 weeks; W14 days | Universal Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 4-6 weeks | Kombat |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | T4-6 weeks; W14 days | Dow Agroscience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | T4-6 weeks; W14 days | Dow Agroscience SA |
| Grapes | Downy mildew | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | T4-6 weeks; W14 days | Castle Ag-Chem |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | T4-6 weeks; W14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | T4-6 weeks; W14 days | Ag-Chem Africa |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | T4-6 weeks; W14 days | Meridian Agritech Co |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | T4-6 weeks; W14 days | Crop Asure |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | T4-6 weeks; W14 days | Dow Agroscience SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | T4-6 weeks; W14 days | Total SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Tridex | 5323 | T4-6 weeks; W14 days | Total SA |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | T4-6 weeks; W14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | T4-6 weeks; W14 days | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--------------------------------|------------------------|-----|--------------|-----------------------|------|-------------------------|---|
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | T4-6 weeks; W14 days | Villa Crop Protection |
| Grapes | Dead arm disease; Downy mildew | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | T4-6 weeks; W14 days | Arysta Lifescience SA |
| Grapes | Downy mildew | mancozeb/mandipropamid | WG | 600/50 g/kg | Pergado MZ | 8686 | 4-6 weeks | Syngenta SA |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Crater MX 700 WP | 8427 | T56 days; W21 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Kickback 700 WP | 7105 | T56 days; W21 days | Bitrad Consulting |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Mancolax 700 WP | 7382 | T56 days; W21 days | Gouws & Scheepers (Plaaskem) |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7462 | T56 days; W21 days | Universal Crop Protection |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7463 | T56 days; W21 days | Villa Crop Protection |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Milor 700 WP | 5884 | T56 days; W21 days | Rotam RSA |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Rolim 700 WP | 7609 | T56 days; W21 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Grapes | Downy mildew | mancozeb/metalaxyl | WP | 600/100 g/kg | Sanlaxyl 700 WP | 6100 | T56 days; W21 days | Dow Agroscience SA |
| Grapes | Downy mildew | mancozeb/metalaxyl- m | WG | 640/40 g/kg | Ridomil Gold Pepite | 7191 | T56 days; W21 days | Syngenta SA |
| Grapes | Dead arm disease; Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 4-6 weeks | Applied Chemical Products |
| Grapes | Dead arm disease; Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | T4-6 weeks | Arysta Lifescience SA |
| Grapes | Dead arm disease; Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 4-6 weeks | Arysta Lifescience SA |
| Grapes | Powdery mildew | meptyldinocap | EC | 350 g/l | Karathane Star 350 EC | 8640 | W21 days | Dow Agroscience SA |
| Grapes | Downy mildew | metiram | WG | 700 g/kg | Polyram WG | 5268 | 14 days | BASF SA |
| Grapes | Downy mildew; Powdery mildew | metiram/pyraclostrobin | WG | 550/50 g/kg | Cabrio Top | 7429 | 35 days | BASF SA |
| Grapes | Powdery mildew | metrafenone | SC | 500 g/l | Vivando | 8352 | T28 days; W56 days | BASF SA |
| Grapes | Botrytis rot; Powdery mildew | organic plant acids | SL | 19 g/l | Kanguard 940 | 7421 | 1 day | Kannar CC |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | Captain | 7778 | T28 days; W14 days | Erintrade t/a RT Chemicals |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | Excalibur 200 EW | 7493 | 14 days | Villa Crop Protection |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | Pencomax 200 EW | 7879 | 14 days | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---------------------------------------|-----------------------|-----|----------|--------------------|-------|----------------------|---------------------------|
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | Penconazole 200 EW | 7492 | 14 days | Universal Crop Protection |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | Penconazole 200 EW | 8092 | 14 days | CropASURE |
| Grapes | Powdery mildew | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 14 days | Syngenta SA |
| Grapes | Anthraco-nose; Dead arm disease | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 4230 | | Agro-Serve t/a Efekto |
| Grapes | Dead arm disease | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 7686 | | Delta Chemicals |
| Grapes | Powdery mildew | potassium bicarbonate | SP | 850 g/kg | Agri-Cure SP | 8549 | | Natrol |
| Grapes | Downy mildew | potassium phosphate | SL | 560 g/l | Leafmaster 400 SL | 7804 | 28 days | Ocean Agriculture |
| Grapes | Downy mildew | potassium phosphite | SL | 370 g/l | Phosguard 200 SL | 6635 | 28 days | Ocean Agriculture |
| Grapes | Downy mildew | potassium phosphite | SL | 555 g/l | Fighter | 7330 | 28 days | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 555 g/l | Inteli-Phite | 9859 | 28 days | Ag-Chem Africa |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | Leafguard 400 SL | 7803 | 28 days | Nulandis |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | Mariphos 400 SL | 7961 | 28 days | Arysta Lifescience SA |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | Phosguard 400 SL | 6477 | 28 days | Nulandis |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | Phosphite 400 SL | 7468 | 28 days | Villa Crop Protection |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | Potassium P 400 SL | 8091 | 28 days | CropASURE |
| Grapes | Downy mildew | potassium phosphite | SL | 560 g/l | Rootex 400 SL | 7467 | 28 days | Universal Crop Protection |
| Grapes | Downy mildew | potassium phosphite | SL | 586 g/l | Hygrophos 400 | 7949 | 28 days | Hygrotech Properties |
| Grapes | Downy mildew | potassium phosphite | SL | 586 g/l | Wenphos | 9201 | 28 days | Hygrotech Properties |
| Grapes | Downy mildew | potassium phosphite | SL | 600 g/l | Fosfonex 400 SL | 9740 | 21 days | In-line Trading 112 |
| Grapes | Downy mildew | potassium phosphite | SL | 605 g/l | Ag-Phos 400 SL | 8216 | 28 days | Ag-Chem Africa |
| Grapes | Botrytis rot | procymidone | SC | 250 g/l | Procyone 250 SC | 8394 | W7 days | Universal Crop Protection |
| Grapes | Botrytis rot | procymidone | SC | 250 g/l | Sumislex SC | 6377 | T5 days; W7 days | Philagro South Africa |
| Grapes | Botrytis rot | procymidone | SC | 250 g/l | Typhoon 250 SC | 8397 | W7 days | Villa Crop Protection |
| Grapes | Botrytis rot | procymidone | SC | 500g/l | Hit 500 SC | 7575 | T5 days; W7 days | Dow Agrosience SA |
| Grapes | Anthraco-nose; Dead arm; Downy mildew | propineb | WP | 700 g/kg | Antracol 70 WP | 2065 | T4-6 weeks; W14 days | Bayer |
| Grapes | Powdery mildew | proquinazid | | 200 g/l | Talendo | 8116 | 28 days | Du Pont de Nemours |
| Grapes | Downy mildew; Powdery mildew | pyraclostrobin | EC | 250 g/l | Cabrio | 6818 | T*; W28 | BASF SA |
| Grapes | Downy mildew; Powdery mildew | pyraclostrobin | EC | 250 g/l | Costra 250 EC | 9507 | 28 days | CropASURE |
| Grapes | Downy mildew; Powdery mildew | pyraclostrobin | EC | 250 g/l | Pyrax | 10376 | 28 days | Meridian Agrochemical Co |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | Botrynil | 8271 | 35 days | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--------------------|----------------|-----|----------|-----------------------------|-------|-------------------------|--------------------------------|
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | Origin 400 SC | 9698 | 35 days | Crop Asure |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | T7 days; W35 days | ICA International Chemicals |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | Pyrimet 400 SC | 9575 | T7 days; W35 days | Wentek Chemicals |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | Pyrus 400 SC | 8297 | 35 days | Arysta Lifescience SA |
| Grapes | Botrytis | pyrimethanil | SC | 400 g/l | Scala | 4972 | 35 days | Bayer |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | Source 400 SC | 9283 | 35 days | Universal Crop Protection |
| Grapes | Botrytis rot | pyrimethanil | SC | 400 g/l | Support 400 SC | 9282 | 35 days | Villa Crop Protection |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | Fable 250 SC | 9733 | 21 days | Villa Crop Protection |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | Legend 250 SC | 6840 | 21 days | Dow Agrosience SA |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | Lore 250 SC | 9732 | 21 days | Universal Crop Protection |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | Proxima | 8696 | 21 days | Meridian Agritech Co |
| Grapes | Powdery mildew | quinoxifen | SC | 250 g/l | Edge 250 SC | 9936 | 21 days | Crop Asure |
| Grapes | Powdery mildew | salicylic acid | EW | 200 g/kg | Bio-Build | 7039 | | Agro Organics |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Flourish 500 EC | 9164 | W21 days | Universal Crop Protection |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Potential 500 EC | 9161 | W21 days | Villa Crop Protection |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Prosper 500 EC | 6252 | T4-6 weeks; W21 days | Bayer |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Spiral 500 EC | 7982 | 21 days | Meridian Agritech Co |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Spirox 500 EC | 9778 | T4-6 weeks; W21 days | Arysta Lifescience SA |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Spiroxamine 500 EC | 10181 | W21 days | Bitrad Agri |
| Grapes | Powdery mildew | spiroxamine | EC | 500 g/l | Vision 500 EC | 9510 | W21 days | Crop Asure |
| Grapes | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | 6 weeks | Ag-Chem Africa |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | W4-6 weeks | Universal Crop Protection |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | W4-6 weeks | Ag-Chem Africa |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | W4-6 weeks | Orchard Agrikem |
| Grapes | Powdery mildew | sulphur | DP | 980 g/kg | Vine and Dusting Sulphur | 1252 | W4-6 weeks | Plaaskem |
| Grapes | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 5241 | | Sunwood Chemicals |
| Grapes | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------|---|------------------------------|-----|--------------|---------------------|-------|-------------------------|---------------------------|
| Grapes | Powdery mildew | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | 4-6 weeks | Applied Chemical Products |
| Grapes | Powdery mildew | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Grapes | Powdery mildew | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | T6 weeks | Agro-Serve t/a Efekto |
| Grapes | Powdery mildew | sulphur | SC | 800 g/l | SulfoStar | 6982 | 6 weeks | Ag-Chem Africa |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Cosavet | 6355 | 4 - 6 weeks | Sulphur Chemical Mills |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Kumulus | 2404 | 2-6 weeks | BASF SA |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | 4-6 weeks | Total SA |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Striker | 6628 | 4-6 weeks | Chempac |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | 4-6 weeks | Villa Crop Protection |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | 4 - 6 weeks | Sunwood Chemicals |
| Grapes | Powdery mildew | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | 6 weeks | Syngenta SA |
| Grapes | Powdery mildew | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | W4-6 weeks | Sunwood Chemicals |
| Grapes | Powdery mildew | tea tree extract | EC | 222,5 g/l | Timorex Gold | 10140 | | Adama SA |
| Grapes | Powdery mildew | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 42 days | Cheminova |
| Grapes | Powdery mildew | tebuconazole/trifloxystrobin | WG | 500/250 g/kg | Flint Max | 8827 | 4-6 weeks | Bayer |
| Grapes | Powdery mildew | tetraconazole | EC | 100 g/l | Domark 100 EC | 6757 | 14 | Isagro SA |
| Grapes | Powdery mildew | tetraconazole | EC | 100 g/l | Tetris EC | 8774 | 14 days | Meridian Agritech Co |
| Grapes | Powdery mildew | tetraconazole | EW | 100 g/l | Tetris EW | 8773 | 14 days | Meridian Agritech Co |
| Grapes | Botrytis rot | thiram | WG | 800 g/kg | Thiram Granuflo 80% | 5983 | T48 days; W40 days | D&J Agro Pesticides |
| Grapes | Powdery mildew | triadimenol | EC | 250 g/l | Shavit 25 EC | 5601 | 14 days | Adama SA |
| Grapes | Powdery mildew | trifloxystrobin | WG | 500 g/kg | Foxy 500 WDG | 9512 | T4-6 weeks; W14 days | Crop Assure |
| Grapes | Downy mildew | zoxamide | SC | 240 g/l | Zoxium 240 SC | 7908 | 28 days | Klub M5 |
| Grasses grown for seed | Ergot stem diseases; Grey leaf spot; Powdery mildew; Rust | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 8 days | Syngenta SA |
| Grazing and forage | Seedling diseases | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 60 days | Syngenta SA |
| Green peppers | Powdery mildew | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | 3 days | Makhro-Agro SA |
| Groundnuts | Leaf spot diseases | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 28 days | Syngenta SA |
| Groundnuts | Early leaf spot; Web blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Azur Opti 660 SC | 10021 | 28 days | Almond Agro Chemicals |
| Groundnuts | Leaf spot diseases (Early leaf spot; Web blotch) | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 28 days | Syngenta SA |
| Groundnuts | Early leaf spot; Web blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | Azur Top 325 SC | 9867 | 28 days | Almond Agro Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|---|----------------------------|-----|--------------|-------------------------|-------|---------------|-----------------------------|
| Groundnuts | Leaf blotch; Leaf spot; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Az-Well 250 SC | 10078 | 28 days | ICA International Chemicals |
| Groundnuts | Leaf blotch; Leaf spot; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Estricon 250 SC | 9433 | 28 days | Crop Assure |
| Groundnuts | Leaf spot; Leaf blotch; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Improve 250 SC | 9311 | 28 days | Villa Crop Protection |
| Groundnuts | Leaf spot; Leaf blotch; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Indicate 250 SC | 9310 | 28 days | Universal Crop Protection |
| Groundnuts | Leafspot; Leaf blotch; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Budget 450 SC | 9648 | 42 days | Villa Crop Protection |
| Groundnuts | Leafspot; Leaf blotch; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Buzzard 450 SC | 9649 | 42 days | Universal Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Flustricon 450 SC | 9974 | 42 days F | Crop Assure |
| Groundnuts | Leaf blotch | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 42 days | Villa Crop Protection |
| Groundnuts | Leaf blotch | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 42 days | Universal Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 42 F | Castle Ag-Chem |
| Groundnuts | Early leaf spot; Grey mould; Late leaf spot; Rust; Web blotch | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 21 days F | Villa Crop Protection |
| Groundnuts | Grey mould; Leaf spot disease; Rust; Web blotch | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenozim SC | 7924 | 21 days F | Universal Crop Protection |
| Groundnuts | Leaf spot diseases; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Duett | 5791 | 56 days (F) | BASF SA |
| Groundnuts | Leafspot; Leaf blotch; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Endura Plus | 9131 | 56 days (F) | ICA International Chemicals |
| Groundnuts | Leaf blotch; Leafspot; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Solo | 9321 | 56 days (F) | Arysta Lifescience SA |
| Groundnuts | Leaf blotch; Leaf spot; Rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Soprano C | 8079 | 56 days (F) | Adama SA |
| Groundnuts | Botrytis stem rot; Leaf blotch; Leaf spot diseases; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 42 days (hay) | Meridian Agritech Co |
| Groundnuts | Botrytis stem rot; Leaf spots; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 42 days F | Meridian Agritech Co |
| Groundnuts | Botrytis rot; Leaf blotch; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Colloso | 9284 | 42 days F | Arysta Lifescience SA |
| Groundnuts | Botrytis rot; Leaf blotch; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 42 days F | Universal Crop Protection |
| Groundnuts | Botrytis rot; Leaf blotch; Leaf spot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 42 days F | Villa Crop Protection |
| Groundnuts | Botrytis; Leafspot; Leaf blotch; Rust | carbendazim/flusilazole | SC | 250/125 g/l | Flusilazim Extra 375 SC | 9500 | 42 days F | Universal Crop Protection |
| Groundnuts | Botrytis; Leafspot; Leaf blotch; Rust | carbendazim/flusilazole | SC | 250/125 g/l | Sparta Plus 375 SC | 9499 | 42 days F | Villa Crop Protection |
| Groundnuts | Botrytis; Leaf blotch; Leafspot; Rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusicarb 375 SC | 9409 | 42 days F | Crop Assure |
| Groundnuts | Botrytis; Leaf blotch; Leafspot; Rust | carbendazim/flusilazole | SC | 250/125 g/l | Flusicarb Extra 375 SC | 9562 | 42 days F | Crop Assure |
| Groundnuts | Botrytis stem rot; Leaf spot diseases | chlorothalonil | SC | 500 g/l | Calonil 500 SC | 7701 | 42 days F | Sidewalk Trading |
| Groundnuts | Botrytis rot; Leaf spot; Web spot | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | 42 days F | Plaaskem |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | 42 days F | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|---|----------------------------------|-----|-------------|------------------------|------|---------------|---|
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 500 g/l | Matrix | 7290 | 42 days (hay) | Bitrad Consulting |
| Groundnuts | Botrytis stem rot; Leaf spot | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | 42 days F | Villa Crop Protection |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 42 days (hay) | Syngenta SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | Clortosip 720 SC | 7108 | 42 days F | Sipcam South Africa |
| Groundnuts | Botrytis rot; Leafspot | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | 42 days F | Makhro-Agro SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | 42 days (hay) | Villa Crop Protection |
| Groundnuts | Botrytis stem rot; Leaf spot | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 42 days (hay) | Cedar Falls Properties 130 |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | Myooguard 720 SC | 8417 | 42 days (hay) | Arysta Lifescience SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | 42 days F | Adama SA |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | 42 days F | Universal Crop Protection |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | SC | 720 g/l | TalOnil 720 | 8935 | 42 days (hay) | Erintrade t/a RT Chemicals |
| Groundnuts | Botrytis rot; Leaf spot | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | 42 days F | Adama SA |
| Groundnuts | Leaf spot diseases | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 6 weeks F | Nulandis |
| Groundnuts | Early leaf spot; Rust; Web blotch | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 21 days F | Castle Ag-Chem |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 21 days F | Tsunami Plant Protection/t/a Arysta Lifescience |
| Groundnuts | Leaf spot diseases; Rust | difenoconazole | EC | 250 g/l | Dicati | 8414 | 21 days F | Sharda International Africa |
| Groundnuts | Leaf spot diseases; Rust | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 21 days F | Crop Asure |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | Difence | 7922 | 21 days | Erintrade t/a RT Chemicals |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 21 days F | Adama SA |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 21 days | Universal Crop Protection |
| Groundnuts | Early leaf spot; Late leaf spot; Rust; Web blotch | difenoconazole | EC | 250 g/l | Granado | 9767 | 21 days F | DNA Crop Protection |
| Groundnuts | Leaf spot diseases; Rust | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 21 days F | Sidewalk Trading |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 21 days F | Villa Crop Protection |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | difenoconazole | EC | 250 g/l | Score | 5132 | 21 days F | Syngenta SA |
| Groundnuts | Early leaf spot; Leaf blotch; Rust | epoxiconazole/thiophanate-methyl | SC | 187/310 g/l | Duett Ultra | 9278 | 56 days | BASF SA |
| Groundnuts | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Groundnuts | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|------------------|-----|-------------|------------------------|------|-------------|---|
| Groundnuts | Black hull; Crown rot; Damping off; Seed decay | mancozeb | DS | 800 g/kg | ifax 800 DS | 270 | | Villa Crop Protection |
| Groundnuts | Leaf spot diseases | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 21 days F | Total SA |
| Groundnuts | Leaf spot | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 21 days F | Volcano Agrosience /ta Arysta Lifescience SA |
| Groundnuts | Cercospora leaf spot | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 21 days F | Dow Agrosience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 21 days F | Total SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 21 days F | Universal Crop Protection |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 21 days F | Dow Agrosience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 21 days F | Dow Agrosience SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 21 days F | Castle Ag-Chem |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 21 days F | Volcano Agrosience /ta Arysta Lifescience SA |
| Groundnuts | Cercospora leaf spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 21 days F | Ag-Chem Africa |
| Groundnuts | Leaf spots | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 21 days F | CropASURE |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 21 days F | Dow Agrosience SA |
| Groundnuts | Cercospora spot | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 21 days F | Total SA |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Tridex | 5323 | 21 days F | Total SA |
| Groundnuts | Cercospora leaf spot | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 21 days F | Tsunami Plant Protection/t/a Arysta Lifescience |
| Groundnuts | Leaf spot | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 21 days F | Nulandis |
| Groundnuts | Leaf spot diseases | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 21 days F | Villa Crop Protection |
| Groundnuts | Cercospora leaf spot | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 21 days F | Arysta Lifescience SA |
| Groundnuts | Leaf spot diseases; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 21 days F | Applied Chemical Products |
| Groundnuts | Leaf spot diseases; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 21 days F | Arysta Lifescience SA |
| Groundnuts | Leaf spot diseases; Rust; Web blotch | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 21 days F | Arysta Lifescience SA |
| Groundnuts | Leaf spot diseases | propineb | WP | 700 g/kg | Antracol 70 WP | 2065 | | Bayer |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EC | 250 g/l | Ardent | 9779 | 42 days F | DNA Crop Protection |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 42 days F | Sharda International Africa |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 42 days hay | Erintrade t/a RT Chemicals |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 42 days F | Makhro-Agro SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|-----------------------|-----|----------------------------|---------------------------|-------|-----------|---|
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 42 days F | Adama SA |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | 42 days | Meridian Agritech Co |
| Groundnuts | Leaf blotch; Leaf spot; Rust | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | | Cedar Falls Properties 130 |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 42 days F | Bayer |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 42 days F | Adama SA |
| Groundnuts | Leaf spot disease; Rust | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 42 days F | Cheminova |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | 42 days | Universal Crop Protection |
| Groundnuts | Leaf spot; Rust | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | 42 days | Villa Crop Protection |
| Groundnuts | Leaf spot diseases; Rust | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 42 days F | Arysta Lifescience SA |
| Groundnuts | Leaf blotch; Leaf spot diseases, Rust | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | 42 days F | CropASURE |
| Groundnuts | Crown rot | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Groundnuts | Fusarium; Rhizoctonia | trichoderma harzianum | | 2x10 ⁹ spores/g | Rootguard | 10242 | | N Laboratories |
| Guavas | Anthracoze; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Guavas | Blossom end rot | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Guavas | Blossom-end rot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Guavas | Blossom end rot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Guavas | Blossom end rot; Lumpy disease; Wilting disease | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Guavas | Blossom end rot; Lumpy disease; Wilting disease | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Guavas | Anthracoze; Blossom end rot | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agrosience SA |
| Guavas | Anthracoze; Blossom end rot | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------------|---|-------------------------|-----|--------------|------------------------|------|---------|---|
| Guavas | Lumpy disease & blossom end rot; Wilting disease | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Guavas | Blossom end rot; Lump disease | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | CropASURE |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Guavas | Anthracoze; Blossom end rot | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Guavas | Anthracoze; Blossom end rot | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Guavas | Lumpy disease & blossom end rot; Wilting disease | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Guavas | Blossom end rot; Lumpy disease | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Herbs | Leaf blight; Leaf spot; Fusarium blight | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Herbs | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 21 days | Syngenta SA |
| Hops | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 7 days | Syngenta SA |
| Hops | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 45 days | Syngenta SA |
| Hydroponic solutions | Algae spp | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | | Nulandis |
| Kiwi fruit | Botrytis fruit rot | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 3 days | Syngenta SA |
| Kiwi fruit | Botrytis rot | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Kiwi fruit | Grey mould | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Kiwi fruit | Botrytis | iprodione | SC | 255 g/l | Rovral Flo | 1046 | 7 days | FMC Chemicals |
| Kiwi fruit | Root and crown rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Lawns | Crown rot; Dollar spot; Fairy ring; Root rot | captan | WG | 800 g/kg | Captan 800 WG | 9345 | | Sharda International Africa |
| Lawns & Turf | Anthracoze; Brown patch; Fairy ring; Root rot | azoxystrobin | WG | 500 g/kg | Essence 500 WDG | 8956 | | Villa Crop Protection |
| Lawns & Turf | Anthracoze; Brown patch; Dollar spot; Fairy ring; Grey leaf spot; Leaf rust; Leaf spot; Melting out; Necrotic ring spot; Root rot; Red thread; Summer patch; Take all | azoxystrobin | WG | 500 g/kg | Heritage | 6567 | | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------|---|----------------|-----|----------|---------------------------|------|-------|-----------------------------|
| Lawns & Turf | Anthraco-nose; Brown patch; Fairy ring; Root rot | azoxystrobin | WG | 500 g/kg | Monarch 500 WDG | 8955 | | Universal Crop Protection |
| Lawns & Turf | Dollar spot; Fairy ring; Leaf crown and root diseases | captan | WG | 800 g/kg | Captan 800 WG | 9249 | | Meridian Agritech Co |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | | Plaaskem |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | | Universal Crop Protection |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 500 g/l | Matrix | 7290 | | Bitrad Consulting |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | Bravo 720 | 4233 | | Agro-Serve t/a Efekto |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 720 g/l | Clortosp 720 SC | 7108 | | Sipcam South Africa |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | Daconil Weather Stik | 7170 | | Syngenta SA |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | Fungi Free | 8759 | | Kombat |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | | Makhro-Agro SA |
| Lawns & Turf | Dollar spot | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | | Adama SA |
| Lawns & Turf | Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | TalOnil 720 | 8935 | | Erintrade t/a RT Chemicals |
| Lawns & Turf | Dollar spot | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | | Adama SA |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | iprodione | SC | 500 g/l | Iprodione 500 SC | 8459 | | Universal Crop Protection |
| Lawns & Turf | Dollarspot; Fusarium; Leaf spot; Brown patch | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | | ICA International Chemicals |
| Lawns & Turf | Dollar spot; Brown patch; Leaf spot | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | | Ag-Chem Africa |
| Lawns & Turf | Dollar spot; Brown patch; Leaf spot | iprodione | SC | 500 g/l | Prodione | 7222 | | Nulandis |
| Lawns & Turf | Brown patch; Dollar spot; Leaf spot diseases | iprodione | SC | 500 g/l | Roflo | 9573 | | Wentek Chemicals |
| Lawns & Turf | Brown patch; Dollar spot; Fading out | iprodione | SC | 500 g/l | Taurus 500 SC | 8499 | | Villa Crop Protection |
| Lawns & Turf | Brown patch; Dollar spot | procymidone | SC | 250 g/l | Sumisclax SC | 6377 | | Philagro South Africa |
| Lawns & Turf | Anthraco-nose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 250 g/l | Banner | 7171 | | Syngenta SA |
| Lawns & Turf | Brown patch; Dollar spot | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | | Adama SA |
| Lawns & Turf | Brown patch; Dollar spot | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | | Makhro-Agro SA |
| Lawns & Turf | Anthraco-nose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 500 g/l | Lawn Fungicide 500 EC | 8461 | | Agro-Serve t/a Efekto |
| Lawns & Turf | Anthraco-nose; Brown patch; Dollar spot; Leaf spot; Powdery mildew; Rust | propiconazole | EC | 500 g/l | Vitaturf 500 EC | 6301 | | Agro-Serve t/a Efekto |
| Lawns & Turf | Dollarspot; Leaf spot diseases | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |
| Leafy vegetables | Alternaria; Anthracnose; Cercospora leafspot; Downy mildew; Powdery mildew; Seedling diseases; Septoria leaf spot | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------|--|------------------------------|-----|-------------------------|--------------------------|------|-------------|-----------------------------|
| Leafy vegetables | Grey mould; Leaf spot; Powdery mildew; Sclerotinia rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Leafy vegetables | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Leafy vegetables | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Leafy vegetables | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 1 day | Syngenta SA |
| Leafy vegetables | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Leeks | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Stemphylium leaf blotch; Seedling diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 3 days | Syngenta SA |
| Leeks | Downy mildew; Purple blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 - 14 days | Syngenta SA |
| Leeks | Botrytis rot; Leaf blight; Leaf spot; Powdery midlew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Leeks | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 7 days | Syngenta SA |
| Leeks | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Leeks | Purple blotch; Rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 21 days | Bayer |
| Lentils | Alternaria blight; Anthracnose; Leaf blight; Leaf spot; Leaf and pod spot; Rust; Southern blight; Web blight | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Lettuce | Downy mildew | borax/orange oil | SL | 10/50 g/l | Prev- Am | 7130 | | Oro Agri SA |
| Lettuce | Leaf spot | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Lettuce | Leaf spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Lettuce | Leaf spot | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Lettuce | Leaf spot | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 14 days | Nufarm Agriculture |
| Lettuce | Leaf spot | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 14 days | Agri Registrations CC |
| Lettuce | Leaf spot | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Lettuce | Rot | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Lettuce | Botrytis rot (Grey mold); White mold | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 7 days | Bayer |
| Lettuce | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 1 day | Syngenta SA |
| Lettuce | Downy mildew | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Lettuce | Downy mildew | organic plant acids | SL | 19 g/l | Kanguard 940 | 7421 | 1 day | Kannar CC |
| Litchis | Anthracnose; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Litchis | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Litchis | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Litchis | Post harvest decay | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|-----------------------------|-----|--------------|--------------------------|-------|-----------------------------|--|
| Litchis | Post harvest decay | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Litchis | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |
| Lucerne | Damping off | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Lucerne | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Lupins | Powdery mildew | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 7 days | Syngenta SA |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | | Universal Crop Protection |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | | Ag-Chem Africa |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | | Orchard Agrikem |
| Lupins | Powdery mildew | sulphur | DP | 980 g/kg | Vine and Dusting Sulphur | 1252 | | Plaaskem |
| Lupins | Powdery mildew | triforine | EC | 190 g/l | Denarin EC | 5210 | 7 days | Sumitomo Corporation |
| Macadamias | Foliar diseases | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 45 days | Syngenta SA |
| Maize | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Az-Well 250 SC | 10078 | 30 days | ICA International Chemicals |
| Maize | Grey leaf spot; Northern leaf blight | bixafen/tebuconazole | EC | 50/166 g/l | Zantara | 10011 | 41 days; Do not graze | Bayer |
| Maize | Cob & Tassel smut | captab | FS | 500 g/l | Captan FS | 5981 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Maize | Cob & Tassel smut; Damping off; Seed decay | captab | FS | 500 g/l | Merpan SC | 4668 | | Adama SA |
| Maize | Cob & Tassel smut | captab | FS | 500 g/l | Royalcap FS | 3152 | | Chemtura |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 14 days; No F | Villa Crop Protection |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenozim SC | 7924 | 14 days; No F | Universal Crop Protection |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | Duett | 5791 | 30 days (F); 60 days (seed) | BASF SA |
| Maize | Grey leaf spot, Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | Endura Plus | 9131 | 30 days (F); 60 days (seed) | ICA International Chemicals |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | Solo | 9321 | 30 days (F); 60 days (seed) | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------------------------|--|----------------------------------|-----|------------------|------------------------------|-------|-----------------------------------|---------------------------|
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/epoxiconazole | SC | 125/125 g/l | Soprano C | 8079 | 30 days (F); 60 days (seed) | Adama SA |
| Maize | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Coloso | 9284 | 28 days; 60 days F | Arysta Lifescience SA |
| Maize | Grey leaf spot | carbendazim/propiconazole | SC | 125/125 g/l | Propazim 250 SC | 7530 | 70 days | Villa Crop Protection |
| Maize | Grey leaf spot | carbendazim/propiconazole | SC | 125/125 g/l | Propiconazole Plus 250 SC | 7535 | 70 days | Universal Crop Protection |
| Maize | Northern leaf blight | carbendazim/tebuconazole | SC | 133/167 g/l | Folicur C 300 SC | 4602 | 20 days; 60 days F | Bayer |
| Maize | Brown rust; Grey leaf spot; Northern leaf blight | cyproconazole/picoxystrobin | SC | 80/200 g/l | Acanto Plus 280 SC | 9149 | 28 days | Du Pont de Nemours |
| Maize | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 14 days; No F | Adama SA |
| Maize | Grey leaf spot | difenoconazole | EC | 250 g/l | Pronto 250 EC | 7602 | 14 days | Meridian Agritech Co |
| Maize | Grey leaf spot; Northern leaf blight | epoxiconazole | SC | 125 g/l | Rubric 125 SC | 8873 | 30 days (Sseed); 60 days F | Cheminova |
| Maize | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 40/133 g/l | Opera | 9103 | 30 days | BASF SA |
| Maize | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus Advance | 9132 | 30 days | BASF SA |
| Maize | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus Advance | 9132 | 30 days | BASF SA |
| Maize | Common rust; Grey leaf spot; Northern leaf blight | epoxiconazole/thiophanate-methyl | SC | 187/310 g/l | Duett Ultra | 9278 | 60 days | BASF SA |
| Maize | Common brown rust; Diplodia Leaf streak; Northern corn leaf blight; Phaeoshaeria leaf spot | fluoxastrobin/tebuconazole | SC | 200/277 g/l | Evito T | 10167 | 35 days | Arysta Lifescience SA |
| Maize | Grey leaf spot; Northern leaf blight | flutriafol/tebuconazole | SC | 75/225 g/l | Impact Gold 300 SC | 9312 | 7 days | Cheminova |
| Maize | Grey leaf spot; Northern leaf blights; Rust | prothioconazole | SC | 480 g/l | Projetron 480 SC | 10050 | | Universal Crop Protection |
| Maize | Grey leaf spot; Northern leaf blights; Rust | prothioconazole | SC | 480 g/l | Santana 480 SC | 10049 | 28 days F | Villa Crop Protection |
| Maize | Brown rust; Grey leaf spot; Northern corn leaf blight | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 42 days (60 days F) | Bayer |
| Maize | Damping off; Seed decay | thiram | WS | 800 g/kg | Seedcare Thiram 80 WG | 5696 | | D&J Agro Pesticides |
| Maize | Cob & Tassel smut | triadimenol | FS | 150 g/l | Badger 15 FS | 7565 | | Chemtura |
| Maize | Cob & Tassel smut | triadimenol | FS | 150 g/l | Baytan 150 FS | 1697 | | Bayer |
| Maize | Cob & Tassel smut | triadimenol | FS | 150 g/l | Shavit | 5493 | | Adama SA |
| Maize | Fusarium; Rhizoctoria | trichoderma harzianum | | 2x10(9) spores/g | Rootguard | 10242 | | N Laboratories |
| Maize | Brown rust; Grey leaf spot | trifloxystrobin | SC | 500 g/l | Flint 500 SC | 8866 | 14 days | Bayer |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 7 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------------------------|---|--|-----|--------------------|---------------------|-------|----------------------------|-----------------------------|
| Maize (including sweetcorn) | Grey leaf spot | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Azaka 250 SC | 8867 | | Cheminova |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 8593 | 7 days | Sharda International Africa |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 7 days | Castle Ag-Chem |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Banshee | 9786 | 7 days | DNA Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Fortress | 9269 | 7 days | Meridian Agritech Co |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin | SC | 250 g/l | Mycoblock 250 SC | 8591 | 7 | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Rust | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Maize (including sweetcorn) | Grey leafspot; Northern leaf blight; Rust | azoxystrobin | SC | 250 g/l | Strobin 250 SC | 8625 | 7 days | Crop Asure |
| Maize (including sweetcorn) | Northern leaf blight; Rust | azoxystrobin/boscalid | SC | 150/250 g/l | Sabotage | 10303 | 21 days | Meridian Agritech Co |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Azur Top 325 SC | 9867 | 14 days | Almond Agro Chemicals |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Estricon 250 SC | 9433 | 30 days | Crop Asure |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Improve 250 SC | 9311 | 30 days | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Indicate 250 SC | 9310 | 30 days | Universal Crop Protection |
| Maize (including sweetcorn) | Damping off; Decay; Seedling blight | azoxystrobin/fludioxanil/metalaxyl-M/thiabendazole | FS | 15/37,5/30/300 g/l | Maxim Quattro | 9494 | 14 days | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Budget 450 SC | 9648 | 14 days; 60 days (grazing) | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Buzzard 450 SC | 9649 | 14 days; 60 days (grazing) | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/flusilazole | SC | 200/250 g/l | Flustricon 450 SC | 9974 | 14 days; 60 days F | Crop Asure |
| Maize (including sweetcorn) | Brown rust; Downy mildew; Grey leaf spot; Leaf spot; Northern leaf blight | azoxystrobin/tebuconazole | SC | 120/200 g/l | Custodia 320 SC | 9342 | 56 days | Adama SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 60 days (F) | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------------------------|--|------------------------------|-----|---------------|-----------------------|-------|----------------------------|---|
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 14 days; 60 days (grazing) | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 14 days; 60 days (grazing) | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Flusicarb 375 SC | 9409 | 14 days; 60 days F | Crop Asure |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/flutriafol | SC | 150/94 g/l | Early Impact | 5175 | 7 days; No F | Cheminova |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | 21 days; 90-120 days F | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 14 days | Castle Ag-Chem |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Dicati | 8414 | 14 days | Sharda International Africa |
| Maize (including sweetcorn) | Grey leafspot; Northern leaf blight | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 14 days; No F | Crop Asure |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Difence | 7922 | 14 days | Erintrade t/a RT Chemicals |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Difenoconazole 250 EC | 10087 | 14 days | Bitrad Kaap |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 14 days; No F | Universal Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Granado | 9767 | 14 days | DNA Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 14 days | Sidewalk Trading |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 14 days | Villa Crop Protection |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | difenoconazole | EC | 250 g/l | Score | 5132 | 14 days | Syngenta SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus | 8048 | 30 days | BASF SA |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Calculus 125 SE | 10314 | 30 days | Cedar Falls Properties 130 |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight; Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Paradox | 10216 | 30 days | Meridian Agritech Co |
| Maize (including sweetcorn) | Damping off; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | 35 days | Syngenta SA |
| Maize (including sweetcorn) | Damping off; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | 35 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------------------------|---|----------------------------|-----|--------------|-----------------------|-------|---------------|--|
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | flutriafol | SC | 125 g/l | Impact | 4088 | 7 days | Cheminova (Disa Bio-Technologies CC) |
| Maize (including sweetcorn) | Grey leaf spot; Northern leaf blight | flutriafol | SC | 250 g/l | Impact 250 SC | 9064 | 7 days | Cheminova |
| Maize (sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 28 days; No F | Villa Crop Protection |
| Maize (sweetcorn) | Grey leaf spot; Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenzim SC | 7924 | 28 days; No F | Universal Crop Protection |
| Mangoes | Bacterial black spot | acibenzolar-S-methyl | WG | 500 g/kg | Bion | 6512 | 21 | Syngenta SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 21 days | Castle Ag-Chem |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Aztrix 250 SC | 9574 | | Wentek Chemicals |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Fungaway 250 SC | 8590 | 21 | Villa Crop Protection |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Nanok 250 SC | 8893 | | Cheminova |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Nova Z-Strobin 250 SC | 9703 | | AgriNova Trust |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 21 days | Syngenta SA |
| Mangoes | Anthrachnose | azoxystrobin | SC | 250 g/l | Strobin 250 SC | 8625 | 21 days | CropASURE |
| Mangoes | Anthrachnose | azoxystrobin | WG | 500 g/kg | Nova Z-Strobin 500 WG | 9674 | 21 days | AgriNova Trust |
| Mangoes | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Mangoes | Anthrachnose; Brown rot; Post harvest decay; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Mangoes | Anthrachnose; Brown rot; Post harvest decay; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Mangoes | Anthrachnose; Brown rot; Post harvest decay; Powdery mildew | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Mangoes | Powdery mildew | bupirimate | EC | 250 g/l | Nimrod | 1117 | | Adama SA |
| Mangoes | Powdery mildew | bupirimate | EW | 250 g/l | Veto EW | 9656 | | Meridian Agritech Co |
| Mangoes | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Oscar | 4382 | see label | Adama SA |
| Mangoes | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Veto Plus | 9776 | | Meridian Agritech Co |
| Mangoes | Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 124 days | Meridian Agritech Co |
| Mangoes | Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 124 days | Meridian Agritech Co |
| Mangoes | Powdery mildew | carbendazim/flusilazole | SC | 125/250 g/l | Colloso | 9284 | 124 days | Arysta Lifescience SA |
| Mangoes | Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Rambo | 7292 | 62 days | Bitrad Consulting |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|---|------------------------------------|-----|-------------------------|---------------------------|------|---------|---|
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 14 days | Arysta Lifescience SA |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 14 days | Villa Crop Protection |
| Mangoes | bacterial spot | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 14 days | Hygrotech Properties |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 14 days | Hygrotech Properties |
| Mangoes | Bacterial spot | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 14 days | Gouws & Scheepers |
| Mangoes | Bacterial spot | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Mangoes | Bacterial spot | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Mangoes | Bacterial spot | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Mangoes | Bacterial spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Mangoes | Bacterial spot | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Mangoes | Bacterial spot | copper hydroxide | WP | 770 g/kg | Champion Wetttable powder | 7081 | 14 days | Nufarm Agriculture |
| Mangoes | Bacterial spot | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 14 days | Agri Registrations CC |
| Mangoes | Anthracnose; Bacterial spot; Post harvest decay | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Mangoes | Anthracnose; Bacterial spot; Post harvest decay | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Mangoes | Anthracnose; Bacterial spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Mangoes | Bacterial spot | copper oxychloride | WP | 850 g/kg | Rust | 3131 | | Kombat |
| Mangoes | Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Coppasulfa | 5726 | | Sunwood Chemicals |
| Mangoes | Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | Copper Sulphur | 3564 | | Orchard Agrikem |
| Mangoes | Bacterial black spot | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Mangoes | Bacterial black spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Mangoes | Bacterial spot | copper sulphate/lime | WG | 711/289 g/kg | Cuprofix Ultra | 8888 | 14 days | Total SA |
| Mangoes | Bacterial spot | copper/mancozeb | WG | 120/300 g/kg | Cuprofix 30 Disperss | 7893 | 14 days | Total SA |
| Mangoes | Bacterial spot | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Mangoes | Bacterial spot | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Mangoes | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Mangoes | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|--------------------|------------------------------------|-----|----------|-------------------------|------|----------|---|
| Mangoes | Anthracnose | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | | ICA International Chemicals |
| Mangoes | Post harvest decay | fatty acids | SC | 250 g/l | Westfalia Biocoat | 7107 | | Hans Merenski |
| Mangoes | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Mangoes | Post harvest decay | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Mangoes | Powdery mildew | flusilazole | EC | 100 g/l | Verona | 8179 | 124 days | Erintrade t/a RT Chemicals |
| Mangoes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | Vista Flo | 8208 | | Meridian Agritech Co |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kreso 50 WG | 8266 | 48 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kreso WDG | 8193 | 48 days | Villa Crop Protection |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kresoxim-Methyl 500 WDG | 8194 | 48 days | Universal Crop Protection |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Oxim 500 WDG | 8574 | 48 days | CropASURE |
| Mangoes | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Stroby WG | 5687 | 48 days | BASF SA |
| Mangoes | Anthracnose | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Mangoes | Anthracnose | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Anthracnose | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 60 days | Dow Agroscience SA |
| Mangoes | Anthracnose | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 60 days | Universal Crop Protection |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 60 days | Dow Agroscience SA |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 60 days | Dow Agroscience SA |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 14 days | Castle Ag-Chem |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 60 days | CropASURE |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 60 days | Dow Agroscience SA |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|------------------------------|---------------------|-----|----------|-----------------------|------|---------|---|
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 60 days | Nulandis |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 60 days | Villa Crop Protection |
| Mangoes | Anthracnose | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Mangoes | Mango blossom malformation | potassium phosphite | SL | 560 g/l | Lima 400 SL | 6478 | 50 days | Universal Crop Protection |
| Mangoes | Post harvest decay | prochloraz | EC | 450 g/l | Chronos 45 EC | 5589 | | Adama SA |
| Mangoes | Post harvest decay | prochloraz | EC | 450 g/l | ICA-Prochloraz 450 EC | 8478 | | ICA International Chemicals |
| Mangoes | Post harvest decay | prochloraz | EC | 450 g/l | Pakua 450 EC | 7933 | | Ag-Chem Africa |
| Mangoes | Post harvest decay | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Mangoes | Blossom spot; Powdery mildew | prochloraz | WP | 500 g/kg | Octave | 3406 | | FMC Chemicals |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Admiral 250 EC | 9358 | | Cedar Falls Properties 130 |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | | Adama SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | | Makhro-Agro SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Propicon 250 EC | 7547 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | | Universal Crop Protection |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | | Villa Crop Protection |
| Mangoes | Powdery mildew | propiconazole | EC | 250 g/l | Tilt | 6668 | | Syngenta SA |
| Mangoes | Powdery mildew | propiconazole | EC | 500 g/l | Propicon 500 EC | 7506 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Mangoes | Powdery mildew | quinoxifen | SC | 250 g/l | Fable 250 SC | 9733 | | Villa Crop Protection |
| Mangoes | Powdery mildew | quinoxifen | SC | 250 g/l | Legend 250 SC | 6840 | | Dow Agrosience SA |
| Mangoes | Powdery mildew | quinoxifen | SC | 250 g/l | Lore 250 SC | 9732 | | Universal Crop Protection |
| Mangoes | Powdery mildew | quinoxifen | SC | 250 g/l | Proxima | 8696 | | Meridian Agritech Co |
| Mangoes | Powdery mildew | quinoxifen | SC | 250 g/l | Edge 250 SC | 9936 | | Crop Asure |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Flourish 500 EC | 9164 | | Universal Crop Protection |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Potential 500 EC | 9161 | | Villa Crop Protection |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Prosper 500 EC | 6252 | | Bayer |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Spiral 500 EC | 7982 | | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------|---|-------------------------|-----|-----------|---------------------------|-------|---------|-----------------------------|
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Spirox 500 EC | 9778 | | Arysta Lifescience SA |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Spiroxamine 500 EC | 10181 | | Bitrad Agri |
| Mangoes | Powdery mildew | spiroxamine | EC | 500 g/l | Vision 500 EC | 9510 | | Crop Asure |
| Mangoes | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | | Universal Crop Protection |
| Mangoes | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | | Orchard Agrikem |
| Mangoes | Powdery mildew | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Mangoes | Powdery mildew | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Mangoes | Powdery mildew | sulphur | SC | 800 g/l | SulfloStar | 6982 | | Ag-Chem Africa |
| Mangoes | Powdery mildew | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Mangoes | Powdery mildew | tebuconazole | EC | 250 g/l | Ardent | 9779 | | DNA Crop Protection |
| Mangoes | Powdery mildew | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | | Sharda International Africa |
| Mangoes | Powdery mildew | tebuconazole | EC | 250 g/l | TebuDew | 7871 | | Erintrade t/a RT Chemicals |
| Mangoes | Powdery mildew | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | | Makhro-Agro SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | | Adama SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | | Meridian Agritech Co |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | | Cedar Falls Properties 130 |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | | Bayer |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | | Adama SA |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | Riza EW | 8882 | | Cheminova |
| Mangoes | Powdery Mildew | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Mangoes | Powdery mildew | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | | Arysta Lifescience SA |
| Mangoes | Powdery mildew | tetraconazole | EC | 100 g/l | Domark 100 EC | 6757 | | Isagro SA |
| Mangoes | Powdery mildew | triadimenol | EC | 250 g/l | Shavit 25 EC | 5601 | | Adama SA |
| Mangoes | Powdery mildew | triforine | EC | 190 g/l | Denarin EC | 5210 | | Sumitomo Corporation |
| Millet | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Millet | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Mushrooms | Dry bubble; Wet bubble | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | 14 days | Adama SA |
| Mushrooms | Dry bubble; Wet bubble | prochloraz | WP | 500 g/kg | Octave | 3406 | 14 days | FMC Chemicals |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | ICA -Thiabendazole 500 SC | 7784 | | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|---|--------------------------------------|-----|----------------|---------------------------|------|------------|-----------------------------|
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Mushrooms | Cobweb; Dry bubble; Plaster mould; Wet bubble | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |
| Nectarines | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Nectarines | Brown rot | fenbuconazole | EW | 50 g/l | Indar 50 EW | 5453 | 1 day | Dow Agrosience SA |
| Nectarines | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Nectarines | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | Tutor 500 SC | 9948 | 3 days | ICA International Chemicals |
| Nectarines | Post harvest decay | iprodione | SC | 255 g/l | Iprodione 255 | 7340 | 3 days | Erintrade t/a RT Chemicals |
| Nectarines | Post harvest decay | iprodione | SC | 500 g/l | Iprodione 500 SC | 8459 | 3 days | Universal Crop Protection |
| Nectarines | Post harvest decay | iprodione | SC | 500 g/l | Prodione | 7222 | 3 days | Nulandis |
| Nectarines | Post harvest decay | iprodione | SC | 500 g/l | Taurus 500 SC | 8499 | 3 days | Villa Crop Protection |
| Oats | Crown rust | carbendazim/propiconazole | SC | 125/125 g/l | Propazim 250 SC | 7530 | 56 days | Villa Crop Protection |
| Oats | Crown rust | carbendazim/propiconazole | SC | 125/125 g/l | Propiconazole Plus 250 SC | 7535 | 56 days | Universal Crop Protection |
| Oats | Crown rust | carbendazim/triadimefon | SC | 200/165 g/l | Rambo | 7292 | 56 days | Bitrad Consulting |
| Oats | Crown rust | carbendazim/triadimefon | SC | 200/165 g/l | Ranchero 365 SC | 6331 | 56 days | Rotam RSA |
| Oats | Powdery mildew; Rust | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | 30 days | Syngenta SA |
| Oats | Covered smut; Damping off; Seed decay | mancozeb | DS | 800 g/kg | lfax 800 DS | 270 | | Villa Crop Protection |
| Oats | Crown rust | spiroxamine/tebuconazole/triadimefon | EC | 150/167/43 g/l | Prosper Trio | 9083 | 56-80 days | Bayer |
| Oats | Crown rust | tebuconazole | EC | 250 g/l | Ardent | 9779 | 56 days | DNA Crop Protection |
| Oats | Crown rust | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 56 days | Sharda International Africa |
| Oats | Crown rust | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 56 days | Erintrade t/a RT Chemicals |
| Oats | Crown rust | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 56 days | Makhro-Agro SA |
| Oats | Crown rust | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 56 days | Adama SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 56 days | Cedar Falls Properties 130 |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 56 days | Bayer |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 56 days | Adama SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 56 days | Cheminova |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | 56 days | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|------------------------|--------------------|-----|----------|---------------------------|------|---------|---|
| Oats | Crown rust | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | 56 days | Villa Crop Protection |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 56 days | Arysta Lifescience SA |
| Oats | Crown rust | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | 56 days | Crop Asure |
| Oats | Seedborne diseases | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Oats | Crown rust | triadimefon | SC | 250 g/l | Repute | 6824 | 56 days | Bitrad Consulting |
| Oats | Loose smut | triadimenol | FS | 150 g/l | Badger 15 FS | 7565 | | Chemtura |
| Oats | Loose smut | triadimenol | FS | 150 g/l | Baytan 150 FS | 1697 | | Bayer |
| Oats | Loose smut | triadimenol | FS | 150 g/l | Shavit | 5493 | | Adama SA |
| Olives | Leaf spot | captab | SC | 500g/l | Merpan 50 SC | 5511 | 14 days | Adama SA |
| Olives | Leaf spot | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Olives | Leaf spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Olives | Leaf spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Olives | Anthracnose; Leaf spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Olives | Anthracnose; Leaf spot | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | | Avima |
| Olives | Anthracnose; Leaf spot | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | | Avima |
| Olives | Anthracnose | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Olives | Anthracnose | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Olives | Anthracnose | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agrosience SA |
| Olives | Anthracnose | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Olives | Anthracnose | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Olives | Anthracnose | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agrosience SA |
| Olives | Anthracnose | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agrosience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|---|----------------------------------|-----|----------------|---------------------|-------|-------------|--|
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agrosience SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Olives | Anthraco | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Onions | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Stemphylium leaf blotch; Seedling diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 20 days | Syngenta SA |
| Onions | Leaf blotch; Purple blotch | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Onions | Purple blotch | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 20 days | Castle Ag-Chem |
| Onions | Purple blotch; Leaf blotch | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Onions | Purple blotch; Stemphylium leaf blotch | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Onions | Purple blotch | azoxystrobin/boscalid | SC | 150/250 g/l | Sabotage | 10303 | 7 days | Meridian Agritech Co |
| Onions | Downy mildew; Purple blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 - 14 days | Syngenta SA |
| Onions | Botrytis rot; Leaf blight; Leaf spot; Powdery mildew; Purple blotch | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Onions | Purple blotch | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Onions | Downy mildew | chlorothalonil/cymoxanil | SC | 375 g/l/50 g/l | Ruby | 6780 | 14 days | Sipcam South Africa |
| Onions | Downy mildew | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Onions | Downy mildew | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Onions | Downy mildew | copper sulphate/fentin hydroxide | SC | 320/50 g/l | Coptin | 9377 | 14 days | Ag-Chem Africa |
| Onions | Botrytis leaf blight; Neck rot; Purple blotch | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 7 days | Syngenta SA |
| Onions | Black mould; Botrytis leaf blight; Neck rot; Purple blotch; Stemphylium leaf blight | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Onions | Pink root; White bulb rot | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Onions | Downy mildew | dimethomorph/mancozeb | WG | 90/600 g/kg | Acrobat WG | 6526 | 7 | BASF SA |
| Onions | Downy mildew; Purple blotch | fentin hydroxide | SC | 480 g/l | Ag-Tin | 9493 | 14 days | Ag-Chem Africa |
| Onions | Botrytis neck rot; Purple blotch | iprodione | SC | 255 g/l | Iprodione 255 | 7340 | | Erintrade t/a RT Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------|--|------------------|-----|-------------|------------------------|------|---------|---|
| Onions | Botrytis neck rot; Purple blotch | iprodione | SC | 255 g/l | Rovral Flo | 1046 | | FMC Chemicals |
| Onions | Botrytis rot; Purple blotch | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | 3 days | ICA International Chemicals |
| Onions | Botrytis neck rot; Downy mildew; Purple blotch | iprodione | SC | 500 g/l | Iprone 500 SC | 8452 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Onions | Botrytis rot; Purple blotch | iprodione | SC | 500 g/l | Prodione | 7222 | 3 days | Nulandis |
| Onions | Purple blotch | iprodione | SC | 500 g/l | Roflo | 9573 | 3 days | Wentek Chemicals |
| Onions | Downy mildew | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Onions | Downy mildew | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Onions | Downy mildew | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 14 days | Kombat |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 14 days | Castle Ag-Chem |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Onions | Downy mildew | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Onions | Downy mildew | mandipropamid | SC | 250 g/l | Revus | 8617 | 7 days | Syngenta SA |
| Onions | Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | | Applied Chemical Products |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|---|------------------------------|-----|---------------------------|----------------------|------|-----------|--|
| Onions | Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | | Arysta Lifescience SA |
| Onions | Downy mildew | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | | Arysta Lifescience SA |
| Onions | Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Onions | Purple blotch | procymidone | SC | 250 g/l | Procyone 250 SC | 8394 | 8 days | Universal Crop Protection |
| Onions | Purple blotch | procymidone | SC | 250 g/l | Sumislex SC | 6377 | 8 days | Philagro South Africa |
| Onions | Purple blotch | procymidone | SC | 250 g/l | Typhoon 250 SC | 8397 | 8 days | Villa Crop Protection |
| Onions | Purple blotch | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 8 days | Dow Agrosience SA |
| Onions | Botrytis; Purple blotch | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | 3 days | ICA International Chemicals |
| Onions | Purple blotch | tebuconazole | EC | 250 g/l | Ardent | 9779 | | DNA Crop Protection |
| Onions | Purple blotch | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | see label | Sharda International Africa |
| Onions | Purple blotch | tebuconazole | EW | 0,25 g/l | Orius 200 EW RTU | 8302 | | Makhro-Agro SA |
| Onions | Purple blotch | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | | Makhro-Agro SA |
| Onions | Purple blotch | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | | Adama SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | | Meridian Agritech Co |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | | Cedar Falls Properties 130 |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | | Bayer |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | | Adama SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Riza EW | 8882 | | Cheminova |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | | Universal Crop Protection |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | | Villa Crop Protection |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | | Arysta Lifescience SA |
| Onions | Purple blotch | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | | Crop Asure |
| Onions | Purple blotch; Rust | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 21 days | Bayer |
| Ornamentals, flowers & lawns | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | Crown Gall Inoculant | 1380 | | Stimuplant |
| Ornamentals, flowers & lawns | Black spot; Fusarium corm rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|--|-------------------------------------|-----|------------------|---------------------------|------|-------|-----------------------------|
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Corm rot; Powdery mildew | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | n/a | Castle Ag-Chem |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | bifenthrin/bupirimate/propiconazole | AL | 0,04/0,3/0,1 g/l | Makhro Rose Protector RTU | 8631 | | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | bifenthrin/bupirimate/propiconazole | SL | 10/75/25 g/l | Makhro Rose Protector | 8114 | | Makhro-Agro SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | bifenthrin/myclobutanil | AL | 0,02/0,075 g/l | Rosecare 3 RTU | 7599 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | bifenthrin/myclobutanil | EW | 2/7,5 g/l | Rosecare 3 | 6509 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Powdery mildew | borax/orange oil | SL | 10/50 g/l | Prev- Am | 7130 | | Oro Agri SA |
| Ornamentals, flowers & lawns | Black spot | captab | WG | 800 g/kg | Captan 800 WG | 9345 | | Sharda International Africa |
| Ornamentals, flowers & lawns | Black spot; Dollar spot; Fairy ring; Leaf, crown and root diseases | captab | WG | 800 g/kg | Merpan 80 WDG | 5456 | | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Crown and root rot disease; Dollar spot; Fairy ring | captab | WP | 500 g/kg | Captab WP | 6758 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Crown and root rot disease; Dollar spot; Fairy ring | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Crown and root rot disease; Dollar spot; Fairy ring | captab | WP | 500 g/kg | Thor 500 WP | 7691 | | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Black spot | captan | WG | 800 g/kg | Captan 800 WG | 9249 | | Meridian Agritech Co |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | | Plaaskem |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | Matrix | 7290 | | Bitrad Consulting |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Leaf spot; Rust | chlorothalonil | SC | 720 g/l | Bravo 720 | 4233 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Leafspot | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | Clortosip 720 SC | 7108 | | Sipcam South Africa |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | Daconil Weather Stik | 7170 | | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot; Brown rust; Leaf spot | chlorothalonil | SC | 720 g/l | Fungi Free | 8759 | | Kombat |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | | Makhro-Agro SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|--|-------------------------|-----|-------------------------|---------------------------|------|-------|---|
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Botrytis leaf spot; Brown patch; Dollar spot; Fading out | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | | Cedar Falls Properties 130 |
| Ornamentals, flowers & lawns | Black spot; Dollar spot; Leaf spot | chlorothalonil | SC | 720 g/l | Mycoguard 720 SC | 8417 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Leaf spot | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | | Hygrotech Properties |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | | Hygrotech Properties |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Rust | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | | Gouws & Scheepers |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | SC | 538 g/l | StopBac | 8797 | | Plaaskem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | | Nulandis |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | WP | 770 g/kg | Champion Wetttable powder | 7081 | | Nufarm Agriculture |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | | Agri Registrations CC |
| Ornamentals, flowers & lawns | Downy mildew; Powdery mildew | copper octanoate | | 100 g/l | Neudorff Copper Soap | 7064 | | Warren Chem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust; Soil diseases | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust; Soil diseases | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Ornamentals, flowers & lawns | Black spot; Rust | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | | Delta Chemicals |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust; Soil pathogens | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|--|----------------------------|-----|-------------|------------------------|------|-------|---|
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper oxychloride | WP | 850 g/kg | Rust | 3131 | | Kombat |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot; Rust | copper oxychloride | WP | 850 g/kg | Virikop | 527 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Coppasulfa | 5726 | | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Copsul Dust | 3655 | | Applied Chemical Products |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | copper oxychloride/sulfur | DP | 85/900 g/kg | Cu-Sul Dust | 6664 | | JCJ Agri Chem |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Powdery mildew | copper oxychloride/sulphur | DP | 85/900 g/kg | Copper Sulphur | 3564 | | Orchard Agrikem |
| Ornamentals, flowers & lawns | Black spot | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Black spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Leaf spots; Rust | difenoconazole | EC | 250 g/l | Score | 5132 | | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot | dodine | SC | 400 g/l | Syllit 400 SC | 7423 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Powdery mildew | fenarimol | EC | 120 g/l | Rubigan | 5228 | | Klub M5 |
| Ornamentals, flowers & lawns | Root rot | fosetyl-Al | WG | 800 g/kg | Aliette WG | 5689 | | Bayer |
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Leaf spot | iprodione | SC | 255 g/l | Rovral Flo | 1046 | | FMC Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Kreso 50 WG | 8266 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Ornamentals, flowers & lawns | Powdery mildew | kresoxim-methyl | WG | 500 g/kg | Stroby WG | 5687 | | BASF SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | | Total SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | | Kombat |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | | Dow Agroscience SA |
| Ornamentals, flowers & lawns | Anthracoze; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|--|-------------------------|-----|----------|---------------------|------|-------|--|
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | | CropASURE |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | | Dow Agrosience SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | | Total SA |
| Ornamentals, flowers & lawns | Black spot; Downy mildew; Leaf spot diseases; Rust | mancozeb | WP | 800 g/kg | Tridex | 5323 | | Total SA |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | | Tsunami Plant Protection/ta Arysta Lifescience |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | | Nulandis |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Anthracnose; Downy mildew; Rust | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Ornamentals, flowers & lawns | Powdery mildew | organic plant acids | SL | 19 g/l | Kanguard 940 | 7421 | | Kannar CC |
| Ornamentals, flowers & lawns | Rust | oxycarboxin | WP | 750 g/kg | Plantvax WP | 1928 | | Crompton Chemicals |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | prochloraz | WP | 500 g/kg | Octave | 3406 | | FMC Chemicals |
| Ornamentals, flowers & lawns | Damping off | propamocarb-HCl | SL | 722 g/l | Basic N | 6680 | | RT Chemicals |
| Ornamentals, flowers & lawns | Damping off | propamocarb-HCl | SL | 722 g/l | Previcur-N | 3394 | | Bayer |
| Ornamentals, flowers & lawns | Damping off | propamocarb-HCl | SL | 722 g/l | Proplant | 5831 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Powdery mildew | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | | Adama SA |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | propiconazole | EC | 250 g/l | Fungi Rid | 6693 | | Kombat |
| Ornamentals, flowers & lawns | Powdery mildew | propiconazole | EC | 250 g/l | Tilt | 6668 | | Syngenta SA |
| Ornamentals, flowers & lawns | Black spot | propineb | WP | 700 g/kg | Antracol 70 WP | 2065 | | Bayer |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|--------------------------------------|-----------------|-----|----------|--------------------------|-------|-------|---------------------------|
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Fading out | prothioconazole | SC | 480 g/l | Projetron 480 SC | 10050 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Fading out | prothioconazole | SC | 480 g/l | Santana 480 SC | 10049 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Brown patch; Dollar spot; Fading out | prothioconazole | SC | 480 g/l | Santana 480 SC | 10049 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | Flourish 500 EC | 9164 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | Potential 500 EC | 9161 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | Prosper 500 EC | 6252 | | Bayer |
| Ornamentals, flowers & lawns | Powdery mildew | spiroxamine | EC | 500 g/l | Vision 500 EC | 9510 | | Crop Asure |
| Ornamentals, flowers & lawns | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | | Universal Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | | Orchard Agrikem |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | DP | 980 g/kg | Vine and Dusting Sulphur | 1252 | | Plaaskem |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Kumulus | 2404 | | BASF SA |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------------------------|--|------------------------|-----|--------------|------------------------|------|---------|---|
| Ornamentals, flowers & lawns | Powdery mildew | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | | Arysta Lifescience SA |
| Ornamentals, flowers & lawns | Seed decay | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Ornamentals, flowers & lawns | Damping off; Soil pathogens | tolclofos-methyl | WS | 500 g/kg | Rizolex WP | 6376 | | Philagro South Africa |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | triforine | AE | 3 g/kg | Fungigun | 3134 | | Agro-Serve t/a Efekto |
| Ornamentals, flowers & lawns | Black spot, Leaf spot, Powdery mildew, Rust | triforine | EC | 190 g/l | Deparin EC | 5210 | n/a | Sumitomo Corporation |
| Ornamentals, flowers & lawns | Black spot; Powdery mildew; Rust | triforine | EC | 190 g/l | Funginex | 2469 | | Agro-Serve t/a Efekto |
| Papaya | Anthracoze; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Papaya | Alternaria fruit rot; Anthracnose; Botrytis fruit rot | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Papaya | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Papaya | Anthracoze; Fruit rot; Stem-end rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Papaya | Black speckle | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | CropASURE |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|--|-----------------------------|-----|---------------------------|----------------------|------|---------|--|
| Papaya | Black speckle | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Papaya | Post harvest decay | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Kumululus | 2404 | | BASF SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Papaya | Powdery mildew | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Papaya | Powdery mildew | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Parsley | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Parsley | Alternaria leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Parsley | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Parsnip | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Parsnip | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Parsnip | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Peaches | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | Crown Gall Inoculant | 1380 | | Stimuplant |
| Peaches | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 7 days | Villa Crop Protection |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 7 days | Universal Crop Protection |
| Peaches | Blossom blight; Brown rot; Freckle | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 7 | Castle Ag-Chem |
| Peaches | Powdery mildew | bupirimate | EC | 250 g/l | Nimrod | 1117 | 14 | Adama SA |
| Peaches | Powdery mildew | bupirimate | EW | 250 g/l | Veto EW | 9656 | 14 | Meridian Agritech Co |
| Peaches | Freckle | captab | WG | 800 g/kg | Captan 800 WG | 9345 | 14 days | Sharda International Africa |
| Peaches | Freckle | captab | WG | 800 g/kg | Merpan 80 WDG | 5456 | 14 days | Adama SA |
| Peaches | Bacterial spot; Freckle | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Peaches | Bacterial spot; Freckle | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Peaches | Bacterial spot; Freckle | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Peaches | Freckle | captan | WG | 800 g/kg | Captan 800 WG | 9249 | 14 days | Meridian Agritech Co |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|---|-------------------------|-----|--------------|---------------------------|------|---------|---|
| Peaches | Post harvest decay | chlorine dioxide | SL | 20 g/l | Harvest Wash WT | 7252 | | BTC Products and Services |
| Peaches | Specific replant disease | chloropicrin | AL | 1656 g/l | Tripicrin | 8306 | | Nippon Africa Chemicals |
| Peaches | Gum spot | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 14 days | Arysta Lifescience SA |
| Peaches | Gum spot | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 14 days | Villa Crop Protection |
| Peaches | Gum spot; Leaf curl | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 14 days | Hygrotech Properties |
| Peaches | Gum spot; Leaf curl | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 14 days | Hygrotech Properties |
| Peaches | Gum spot | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 14 days | Gouws & Scheepers |
| Peaches | Leaf curl | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Peaches | Leaf curl | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Peaches | Leaf curl | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Peaches | Leaf curl | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Peaches | Leaf curl | copper hydroxide | WP | 770 g/kg | Champion Wetttable powder | 7081 | 14 days | Nufarm Agriculture |
| Peaches | Leaf curl | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | | Agri Registrations CC |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Peaches | Bacterial canker; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Peaches | Bacterial canker; Bacterial spot; Gum spot; Leaf curl | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 14 days | Agro-Serve t/a Efekto |
| Peaches | Bacterial canker; Gum spot; Leaf curl | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Peaches | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Peaches | Bacterial canker; Gum spot | copper sulphate/lime | WG | 770/174 g/kg | Cuprofix Disperss | 6784 | 14 days | Chempac |
| Peaches | Gum spot; Leaf curl | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Peaches | Gum spot; Leaf curl | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Peaches | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 2 days | Syngenta SA |
| Peaches | Brown rot | fenbuconazole | EW | 50 g/l | Indar 50 EW | 5453 | 1 day | Dow Agroscience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|-------------------------------------|--------------------------|-----|-------------|------------------------|------|---------|---|
| Peaches | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Peaches | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Peaches | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | Tutor 500 SC | 9948 | 3 days | ICA International Chemicals |
| Peaches | Post harvest decay | iprodione | SC | 255 g/l | Iprodione 255 | 7340 | 3 days | Erintrade t/a RT Chemicals |
| Peaches | Post harvest decay | iprodione | SC | 500 g/l | Iprodione 500 SC | 8459 | | Universal Crop Protection |
| Peaches | Post harvest decay | iprodione | SC | 500 g/l | Prodione | 7222 | 5 days | Nulandis |
| Peaches | Post harvest decay | iprodione | SC | 500 g/l | Taurus 500 SC | 8499 | | Villa Crop Protection |
| Peaches | Freckle; Gum spot; Rust | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 28 days | Total SA |
| Peaches | Freckle; Gumspot; Rust | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 28 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 28 days | Dow Agrosience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 28 days | Total SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 28 days | Kombat |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agrosience SA |
| Peaches | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agrosience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 28 days | Castle Ag-Chem |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 28 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 28 days | Ag-Chem Africa |
| Peaches | Freckle; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 28 days | Meridian Agritech Co |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | CropASURE |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agrosience SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 28 days | Total SA |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Tridex | 5323 | 28 days | Total SA |
| Peaches | Freckle; Gumspot; Rust | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 28 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peaches | Gumspot; Rust | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Peaches | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 28 days | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|---------------------------------|-------------------------|-----|-------------|--------------------------|------|---------|--|
| Peaches | Freckle; Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 14 days | Arysta Lifescience SA |
| Peaches | Freckle; Gumspot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 14 days | Arysta Lifescience SA |
| Peaches | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Peaches | Rust | metiram | WG | 700 g/kg | Polyram WG | 5268 | 14 days | BASF SA |
| Peaches | Leaf curl | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 4230 | | Agro-Serve t/a Efekto |
| Peaches | Leaf curl | polysulphide sulphur | SL | 320 g/l | Lime Sulphur | 7686 | | Delta Chemicals |
| Peaches | Blossom blight | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Peaches | Blossom blight | prochloraz | WP | 500 g/kg | Octave | 3406 | | FMC Chemicals |
| Peaches | Brown rot | procymidone | SC | 250 g/l | Sumislex SC | 6377 | 7 days | Philagro South Africa |
| Peaches | Brown rot | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 7 days | Dow Agrosience SA |
| Peaches | Blossom blight | propiconazole | EC | 250 g/l | Admiral 250 EC | 9358 | | Cedar Falls Properties 130 |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | 10 days | Adama SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | 10 days | Makhro-Agro SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | 10 days | CropASURE |
| Peaches | Blossom blight | propiconazole | EC | 250 g/l | Propicon 250 EC | 7547 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | 10 days | Universal Crop Protection |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | 10 days | Villa Crop Protection |
| Peaches | Blossom blight; Powdery mildew | propiconazole | EC | 250 g/l | Tilt | 6668 | 10 days | Syngenta SA |
| Peaches | Blossom blight | propiconazole | EC | 500 g/l | Propicon 500 EC | 7506 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | 3 days | ICA International Chemicals |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | Pyrimet 400 SC | 9575 | 3 days | Wentek Chemicals |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | Source 400 SC | 9283 | 3 days | Universal Crop Protection |
| Peaches | Post harvest decay | pyrimethanil | SC | 400 g/l | Support 400 SC | 9282 | 3 days | Villa Crop Protection |
| Peaches | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | | Ag-Chem Africa |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | | Universal Crop Protection |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | | Ag-Chem Africa |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | | Orchard Agrikem |
| Peaches | Powdery mildew | sulphur | DP | 980 g/kg | Vine and Dusting Sulphur | 1252 | | Plaaskem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------------------------|--|------------------|-----|-------------------------|--------------------|------|---------|---|
| Peaches | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 5241 | | Sunwood Chemicals |
| Peaches | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |
| Peaches | Powdery mildew; Rust | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Peaches | Powdery mildew; Rust | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Peaches | Powdery mildew; Rust | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Peaches | Powdery mildew; Rust | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Cosavel | 6355 | | Sulphur Chemical Mills |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Kupulus | 2404 | | BASF SA |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Microthol Special | 5329 | | Total SA |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Peaches | Powdery mildew; Rust | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Peaches | Powdery mildew; Rust | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 750 g/kg | Thiram 75 WP | 6687 | 14 days | Arysta Lifescience SA |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 750 g/kg | Thiram 750 WP | 7097 | 14 days | Universal Crop Protection |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 750 g/kg | Thiram WP | 4948 | 14 days | Dow Agroscience SA |
| Peaches | Blossom blight; Gum spot; Leaf curl | thiram | WP | 800 g/kg | Ag-Thiram 800 WP | 8175 | 14 days | Ag-Chem Africa |
| Peaches (including nectarines) | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rust; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Peaches (including Nectarines) | Leaf curl | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Peaches (including nectarines) | Post harvest decay | iprodione | SC | 255 g/l | Rovral Flo | 1046 | 3 days | FMC Chemicals |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | 3 days | ICA International Chemicals |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | Iprone 500 SC | 8452 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | 3 days | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------------------------|--|-------------------------|-----|-----------|-----------------------|------|------------------|---|
| Peaches (including Nectarines) | Post harvest decay | iprodione | SC | 500 g/l | Roflo | 9573 | 3 days | Wentek Chemicals |
| Peaches (including nectarines) | Post harvest decay | iprodione | SC | 500 g/l | Rovral Aquaflo | 5140 | | FMC Chemicals |
| Peaches (including nectarines) | Blossom blight; Gum spot; Leaf curl | thiram | WG | 800 g/kg | Thiram Granuflo 80% | 5983 | | D&J Agro Pesticides |
| Peaches (including nectarines) | Brown rot | triforine | EC | 190 g/l | Denarin EC | 5210 | 3 days | Sumitomo Corporation |
| Peas | Alternaria blight; Anthracnose; Leaf blight; Leaf spot; Leaf and pod spot; Rust; Southern blight; Web blight | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Peas | Sclerotinia rot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 21 days | Villa Crop Protection |
| Peas | Sclerotinia rot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 21 days | Universal Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | Calonil 500 SC | 7701 | 6; 42 F | Sidewalk Trading |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | 6 days; 42 (hay) | Universal Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | Matrix | 7290 | 6 days; 42 (hay) | Bitrad Consulting |
| Peas | Ascochyta blight | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | 6 days; 42 (hay) | Villa Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 42 days (hay) | Syngenta SA |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | 6 days; 42 (hay) | Villa Crop Protection |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 6 days; 42 (hay) | Cedar Falls Properties 130 |
| Peas | Ascochyta blight | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | 6 days; 42 (hay) | Universal Crop Protection |
| Peas | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Peas | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Peas | Damping off; Downy mildew | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Peas | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Peas | Downy mildew | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 3 days | Total SA |
| Peas | Downy mildew | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 3 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Peas | Downy mildew | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 3 days | Dow Agroscience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------|---------------------------|-------------------------|-----|----------|------------------------|------|-------------------|---|
| Peas | Downy mildew | mancozeb | WG | 750 g/kg | Pencozeb WG | 4655 | 3 days | Total SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 3 days | Universal Crop Protection |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 3 days | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 3 days | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 3 days | Castle Ag-Chem |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 3 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 3 days | Ag-Chem Africa |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 3 days | Crop Asure |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 3 days | Dow Agroscience SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 3 days | Total SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Tridex | 5323 | 3 days | Total SA |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 3 days | Nulandis |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 3 days | Villa Crop Protection |
| Peas | Downy mildew | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 3 days | Arysta Lifescience SA |
| Peas | Damping off; Downy mildew | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Peas | Damping off; Downy mildew | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Peas | Powdery mildew | organic plant acids | SL | 19 g/l | Kanguard 940 | 7421 | 1 day | Kannar CC |
| Peas | Powdery mildew | penconazole | EW | 200 g/l | Excalibur 200 EW | 7493 | 7 days; 14 days F | Villa Crop Protection |
| Peas | Powdery mildew | penconazole | EW | 200 g/l | Penconazole 200 EW | 7492 | 7 days; 14 days F | Universal Crop Protection |
| Peas | Powdery mildew | penconazole | EW | 200 g/l | Penconazole 200 EW | 8092 | 7 days; 14 days F | Crop Asure |
| Peas | Sclerotinia rot | procymidone | SC | 250 g/l | Sumislex SC | 6377 | 21 days | Philagro South Africa |
| Peas | Sclerotinia rot | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 21 days | Dow Agroscience SA |
| Peas | Powdery mildew | spiroxamine | EC | 500 g/l | Prosper 500 EC | 6252 | 7 days | Bayer |
| Peas | Powdery mildew | sulfur | SC | 800 g/l | Sulfomaxx | 9941 | | Ag-Chem Africa |
| Peas | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 5261 | | Universal Crop Protection |
| Peas | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 7379 | | Ag-Chem Africa |
| Peas | Powdery mildew | sulphur | DP | 980 g/kg | Dusting Sulphur | 9127 | | Orchard Agrikem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-----------------------------|----------------------------------|-----------------------------|-----|-------------|---------------------|------|----------------------------------|-----------------------------|
| Peas | Powdery mildew | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Peas | Powdery mildew | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Peas | Powdery mildew | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Peas | Powdery mildew | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Peas | Powdery mildew | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Peas | Powdery mildew | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Peas | Powdery mildew | tebuconazole | EC | 250 g/l | Ardent | 9779 | 7 days | DNA Crop Protection |
| Peas | Powdery mildew | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 7 days | Sharda International Africa |
| Peas | Powdery mildew | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 7 days | Erintrade t/a RT Chemicals |
| Peas | Powdery mildew | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 7 days | Makhro-Agro SA |
| Peas | Powdery mildew | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 7 days | Adama SA |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | 7 days | Meridian Agritech Co |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 7 days | Cedar Falls Properties 130 |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 7 days | Bayer |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 7 days | Adama SA |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 7 days | Cheminova |
| Peas | Powdery Mildew | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Peas | Powdery mildew | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 7 days | Arysta Lifescience SA |
| Peas | Powdery mildew | triadimenol | EC | 250 g/l | Shavit 25 EC | 5601 | 3 days | Adama SA |
| Peas | Powdery mildew | triforine | EC | 190 g/l | Denarin EC | 5210 | 4 days | Sumitomo Corporation |
| Peas | Powdery mildew | triforine | EC | 190 g/l | Funginex | 2469 | 4 days | Agro-Serve t/a Efekto |
| Peas | Powdery mildew | tebuconazole | EW | 0,25 g/l | Orius 200 EW RTU | 8302 | 7 days | Makhro-Agro SA |
| Peas (including mange tout) | Ascochyta blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 days; Mange tout 14 days | Syngenta SA |
| Peas (including Mange Tout) | Powdery mildew | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 7 days; 14 days F | Syngenta SA |
| Pecan nuts | Downy spot; Scab; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 45 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|--|-----------------------------|-----|--------------|---------------------------|------|-----------|--|
| Pecan nuts | Alternaria; Botrytis | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Pecan nuts | Scab | fentin hydroxide | SC | 480 g/l | Ag-Tin | 9493 | | Ag-Chem Africa |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | 90 days | Adama SA |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | 90 days | Makhro-Agro SA |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | 90 days | Crop Asure |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | 90 days | Universal Crop Protection |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | 90 days | Villa Crop Protection |
| Pecan nuts | Scab | propiconazole | EC | 250 g/l | Tilt | 6668 | 90 days | Syngenta SA |
| Peppers | Anthracoze; Powdery mildew; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 14 days | Syngenta SA |
| Peppers | Powder mildew | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Peppers | Powdery mildew | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Peppers | Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 days | Syngenta SA |
| Peppers | Leaf spot; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl | 7291 | 3 | Volcano Agrosience /ta Arysta Lifescience SA |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 3 days | Villa Crop Protection |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 3 days | Universal Crop Protection |
| Peppers | Powdery mildew | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 3 | Castle Ag-Chem |
| Peppers | Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Rambo | 7292 | 7-14 days | Bitrad Consulting |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 3 days | Universal Crop Protection |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 3 days | Villa Crop Protection |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 3 days | Arysta Lifescience SA |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 3 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Peppers | Bacterial spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | | Castle Ag-Chem |
| Peppers | Damping off | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Peppers | Downy mildew; Phytophthora blight | mandipropamid | SC | 250 g/l | Revus | 8617 | 1 day | Syngenta SA |
| Peppers | Powdery mildew | penconazole | EW | 200 g/l | Topaz 200 EW | 5246 | 7 days | Syngenta SA |
| Persimmons | Anthracoze; Cercospora leaf spot; Powdery mildew; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |
| Persimmons | Alternaria | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|------------|---|-----------------------------|-----|---------------------------|----------------------|------|-----------|---|
| Pineapples | Root & Base rot | fosetyl-Al | WG | 800 g/kg | Aliette WG | 5689 | | Bayer |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Kickback 700 WP | 7105 | | Bitrad Consulting |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Mancolax 700 WP | 7382 | 21 days | Gouws & Scheepers (Plaaskem) |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7462 | 21 days | Universal Crop Protection |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7463 | 21 days | Villa Crop Protection |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Milor 700 WP | 5884 | | Rotam RSA |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Rolim 700 WP | 7609 | 21 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Pineapples | Root & Base rot | mancozeb/metalaxyl | WP | 600/100 g/kg | Sanlaxyl 700 WP | 6100 | 21 days | Dow Agrosience SA |
| Pineapples | Root & Base rot | mancozeb/metalaxyl- m | WG | 640/40 g/kg | Ridomil Gold Pepite | 7191 | 21 days | Syngenta SA |
| Pineapples | Root & Base rot | metalaxyl | GR | 50 g/kg | Kickback 5 GR | 7104 | | Bitrad Consulting |
| Pineapples | Root & Base rot | metalaxyl | GR | 50 g/kg | Rolim 5 GR | 7608 | 21 days | Arysta Lifescience SA |
| Pineapples | Root & base rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 21 days | Syngenta SA |
| Pineapples | Root & Base rot | potassium phosphite | SL | 370 g/l | Phosguard 200 SL | 6635 | | Ocean Agriculture |
| Pineapples | Root and heart rot | potassium phosphite | SL | 560 g/l | Leafguard 400 SL | 7803 | | Nulandis |
| Pineapples | Root & Base rot | potassium phosphite | SL | 560 g/l | Mariphos 400 SL | 7961 | | Arysta Lifescience SA |
| Pineapples | Root & Base rot | potassium phosphite | SL | 560 g/l | Phosguard 400 SL | 6477 | | Nulandis |
| Pineapples | Root & Collar rot | potassium phosphite | SL | 560 g/l | Phosphite 400 SL | 7468 | 96 days | Villa Crop Protection |
| Pineapples | Collar rot; Root rot | potassium phosphite | SL | 560 g/l | Potassium P 400 SL | 8091 | 96 days | Crop Asure |
| Pineapples | Root & Base rot | potassium phosphite | SL | 560 g/l | Rootex 400 SL | 7467 | 96 days | Universal Crop Protection |
| Pineapples | Post harvest rot | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Pineapples | Post harvest decay | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Pineapples | Post harvest decay | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Pineapples | Post harvest decay | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | | Villa Crop Protection |
| Pistachios | Alternaria late blight; Panicle and shoot blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Pistachios | Alternaria; Botrytis | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Plums | Crown Gall | Agrobacterium radiobacter | WP | 5x10 ⁸ cells/g | Crown Gall Inoculant | 1380 | | Stimuplant |
| Plums | Bacterial spot | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Plums | Alternaria pod and fruit rot; Anthracnose; Brown rot; Blossom blight; Fruit rot; Leaf rot; Powdery mildew; Scab | azoxystrobin | SC | 250 g/l | Ortiva | 5968 | 1 day | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--|-------------------------|-----|-------------------------|---------------------------|------|-----------|---|
| Plums | Blossom blight | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Plums | Blossom blight | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Plums | Bacterial spot; Gum spot | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Plums | Bacterial spot; Gum spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Plums | Bacterial spot; Gum spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Plums | Post harvest decay | chlorine dioxide | SL | 20 g/l | Harvest Wash WT | 7252 | | BTC Products and Services |
| Plums | Bacterial spot | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Plums | Bacterial spot | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Plums | Bacterial spot | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Plums | Bacterial spot | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 14 days | Nufarm Agriculture |
| Plums | Bacterial spot | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 14 days | Agri Registrations CC |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Plums | Bacterial canker; Bacterial spot; Gum spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Plums | Bacterial canker; Bacterial spot | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Plums | Bacterial canker; Bacterial spot | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 14 days | Agro-Serve t/a Efekto |
| Plums | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Plums | Bacterial canker; Gum spot | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Plums | Bacterial canker; Gum spot | copper sulphate/lime | WG | 770/174 g/kg | Cuprofix Disperss | 6784 | 14 days | Chempac |
| Plums | Brown rot blossom blight | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 2 days | Syngenta SA |
| Plums | Brown rot | fenbuconazole | EW | 50 g/l | Indar 50 EW | 5453 | 1 day | Dow Agroscience SA |
| Plums | Post harvest decay | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|-------------------------|--------------------------|-----|-------------|------------------------|------|---------|---|
| Plums | Post harvest decay | fludioxonil/pyrimethanil | SC | 100/400 g/l | Tutor 500 SC | 9948 | 3 days | ICA International Chemicals |
| Plums | Post harvest decay | iprodione | SC | 255 g/l | Iprodione 255 | 7340 | 3 days | Erintrade t/a RT Chemicals |
| Plums | Post harvest decay | iprodione | SC | 255 g/l | Rovral Flo | 1046 | 3 days | FMC Chemicals |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | Iprodione 500 SC | 8459 | 3 days | Universal Crop Protection |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | 3 days | ICA International Chemicals |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | 3 days | Ag-Chem Africa |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | Roflo | 9573 | 3 days | Wentek Chemicals |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | Rovral Aquaflo | 5140 | | FMC Chemicals |
| Plums | Post harvest decay | iprodione | SC | 500 g/l | Taurus 500 SC | 8499 | 3 days | Villa Crop Protection |
| Plums | Gum spot; Rust | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 14 days | Total SA |
| Plums | Gum spot; Rust | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Gum spot; Rust | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 14 days | Total SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 14 days | Kombat |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 14 days | Castle Ag-Chem |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Plums | Rust | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 14 days | Meridian Agritech Co |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Plums | Freckle; Gum spot; Rust | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 14 days | Total SA |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Tridex | 5323 | 14 days | Total SA |
| Plums | Gumspot; Rust | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Plums | Gumspot; Rust | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|---------------------------------|-------------------------|-----|-------------|----------------------|------|---------|--|
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |
| Plums | Gum spot; Rust | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Plums | Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 14 days | Arysta Lifescience SA |
| Plums | Gum spot; Rust | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 14 days | Arysta Lifescience SA |
| Plums | Collar rot; Crown rot; Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 30 days | Syngenta SA |
| Plums | Blossom blight | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Plums | Blossom blight | prochloraz | WP | 500 g/kg | Octave | 3406 | | FMC Chemicals |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Admiral 250 EC | 9358 | | Cedar Falls Properties 130 |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | | Adama SA |
| Plums | Powdery mildew | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | | Makhro-Agro SA |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | | Crop Assure |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Propicon 250 EC | 7547 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | | Universal Crop Protection |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | | Villa Crop Protection |
| Plums | Blossom blight | propiconazole | EC | 250 g/l | Tilt | 6668 | | Syngenta SA |
| Plums | Blossom blight | propiconazole | EC | 500 g/l | Propicon 500 EC | 7506 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | 3 days | ICA International Chemicals |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | Pyrimet 400 SC | 9575 | 3 days | Wentek Chemicals |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | Source 400 SC | 9283 | 3 days | Universal Crop Protection |
| Plums | Post harvest decay | pyrimethanil | SC | 400 g/l | Support 400 SC | 9282 | 3 days | Villa Crop Protection |
| Plums | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 5241 | | Sunwood Chemicals |
| Plums | Post harvest decay | sulphur | GE | 995 g/kg | Fumigation Sulphur | 6665 | | JCJ Agri Chem |
| Plums | Rust | sulphur | SC | 700 g/l | Flowable Sulphur | 142 | | Applied Chemical Products |
| Plums | Rust | sulphur | SC | 700 g/l | Sulflo 700 SC | 6433 | | Sunwood Chemicals |
| Plums | Rust | sulphur | SC | 800 g/l | Eco Fungimite | 8756 | | Agro-Serve t/a Efekto |
| Plums | Rust | sulphur | SC | 800 g/l | SulfoStar | 6982 | | Ag-Chem Africa |
| Plums | Rust | sulphur | WG | 800 g/kg | Cosavet | 6355 | | Sulphur Chemical Mills |
| Plums | Rust | sulphur | WG | 800 g/kg | Kumululus | 2404 | | BASF SA |
| Plums | Rust | sulphur | WG | 800 g/kg | Microthiol Special | 5329 | | Total SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------------------|--|---------------------------|-----|-------------|---------------------|-------|---------|-----------------------------|
| Plums | Rust | sulphur | WG | 800 g/kg | Striker | 6628 | | Chempac |
| Plums | Rust | sulphur | WG | 800 g/kg | Sulgrain 800 WDG | 9315 | | Villa Crop Protection |
| Plums | Rust | sulphur | WG | 800 g/kg | Sulgran 800 WDG | 5727 | | Sunwood Chemicals |
| Plums | Rust | sulphur | WG | 800 g/kg | Thiovit Jet | 1061 | | Syngenta SA |
| Plums | Rust | sulphur | WP | 800 g/kg | Wettable Sulphur | 6933 | | Sunwood Chemicals |
| Plums | Blossom blight | thiram | WG | 800 g/kg | Thiram Granuflo 80% | 5983 | | D&J Agro Pesticides |
| Plums | Blossom blight | thiram | WP | 750 g/kg | Thiram 75 WP | 6687 | 14 days | Arysta Lifescience SA |
| Plums | Blossom blight | thiram | WP | 750 g/kg | Thiram 750 WP | 7097 | 14 days | Universal Crop Protection |
| Plums | Blossom blight | thiram | WP | 750 g/kg | Thiram WP | 4948 | 14 days | Dow Agroscience SA |
| Plums | Blossom blight | thiram | WP | 800 g/kg | Ag-Thiram 800 WP | 8175 | 14 days | Ag-Chem Africa |
| Plums (including prunes) | Specific replant disease | chloropicrin | AL | 1656 g/l | Tripicrin | 8306 | | Nippon Africa Chemicals |
| Plums (including prunes) | Brown rot; Grey mould; Rhizopus rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Plums (including prunes) | Rust | metiram | WG | 700 g/kg | Polyram WG | 5268 | 14 days | BASF SA |
| Plums (including prunes) | Brown rot | triforine | EC | 190 g/l | Denarin EC | 5210 | 3 days | Sumitomo Corporation |
| Pomegranates | Botrytis rot | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Pomegranates | Botrytis rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Potatoes | Late blight | ametoctradin/dimethomorph | SC | 300/225 g/l | Orvego | 9185 | 7 | BASF SA |
| Potatoes | Late blight | ammonium phosphite | SL | 386 g/l | Brilliant 300 SL | 7226 | 6 | Nippon Africa Chemicals |
| Potatoes | Late blight | ammonium phosphite | SL | 386 g/l | Brilliant SL | 7225 | 6 | Arysta Lifescience SA |
| Potatoes | Black dot; Black scurf; Early blight; Silver scurf | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 7 days | Syngenta SA |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 8593 | 7 days | Sharda International Africa |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 7 days | Castle Ag-Chem |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Aztrix 250 SC | 9574 | | Wentek Chemicals |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Banshee | 9786 | 7 days | DNA Crop Protection |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Fortress | 9269 | 7 days | Meridian Agritech Co |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Mycoblock 250 SC | 8591 | 7 | Universal Crop Protection |
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|------------------------------|------------------------------------|-----|---------------|------------------------|-------|---------|-----------------------------|
| Potatoes | Early blight | azoxystrobin | SC | 250 g/l | Strobin 250 SC | 8625 | 7 days | Crop Asure |
| Potatoes | Early blight; Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 days | Syngenta SA |
| Potatoes | Early blight | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Azur Opti 660 SC | 10021 | 14 days | Almond Agro Chemicals |
| Potatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | Canal 500 SC | 10288 | 7 days | Universal Crop Protection |
| Potatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | Central 500 SC | 10289 | 7 days | Villa Crop Protection |
| Potatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Potatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | Azur Top 325 SC | 9867 | 14 days | Almond Agro Chemicals |
| Potatoes | Late blight | benthiavalicarb-isopropyl/mancozeb | WG | 17,5/700 g/kg | Valbon WG | 7681 | 7 | Mitsui & Co Europe Plc |
| Potatoes | Early blight | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Potatoes | Late blight | captab | WG | 800 g/kg | Captan 800 WG | 9345 | 3 days | Sharda International Africa |
| Potatoes | Late blight | captab | WG | 800 g/kg | Merpan 80 WDG | 5456 | 14 days | Adama SA |
| Potatoes | Late blight | captab | WP | 500 g/kg | Captab WP | 6758 | | Universal Crop Protection |
| Potatoes | Late blight | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | | Agro-Serve t/a Efekto |
| Potatoes | Late blight | captab | WP | 500 g/kg | Thor 500 WP | 7691 | | Ag-Chem Africa |
| Potatoes | Late blight | captan | WG | 800 g/kg | Captan 800 WG | 9249 | 14 days | Meridian Agritech Co |
| Potatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 14 days | Villa Crop Protection |
| Potatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenozim SC | 7924 | 14 days | Universal Crop Protection |
| Potatoes | Common scab | chloropicrin | AL | 1656 g/l | Tripicrin | 8306 | | Nippon Africa Chemicals |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | Calonil 500 SC | 7701 | 3 days | Sidewalk Trading |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | 3 days | Plaaskem |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | 3 days | Universal Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | Matrix | 7290 | 3 days | Bitrad Consulting |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | 3 days | Villa Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Bravo 720 | 4233 | 3 days | Agro-Serve t/a Efekto |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 3 days | Syngenta SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Clortosip 720 SC | 7108 | 3 days | Sipcam South Africa |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | 3 days | Makhro-Agro SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | 3 days | Villa Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 3 days | Cedar Falls Properties 130 |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---------------------------|--|-----|-------------------------|---------------------------|------|---------|---|
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Mycoguard 720 SC | 8417 | 3 days | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | 3 days | Adama SA |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | 3 days | Universal Crop Protection |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Solsan SC | 9590 | 3 days | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | TalOnil 720 | 8935 | 3 days | Erintrade t/a RT Chemicals |
| Potatoes | Early blight; Late blight | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | 3 days | Adama SA |
| Potatoes | Early blight; Late blight | chlorothalonil/copper oxychloride | SC | 280/210 g/l | Clontosip RL | 8316 | 14 days | Sipcam South Africa |
| Potatoes | Early blight; Late blight | chlorothalonil/cymoxanil | SC | 375 g/l/50 g/l | Ruby | 6780 | 14 days | Sipcam South Africa |
| Potatoes | Late blight | chlorothalonil/metalaxyl-M (mefenoxam) | SC | 500/37,5 g/l | Ridomil Gold Flo | 6669 | 14 days | Syngenta SA |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 14 days | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 14 days | Villa Crop Protection |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 14 days | Hygrotech Properties |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 14 days | Hygrotech Properties |
| Potatoes | Early blight; Late blight | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 14 days | Gouws & Scheepers |
| Potatoes | Early blight; Late blight | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 14 days | Ag-Chem Africa |
| Potatoes | Early blight; Late blight | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 14 days | Ag-Chem Africa |
| Potatoes | Early blight | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 14 days | Plaaskem |
| Potatoes | Early blight | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 14 days | Nulandis |
| Potatoes | Early blight | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 14 days | Mitsui & Co Europe Plc |
| Potatoes | Early blight | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 14 days | Nufarm Agriculture |
| Potatoes | Early blight | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 14 days | Agri Registrations CC |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---------------------------|---|-----|----------------|---------------------|-------|---------|---|
| Potatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 14 days | Agro-Serve t/a Efekto |
| Potatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 14 days | Ag-Chem Africa |
| Potatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 14 days | Arysta Lifescience SA |
| Potatoes | Late blight | copper sulphate/fentin hydroxide | SC | 320/50 g/l | Coptin | 9377 | 14 days | Ag-Chem Africa |
| Potatoes | Early blight | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Potatoes | Early blight | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Potatoes | Early blight; Late blight | cymoxanil | SC | 300 g/l | Vidac Flo | 9688 | 14 days | Meridian Agritech Co |
| Potatoes | Late blight | cymoxanil | WG | 500 g/kg | Cymox | 10160 | 14 | Sipcam South Africa |
| Potatoes | Late blight | cymoxanil/dimethomorph/phosphorous acid | SC | 40/40/240 g/l | Phostemic Xtra | 10125 | 14 | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | cymoxanil/famoxadone | WG | 250/250 g/kg | Fusion | 10133 | 7 days | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | cymoxanil/famoxadone | WG | 250/250 g/kg | Tanos | 6564 | 7 days | Du Pont de Nemours |
| Potatoes | Early blight; Late blight | cymoxanil/famoxadone/folpet | WG | 80/40/333 g/kg | Tanos Pro | 8456 | 7 days | Du Pont de Nemours |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Controller | 6783 | 14 | RT Chemicals |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Curzate Pro | 5698 | 14 days | Du Pont de Nemours |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Cymax M WP | 7680 | 14 days | Meridian Agritech Co |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Cymoxazeb WP | 7694 | 14 days | Villa Crop Protection |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Fungarrest | 7693 | 14 days | Universal Crop Protection |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Macoxanil | 8628 | 14 days | CropASURE |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Micexanil | 6322 | 14 days | Sipcam South Africa |
| Potatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Zetanil | 6036 | 14 days | Sipcam South Africa |
| Potatoes | Late blight | cymoxanil/propineb | WP | 60/700 g/kg | Milraz 76 WP | 2879 | 14 | Bayer |
| Potatoes | Stem canker | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Potatoes | Bacterial rot | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | | ICA International Chemicals |
| Potatoes | Bacterial rot | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | | ICA International Chemicals |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 14 days | Castle Ag-Chem |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Dicati | 8414 | 14 days | Sharda International Africa |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 14 days | CropASURE |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Difence | 7922 | 14 days | Erintrade t/a RT Chemicals |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|--|------------------------------|-----|---------------|--------------------|-------|----------|--|
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 14 days | Adama SA |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 14 days | Universal Crop Protection |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Granado | 9767 | 14 days | DNA Crop Protection |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 14 days | Sidewalk Trading |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Pronto 250 EC | 7602 | 14 days | Meridian Agritech Co |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 14 days | Villa Crop Protection |
| Potatoes | Early blight | difenoconazole | EC | 250 g/l | Score | 5132 | 7 days | Syngenta SA |
| Potatoes | Late blight | dimethomorph | SC | 500g/l | Sovrin Flo | 7601 | 14 | Meridian Agritech Co |
| Potatoes | Late blight | dimethomorph | WP | 500 g/kg | Sovrin WP | 7600 | 14 | Meridian Agritech Co |
| Potatoes | Late blight | dimethomorph/mancozeb | WG | 90/600 g/kg | Acrobat WG | 6526 | 3 | BASF SA |
| Potatoes | Late blight | dimethomorph/mancozeb | WP | 90/600 g/kg | Dimethozeb 690 WP | 7985 | 3 | Universal Crop Protection |
| Potatoes | Late blight | dimethomorph/mancozeb | WP | 90/600 g/kg | Vimethozeb 690 WP | 7986 | 3 | Villa Crop Protection |
| Potatoes | Early blight; Late blight | fenamidone/mancozeb | WG | 100/500 g/kg | No-Blite | 6681 | 11 days | Bayer |
| Potatoes | Early blight; Late blight | fentin hydroxide | SC | 480 g/l | Ag-Tin | 9493 | 14 days | Ag-Chem Africa |
| Potatoes | Black dot; Black scurf; Silver scurg | fludioxonil | FS | 100 g/l | Celest | 6173 | | Syngenta SA |
| Potatoes | Late blight | fluopicolide/propamocarb-HCL | SC | 62,5/62,5 g/l | Infinito 687,5 SC | 8470 | 7 days | Bayer |
| Potatoes | Early blight | fluopyram | SC | 400 g/l | Velum Prime 400 SC | 9965 | 100 days | Bayer |
| Potatoes | Early blight | fluopyram | SC | 500 g/l | Velum Prime | 9565 | 100 days | Bayer |
| Potatoes | Common scab; Powdery scab | flusulfamide | SC | 220 g/l | Scablok | 5956 | - | Mitsui & Co Europe Plc |
| Potatoes | Early blight | flutriafol | SC | 125 g/l | Impact | 4088 | 14 days | Cheminova (Disa Bio-Technologies CC) |
| Potatoes | Early blight | flutriafol | SC | 250 g/l | Impact 250 SC | 9064 | 14 days | Cheminova |
| Potatoes | Early blight; Late blight | folpet | SC | 500 g/l | Folpan 500 SC | 4662 | | Adama SA |
| Potatoes | Early blight; Late blight | folpet | SC | 500 g/l | Valeo 500 SC | 9086 | | Meridian Agritech Co |
| Potatoes | Early blight; Late blight | folpet | WG | 800 g/kg | Folpan 80 WDG | 5333 | | Adama SA |
| Potatoes | Grey mold (Botrytis) | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | 7 days | ICA International Chemicals |
| Potatoes | Late blight | iprovalicarb | SC | 250 g/l | Argento | 10036 | 3 days | Meridian Agritech Co |
| Potatoes | Late blight | iprovalicarb/propineb | WG | 90/600 g/kg | Melody Duo 69 WG | 6714 | 3 | Bayer |
| Potatoes | Late blight | iprovalicarb/propineb | WP | 90/600 g/kg | Melody Duo 69 WP | 8829 | 3 days | Bayer |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 3 days | Total SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|----------|-----|----------|------------------------|------|---------|--|
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 455 g/l | Multizeb 455 SC | 9174 | 3 days | Villa Crop Protection |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | SC | 455 g/l | Newzeb 455 SC | 9175 | 3 days | Universal Crop Protection |
| Potatoes | Early blight; Late blight; Fusarium dry rot; Common scab | mancozeb | SC | 480 g/l | Newzeb 480 SC | 9178 | 3 days | Universal Crop Protection |
| Potatoes | Early blight; Late blight; Fusarium dry rot; Common scab | mancozeb | SC | 480 g/l | Unizeb 480 SC | 9179 | 3 days | Villa Crop Protection |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 14 days | Dow Agroscience SA |
| Potatoes | Common scab, Dry rot, Early blight, Fusarium, Late blight | mancozeb | WG | 750 g/kg | Newzeb 750 WDG | 8811 | 3 days | Universal Crop Protection |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 3 days | Total SA |
| Potatoes | Common scab, Dry rot, Early blight, Fusarium, Late blight | mancozeb | WG | 750 g/kg | Villa Unizeb 750 WDG | 8812 | 3 days | Villa Crop Protection |
| Potatoes | Common scab; Dry rot; Early blight; Late blight | mancozeb | WP | 750 g/kg | Cozeb 750 WDG | 8964 | | Crop Asure |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 3 days | Universal Crop Protection |
| Potatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 14 days | Kombat |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 3 days | Dow Agroscience SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 3 days | Dow Agroscience SA |
| Potatoes | Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 3 days | Castle Ag-Chem |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 3 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 3 days | Ag-Chem Africa |
| Potatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 3 days | Meridian Agritech Co |
| Potatoes | Common scab; Dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 3 days | Crop Asure |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 3 days | Dow Agroscience SA |
| Potatoes | Common scab; Early blight; Late blight; Fusarium dry rot | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 3 days | Total SA |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | Tridex | 5323 | 3 days | Total SA |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 3 days | Tsunami Plant Protection/ta Arysta Lifescience |
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 3 days | Nulandis |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|--|------------------------------|-----|-----------------|---------------------|------|---------|---|
| Potatoes | Common scab; Early blight; Fusarium dry rot; Late blight | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 3 days | Villa Crop Protection |
| Potatoes | Common scab; Fusarium dry rot; Early blight; Late blight | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 3 days | Arysta Lifescience SA |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Crater MX 700 WP | 8427 | 14 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Kickback 700 WP | 7105 | 14 days | Bitrad Consulting |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Mancolax 700 WP | 7382 | 14 days | Gouws & Scheepers (Plaaskem) |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7462 | 14 days | Universal Crop Protection |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7463 | 14 days | Villa Crop Protection |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Milor 700 WP | 5884 | 14 days | Rotam RSA |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Rolim 700 WP | 7609 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Sanlaxyl 700 WP | 6100 | 14 days | Dow Agrosience SA |
| Potatoes | Late blight | mancozeb/metalaxyl- m | WG | 640/40 g/kg | Ridomil Gold Pepite | 7191 | 14 days | Syngenta SA |
| Potatoes | Late blight | mandipropamid | SC | 250 g/l | Revus | 8617 | 3 days | Syngenta SA |
| Potatoes | Early blight; Late blight | maneb/procyimdone/zinc oxide | SC | 325/125/4,7 g/l | Barrier 450 SC | 7604 | 35 days | Gouws & Scheepers (Plaaskem) |
| Potatoes | Early blight; Late blight | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 3 days | Applied Chemical Products |
| Potatoes | Early blight; Late blight | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 3 days | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 3 days | Arysta Lifescience SA |
| Potatoes | Early blight; Late blight | metiram | WG | 700 g/kg | Polyram WG | 5268 | 14 days | BASF SA |
| Potatoes | Black scurf (Stem canker) | pencycuron | SC | 250 g/l | Momento 250 SC | 7984 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Potatoes | Black scurf (Stem canker) | pencycuron | SC | 250 g/l | Monceren 250 SC | 3123 | | Bayer |
| Potatoes | Early blight | picoxystrobin | SC | 250 g/l | Acanto 250 SC | 8233 | 7 days | Du Pont de Nemours |
| Potatoes | Late blight | potassium phosphate | SL | 560 g/l | Leafmaster 400 SL | 7804 | 21 days | Ocean Agriculture |
| Potatoes | Late blight | potassium phosphite | SL | 555 g/l | Fighter | 7330 | 14 days | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 555 g/l | Inteli-Phite | 9859 | 14 days | Ag-Chem Africa |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | Leafguard 400 SL | 7803 | 21 days | Nulandis |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | Phosguard 400 SL | 6477 | 21 days | Nulandis |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | Phosphite 400 SL | 7468 | 21 days | Villa Crop Protection |
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | Potassium P 400 SL | 8091 | 21 days | Crop Asure |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---------------------------|------------------------------|-----|-------------|---------------------|------|---------|-----------------------------|
| Potatoes | Late blight | potassium phosphite | SL | 560 g/l | Rootex 400 SL | 7467 | 21 days | Universal Crop Protection |
| Potatoes | Late blight | potassium phosphite | SL | 600 g/l | Fosfonex 400 SL | 9740 | 21 days | In-line Trading 112 |
| Potatoes | Late blight | potassium phosphite | SL | 605 g/l | Ag-Phos 400 SL | 8216 | 14 days | Ag-Chem Africa |
| Potatoes | Black dot; Silver scurf | prochloraz | SC | 450 g/l | Chronos 450 SC | 7276 | | Adama SA |
| Potatoes | Anthracoze; Silver scurf | prochloraz | WP | 500 g/kg | Octave | 3406 | | FMC Chemicals |
| Potatoes | Early blight | procymidone | SC | 250 g/l | Procyone 250 SC | 8394 | 35 days | Universal Crop Protection |
| Potatoes | Early blight | procymidone | SC | 250 g/l | Sumiscler SC | 6377 | 35 days | Philagro South Africa |
| Potatoes | Early blight | procymidone | SC | 250 g/l | Typhoon 250 SC | 8397 | 35 days | Villa Crop Protection |
| Potatoes | Early blight | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 35 days | Dow Agrosience SA |
| Potatoes | Early blight; Late blight | propineb | WP | 700 g/kg | Antracol 70 WP | 2065 | | Bayer |
| Potatoes | Botrytis (grey mold) | pyrimethanil | SC | 400 g/l | Protector 400 SC | 8606 | 7 days | ICA International Chemicals |
| Potatoes | Brown spot | pyrimethanil/trifloxystrobin | SC | 400/120 g/l | Flint Star | 8291 | 14 | Bayer |
| Potatoes | Early blight | tebuconazole | EC | 250 g/l | Ardent | 9779 | 14 days | DNA Crop Protection |
| Potatoes | Early blight | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 14 days | Sharda International Africa |
| Potatoes | Early blight | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 14 days | Erintrade t/a RT Chemicals |
| Potatoes | Early blight | tebuconazole | EW | 0,25 g/l | Orius 200 EW RTU | 8302 | 14 days | Makhro-Agro SA |
| Potatoes | Early blight | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 14 days | Makhro-Agro SA |
| Potatoes | Early blight | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 14 days | Adama SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | 14 days | Meridian Agritech Co |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 14 days | Cedar Falls Properties 130 |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 14 days | Bayer |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 14 days | Adama SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 14 days | Cheminova |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | 14 days | Universal Crop Protection |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | 14 days | Villa Crop Protection |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 14 days | Arysta Lifescience SA |
| Potatoes | Early blight | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | 14 days | Crop Asure |
| Potatoes | Early blight | tebuconazole/trifloxystrobin | SC | 200/100 g/l | Nativo | 8942 | 14 days | Bayer |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|--|-----------------------|-----|------------------|----------------------------|-------|-----------|---|
| Potatoes | Black scurf; Fusarium dry rot | thiabendazole | SC | 500 g/l | ICA - Thiabendazole 500 SC | 7784 | | ICA International Chemicals |
| Potatoes | Black scurf; Fusarium dry rot; Gangrene; Stem canker | thiabendazole | SC | 500 g/l | Tbendazole 500 SC | 8093 | | Crop Asure |
| Potatoes | Black scurf; Fusarium dry rot; Stem canker | thiabendazole | SC | 500 g/l | Tecto | 5950 | see label | Syngenta SA |
| Potatoes | Black scurf; Fusarium dry rot; Stem canker | thiabendazole | SC | 500 g/l | Thiabendazole 500 SC | 7831 | see label | Universal Crop Protection |
| Potatoes | Black scurf; Fusarium dry rot; Stem canker | thiabendazole | SC | 500 g/l | Thiazole 500 SC | 7832 | see label | Villa Crop Protection |
| Potatoes | Black scurf; Stem canker | tolclofos-methyl | WS | 500 g/kg | Rizolex WP | 6376 | | Philagro South Africa |
| Potatoes | Black scurf; Rhizoctoria; Stem canker | trichoderma harzianum | | 2x10(9) spores/g | Rootguard | 10242 | | N Laboratories |
| Potatoes | Early blight | trifloxystrobin | SC | 500 g/l | Flint 500 SC | 8866 | 14 days | Bayer |
| Potatoes | Late blight | zoxamide | SC | 240 g/l | Zoxium 240 SC | 7908 | 14 days | Klub M5 |
| Quinces | Black spot | captab | WP | 500 g/kg | Captab WP | 6758 | 14 days | Universal Crop Protection |
| Quinces | Black spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 14 days | Agro-Serve t/a Efekto |
| Quinces | Black spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 14 days | Ag-Chem Africa |
| Quinces | Black spot | dodine | SC | 400 g/l | Antagon | 8842 | 14 days | Meridian Agritech Co |
| Quinces | Black spot | dodine | SC | 400 g/l | Syllit 400 SC | 7423 | 14 days | Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 14 days | Dow Agroscience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 14 days | Dow Agroscience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 14 days | Volcano Agroscience /ta Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 14 days | Ag-Chem Africa |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 14 days | Crop Asure |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 14 days | Dow Agroscience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 14 days | Nulandis |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 14 days | Arysta Lifescience SA |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 14 days | Universal Crop Protection |
| Quinces | Black spot | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 14 days | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------------|---|--|-----|----------------------------|-----------------|-------|---------------|--|
| Radish | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Radish | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Raspberries | Leaf rust | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Raspberries | Botrytis rot | fenhexamid | SC | 500 g/l | Teldor 500 SC | 6250 | 1 day | Bayer |
| Raspberries | Botrytis rot | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 3 days | Bayer |
| Raspberries | Botrytis | pyrimethanil | SC | 400 g/l | Scala | 4972 | 1 day | Bayer |
| Rice | Seedborne diseases | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Rooibos tea | Seed decay; Seed borne diseases | thiram | WP | 750 g/kg | Thiram 750 WP | 7097 | | Universal Crop Protection |
| Rye | Blast disease (Grey leaf spot) | azoxystrobin/cyproconazole | SC | 200/80 g/l | Amistar Xtra | 8567 | 14 days | Syngenta SA |
| Rye | Seedborne diseases | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Rye grass | Grey leaf spot | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 7 days | Syngenta SA |
| Seedlings | Soil pathogens | trichoderma harzianum | SP | 2x10 ⁹ spores/g | Tri-Cure SP | 9425 | | Natrol |
| Seedlings | Fusarium; Pythium; Rhizoctoria root rot | trichoderma harzianum | | 2x10 ⁹ spores/g | Rootguard | 10242 | | N Laboratories |
| Shallot | Botrytis leaf blight; Downy mildew; Purple blotch; Rust; Soil borne disease | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 day | Syngenta SA |
| Shallot | Downy mildew; Purple blotch | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 - 14 days | Syngenta SA |
| Sorghum | Anthracoise; Grey leaf spot; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 45 days | Syngenta SA |
| Sorghum | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Sorghum | Grey leaf spot; Northern leaf blight; Rust | azoxystrobin/difenoconazole | SC | 200/125 g/l | Azur Top 325 SC | 9867 | 14 days | Almond Agro Chemicals |
| Sorghum | Leaf blight; Rust; Sooty stripe | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Estricon 250 SC | 9433 | 40 days | Crop Asure |
| Sorghum | Leaf blight; Rust; Sooty stripe | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Improve 250 SC | 9311 | 40 days | Villa Crop Protection |
| Sorghum | Northern leaf blight; Rust; Sooty stripe | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Indicate 250 SC | 9310 | 40 days | Universal Crop Protection |
| Sorghum | Damping off; Decay; Seedling blight | azoxystrobin/fludioxonil/metalaxyl-M/thiabendazole | FS | 15/37,5/30/300 g/l | Maxim Quattro | 9494 | 14 days | Syngenta SA |
| Sorghum | Brown rust; Northern leaf blight; Sooty stripe | azoxystrobin/tebuconazole | SC | 120/200 g/l | Custodia 320 SC | 9342 | 60 days | Adama SA |
| Sorghum | Covered smut | captan | FS | 500 g/l | Captan FS | 5981 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Sorghum | Covered smut; Damping off; Seed decay | captan | FS | 500 g/l | Merpan SC | 4668 | | Adama SA |
| Sorghum | Seedling diseases | captan | FS | 500 g/l | Royalcap FS | 3152 | | Chemtura |
| Sorghum | Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 28 days; No F | Villa Crop Protection |
| Sorghum | Northern leaf blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenozim SC | 7924 | 28 days; No F | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------|---|------------------------------|-----|---------------|---------------------------|-------|--------------------|---|
| Sorghum | Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 60 days | Universal Crop Protection |
| Sorghum | Northern leaf blight | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 60 days | Villa Crop Protection |
| Sorghum | Northern leaf blight; Rust | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | 21 days; 90 days F | Syngenta SA |
| Sorghum | Damping off; Root rot; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | 35 days | Syngenta SA |
| Sorghum | Damping off; Root rot; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | 35 days | Syngenta SA |
| Sorghum | Damping off | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Sorghum | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Sorghum | Seedborne diseases | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Sorghum | Damping off; Seed decay | thiram | WS | 800 g/kg | Seedcare Thiram 80 WG | 5696 | | D&J Agro Pesticides |
| Soy beans | Rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | Discovery 280 SC | 10325 | 40 days | Cedar Falls Properties 130 |
| Soy beans | Rust | difenoconazole | EC | 250 g/l | Granado | 9767 | 18 days | DNA Crop Protection |
| Soy beans | Rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Calculus 125 SE | 10314 | 39 days | Cedar Falls Properties 130 |
| Soy beans | Rust | tebuconazole | EC | 250 g/l | Ardent | 9779 | 32 days | DNA Crop Protection |
| Spinach | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Spinach | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Spinach | Downy mildew | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Strawberries | Anthracoise; Leaf rust; Leaf spot; Powdery mildew | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 1 day | Syngenta SA |
| Strawberries | Anthracoise; Botrytis gray mold; Powdery mildew | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Strawberries | Botrytis rot; Leaf spot | captab | WP | 500 g/kg | Captab WP | 6758 | 10 days | Universal Crop Protection |
| Strawberries | Botrytis rot; Leaf spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 10 days | Agro-Serve t/a Efekto |
| Strawberries | Botrytis rot; Leaf spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 10 days | Ag-Chem Africa |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 14 days | Universal Crop Protection |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 14 days | Villa Crop Protection |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 14 days | Arysta Lifescience SA |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 14 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 14 days | Delta Chemicals |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 14 days | Castle Ag-Chem |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------|--|------------------------------|-----|---------------|---------------------|-------|-----------|---|
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Strawberries | Leaf spot | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 14 days | Agro-Serve t/a Efekto |
| Strawberries | Leaf spot | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Strawberries | Leaf spot | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Strawberries | Anthracoze; Grey mould; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 3 days | Syngenta SA |
| Strawberries | Botrytis rot | fluopyram | SC | 500 g/l | Luna Privilege | 8997 | 1 day | Bayer |
| Strawberries | Leather rot; Vascular collapse | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 7 days | Syngenta SA |
| Strawberries | Powdery mildew | quinoxifen | SC | 250 g/l | Legend 250 SC | 6840 | 3 days | Dow Agroscience SA |
| Sugarcane | Brown rust; Orange rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | Amistar Xtra | 8567 | 200 days | Syngenta SA |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | | Makhro-Agro SA |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agroscience /ta Arysta Lifescience SA |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Sugarcane | Pineapple disease | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Sugarcane | Brown rust; Tawny rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus | 8048 | 60 days | BASF SA |
| Sugarcane | Brown rust; Tawny rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus Advance | 9132 | 60 days | BASF SA |
| Sugarcane | Brown rust; Tawny rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Calculus 125 SE | 10314 | 60 days | Cedar Falls Properties 130 |
| Sugarcane | Brown rust; Tawny rust | fluoxastrobin/tebuconazole | SC | 200/277 g/l | Evito T | 10167 | 70 days | Arysta Lifescience SA |
| Sunflowers | Downy mildew; Leaf diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 30 days | Syngenta SA |
| Sunflowers | Alternaria leaf spot; Rust | azoxystrobin | SC | 250 g/l | Mycoblock 250 SC | 8591 | 28 | Universal Crop Protection |
| Sunflowers | Sclerotinia rot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Sunflowers | Sclerotinia rot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Sunflowers | Alternaria leafspot | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Sunflowers | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Oscar | 4382 | 60 (seed) | Adama SA |
| Sunflowers | Powdery mildew | bupirimate/hexaconazole | EC | 250/30 g/l | Veto Plus | 9776 | 60 | Meridian Agritech Co |
| Sunflowers | Damping off; Downy mildew; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | 127 days | Syngenta SA |
| Sunflowers | Damping off; Downy mildew; Seed decay | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | 127 days | Syngenta SA |
| Sunflowers | Downy mildew | metalaxyl | WS | 350 g/kg | Eclipse ST | 7321 | | Meridian Agritech Co |
| Sunflowers | Downy mildew | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------------|---|---|-----|--------------|---------------------------|------|-------------|---|
| Surfaces | Bacteria; Fungi; Viruses | benzalkonium chloride/poly hexamethylenbiguinaide hydrochloride | SL | 80/20 g/l | Des-O-Germ | 8513 | | Des-O-Germ |
| Sweet potatoes | Leaf spot; Powdery mildew; Rust; Soil-borne diseases | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 1 - 14 days | Syngenta SA |
| Sweet potatoes | Black dot; Early blight; Rust; Septoria leaf spot | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 14 days | Syngenta SA |
| Sweet potatoes | Leaf blight; Powdery mildew | cyprodinil/fludioxonil | WG | 375/250 g/kg | Switch | 5926 | 7 days | Syngenta SA |
| Sweet potatoes | Rhizopus rot | fludioxonil | SC | 230 g/l | Scholar | 8578 | 1 day | Syngenta SA |
| Sweet potatoes | Rhizopus rot | fludioxonil | SC | 230 g/l | Teacher 230 SC | 9919 | 1 day | ICA International Chemicals |
| Sweet potatoes | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Tobacco | Leaf spot; Target spot | azoxystrobin | SC | 250 g/l | Amistar | 6230 | - | Syngenta SA |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | | Makhro-Agro SA |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Tobacco | Black root rot | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Tobacco | Anthracoise; Black root rot; Black shank; Damping off | captab | SC | 500g/l | Merpan 50 SC | 5511 | | Adama SA |
| Tobacco | Seedbed diseases | captab | WP | 500 g/kg | Captab WP | 6758 | | Universal Crop Protection |
| Tobacco | Seedbed disease | captab | WP | 500 g/kg | Thor 500 WP | 7691 | | Ag-Chem Africa |
| Tobacco | Damping off; Wild fire | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | | Universal Crop Protection |
| Tobacco | Damping off; Wild fire | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | | Villa Crop Protection |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | | Arysta Lifescience SA |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tobacco | Wild fire | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | | Castle Ag-Chem |
| Tobacco | Damping off; Wild fire | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 14 days | Kombat |
| Tobacco | Black shank | dimethomorph/mancozeb | WG | 90/600 g/kg | Acrobat WG | 6526 | 55 | BASF SA |
| Tobacco | Seedbed diseases | fludioxonil | FS | 100 g/l | Celest | 6173 | | Syngenta SA |
| Tobacco | Blue mould | mandipropamid | SC | 250 g/l | Revus | 8617 | 7 days | Syngenta SA |
| Tobacco | Black shank | metalaxyl | GR | 50 g/kg | Kickback 5 GR | 7104 | 42 days | Bitrad Consulting |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---------------------------------|-----------------------------|-----|-------------------|---------------------|-------|---------|--|
| Tobacco | Black shank | metalaxyl | GR | 50 g/kg | Rolim 5 GR | 7608 | 42 days | Arysta Lifescience SA |
| Tobacco | Black shank; Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Tobacco | Black shank; Damping off | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 42 days | Syngenta SA |
| Tobacco | Black shank | pyraclostrobin | EC | 250 g/l | Cabrio | 6818 | 83 days | BASF SA |
| Tobacco | Black shank | pyraclostrobin | EC | 250 g/l | Cerato 250 EC | 9336 | 83 days | Villa Crop Protection |
| Tobacco | Black shank | pyraclostrobin | EC | 250 g/l | Costra 250 EC | 9507 | 83 days | Crop Asure |
| Tobacco | Black root rot | triadimenol | FS | 150 g/l | Badger 15 FS | 7565 | | Chemtura |
| Tobacco | Black root rot | triadimenol | FS | 150 g/l | Baytan 150 FS | 1697 | | Bayer |
| Tobacco | Black root rot | triadimenol | FS | 150 g/l | Shavit | 5493 | | Adama SA |
| Tobacco | Soil pathogens | Trichoderma fertile | WP | 2x10 (9) spores/g | Trichoplus | 7161 | | BASF SA |
| Tomatoes | Bacterial speck; Bacterial spot | acibenzolar-S-methyl | WG | 500 g/kg | Bion | 6512 | 3 | Syngenta SA |
| Tomatoes | Late blight | ammonium phosphite | SL | 386 g/l | Brilliant 300 SL | 7226 | 3 | Nippon Africa Chemicals |
| Tomatoes | Late blight | ammonium phosphite | SL | 386 g/l | Brilliant SL | 7225 | 3 | Arysta Lifescience SA |
| Tomatoes | Bacterial spot; Early blight | ascorbic acid/bioflavonoids | SL | 12 g/l | Bestcure | 8933 | | Chempac |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Amistar | 6230 | 7 days | Syngenta SA |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Aroxy 250 SC | 9259 | | Arysta Lifescience SA |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 8593 | 7 days | Sharda International Africa |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Azoxystrobin 250 SC | 10058 | 7 days | Castle Ag-Chem |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Banshee | 9786 | 7 days | DNA Crop Protection |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Fortress | 9269 | 7 days | Meridian Agritech Co |
| Tomatoes | Late blight | azoxystrobin | SC | 250 g/l | Mirador 250 SC | 8894 | | Adama SA |
| Tomatoes | Early blight; Powdery mildew | azoxystrobin/chlorothalonil | SC | 60/600 g/l | Amistar Opti | 8265 | 7 days | Syngenta SA |
| Tomatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | Canal 500 SC | 10288 | 7 days | Universal Crop Protection |
| Tomatoes | Late blight | azoxystrobin/cymoxanil | SC | 150/350 g/l | Central 500 SC | 10289 | 7 days | Villa Crop Protection |
| Tomatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | Amistar Top | 7897 | 7 days | Syngenta SA |
| Tomatoes | Early blight | azoxystrobin/difenoconazole | SC | 200/125 g/l | Azur Top 325 SC | 9867 | 7 days | Almond Agro Chemicals |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | 3 days | Makhro-Agro SA |
| Tomatoes | Botrytis; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl | 7291 | 3 | Volcano Agrosience /ta Arysta Lifescience SA |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | 3 days | Villa Crop Protection |
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | 3 days | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|-----------------------------|-----|----------------|------------------------|------|--------|-----------------------------|
| Tomatoes | Botrytis rot; Powdery mildew | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | 3 | Castle Ag-Chem |
| Tomatoes | Early blight | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Tomatoes | Late blight; Septoria leaf spot | captab | WG | 800 g/kg | Captan 800 WG | 9345 | 7 days | Sharda International Africa |
| Tomatoes | Late blight; Septoria leaf spot | captab | WG | 800 g/kg | Merpan 80 WDG | 5456 | 7 days | Adama SA |
| Tomatoes | Late blight; Septoria leaf spot | captab | WP | 500 g/kg | Captab WP | 6758 | 7 days | Universal Crop Protection |
| Tomatoes | Late blight; Septoria leaf spot | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | 7 days | Agro-Serve t/a Efekto |
| Tomatoes | Late blight; Septoria leaf spot | captab | WP | 500 g/kg | Thor 500 WP | 7691 | 7 days | Ag-Chem Africa |
| Tomatoes | Late blight | captan | WG | 800 g/kg | Captan 800 WG | 9249 | 7 days | Meridian Agritech Co |
| Tomatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Aria 188 SC | 7943 | 7 days | Villa Crop Protection |
| Tomatoes | Early blight | carbendazim/difenoconazole | SC | 125/62,5 g/l | Difenozim SC | 7924 | 7 days | Universal Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Septoria leaf spot | chlorothalonil | SC | 500 g/l | Calonil 500 SC | 7701 | 3 days | Sidewalk Trading |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 500 g/l | Chloroflo 500 SC | 5171 | 3 days | Plaaskem |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 500 g/l | Chloronil 500 SC | 7394 | 3 days | Universal Crop Protection |
| Tomatoes | Botrytis rot, Early blight, Late blight, Leaf spot | chlorothalonil | SC | 500 g/l | Matrix | 7290 | 3 days | Bitrad Consulting |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 500 g/l | Mission 500 SC | 7020 | 3 days | Villa Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Bravo 720 | 4233 | 3 days | Agro-Serve t/a Efekto |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Bravo 720 | 7005 | 3 days | Syngenta SA |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Clortosip 720 SC | 7108 | 3 days | Sipcam South Africa |
| Tomatoes | Botrytis rot; Early blight; Late blight | chlorothalonil | SC | 720 g/l | Makhro-Thalonil 720 SC | 8146 | 3 days | Makhro-Agro SA |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Mission 720 SC | 8432 | 3 days | Villa Crop Protection |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Moniker 720 SC | 9966 | 3 days | Cedar Falls Properties 130 |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Mycoguard 720 SC | 8417 | 3 days | Arysta Lifescience SA |
| Tomatoes | Botrytis rot; Early blight; Late blight | chlorothalonil | SC | 720 g/l | Odeon 720 SC | 7596 | 3 days | Adama SA |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | Oronil 720 SC | 8431 | 3 days | Universal Crop Protection |
| Tomatoes | Early blight; Late blight | chlorothalonil | SC | 720 g/l | Solsan SC | 9590 | 3 days | Meridian Agritech Co |
| Tomatoes | Botrytis rot; Early blight; Late blight; Leaf spot | chlorothalonil | SC | 720 g/l | TalOnil 720 | 8935 | 3 days | Erintrade t/a RT Chemicals |
| Tomatoes | Botrytis rot; Early blight; Late blight | chlorothalonil | WG | 825 g/kg | Odeon 825 WG | 7597 | 3 days | Adama SA |
| Tomatoes | Early blight; Late blight | chlorothalonil/cymoxanil | SC | 375 g/l/50 g/l | Ruby | 6780 | 7 days | Sipcam South Africa |
| Tomatoes | Botrytis rot; Late blight | chlorothalonil/dimethomorph | WG | 400/80 g/kg | Sphinx Star WDG | 9084 | 3 days | Adama SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|--|-----|-------------------------|---------------------------|------|--------|---|
| Tomatoes | Late blight | chlorothalonil/metalaxyl-M (mefenoxam) | SC | 500/37,5 g/l | Ridomil Gold Flo | 6669 | 7 days | Syngenta SA |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 315 g/l | Copper-Flow-Plus | 6831 | 3 days | Arysta Lifescience SA |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 315 g/l | Fungi Flow | 6925 | 3 days | Villa Crop Protection |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 316 g/l | Copper Count-N | 2602 | 3 days | Hygrotech Properties |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 316 g/l | Liquicop | 5586 | 3 days | Hygrotech Properties |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper ammonium acetate | SL | 686 g/l | Fungicop | 6298 | 3 days | Gouws & Scheepers |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 180 g/l | CopStar 120 SC | 7026 | 3 days | Ag-Chem Africa |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 180 g/l | Cupra Super | 9906 | 3 days | Ag-Chem Africa |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 538 g/l | StopBac | 8797 | 3 days | Plaaskem |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | 3 days | Nulandis |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | WG | 538 g/kg | Kocide 2000 | 7805 | 3 days | Mitsui & Co Europe Plc |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper hydroxide | WP | 770 g/kg | Champion Wettable powder | 7081 | 3 days | Nufarm Agriculture |
| Tomatoes | Bacterial spot; Early blight; Septoria leaf spot | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | 3 days | Agri Registrations CC |
| Tomatoes | Early blight | copper octanoate | | 100 g/l | Neudorff Copper Soap | 7064 | | Warren Chem |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | copper oxychloride | SC | 700 g/l | NanoGreen SC | 8980 | | Arysta Lifescience SA |
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leafspot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | 3 days | Universal Crop Protection |
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leafspot | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | 3 days | Villa Crop Protection |
| Tomatoes | Bacterial spot; Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | 3 days | Arysta Lifescience SA |
| Tomatoes | Bacterial spot; Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride | WP | 850 g/kg | Demildex | 5094 | 3 days | Delta Chemicals |
| Tomatoes | Bacterial spot; Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | 3 days | Castle Ag-Chem |
| Tomatoes | Early blight; Late blight | copper oxychloride | WP | 850 g/kg | Rust | 3131 | 3 days | Kombat |
| Tomatoes | Bacterial spot; Early blight; Late blight; Septoria leaf spot | copper oxychloride | WP | 850 g/kg | Virikop | 527 | 3 days | Agro-Serve t/a Efekto |
| Tomatoes | Early blight; Septoria leaf spot | copper oxychloride/sulfur | DP | 85/900 g/kg | Coppasulfa | 5726 | 3 days | Sunwood Chemicals |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride/sulfur | DP | 85/900 g/kg | Copsul Dust | 3655 | 3 days | Applied Chemical Products |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride/sulfur | DP | 85/900 g/kg | Cu-Sul Dust | 6664 | 3 days | JCJ Agri Chem |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | copper oxychloride/sulphur | DP | 85/900 g/kg | Copper Sulphur | 3564 | 3 days | Orchard Agrikem |
| Tomatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | Copflo Super | 6981 | 3 days | Ag-Chem Africa |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|------------------------------------|-----|--------------|----------------------|------|--------|---|
| Tomatoes | Early blight; Late blight | copper sulphate (basic) | SC | 320 g/l | Copro Flow S | 8118 | 3 days | Arysta Lifescience SA |
| Tomatoes | Bacterial spot; Early blight | copper sulphate/lime | WG | 711/289 g/kg | Cuprofix Ultra | 8888 | | Total SA |
| Tomatoes | Bacterial spot; Early blight | copper/mancozeb | WG | 120/300 g/kg | Cuprofix 30 Disperss | 7893 | 3 days | Total SA |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 7 days | Avima |
| Tomatoes | Bacterial speck; Bacterial spot; Early blight | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 7 days | Avima |
| Tomatoes | Early blight; Late blight | cymoxanil | SC | 300 g/l | Vidac Flo | 9688 | 7 days | Meridian Agritech Co |
| Tomatoes | Early blight; Late blight | cymoxanil/famoxadone | WG | 250/250 g/kg | Tanos | 6564 | 3 days | Du Pont de Nemours |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Controller | 6783 | 7 | RT Chemicals |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Curzate Pro | 5698 | 7 days | Du Pont de Nemours |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Cymax M WP | 7680 | 7 days | Meridian Agritech Co |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Cymoxazeb WP | 7694 | 7 days | Villa Crop Protection |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Fungarrest | 7693 | 7 days | Universal Crop Protection |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Macoxanil | 8628 | 7 days | Crop Asure |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Micexanil | 6322 | 7 days | Sipcam South Africa |
| Tomatoes | Late blight | cymoxanil/mancozeb | WP | 60/700 g/kg | Zetanil | 6036 | 7 days | Sipcam South Africa |
| Tomatoes | Late blight | cymoxanil/propineb | WP | 60/700 g/kg | Milraz 76 WP | 2879 | 7 | Bayer |
| Tomatoes | Damping off | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | 3 days | Nulandis |
| Tomatoes | Post harvest decay | didecyl dimethyl ammonium chloride | SL | 120 g/l | Spore-Attack | 8178 | | ICA International Chemicals |
| Tomatoes | Sourrot | didecyl dimethyl ammonium chloride | SL | 120 g/l | Sporekill | 7115 | | ICA International Chemicals |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Cipladi-Zole 250 EC | 9438 | 7 days | Castle Ag-Chem |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Defender 250 EC | 8471 | 7 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Dicati | 8414 | 7 days | Sharda International Africa |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Difen 250 EC | 8535 | 7 days | Crop Asure |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Divino 250 EC | 9343 | 7 days | Adama SA |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | D-Zole 250 EC | 7923 | 7 days | Universal Crop Protection |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Granado | 9767 | 7 days | DNA Crop Protection |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Navigator 250 EC | 8412 | 7 days | Sidewalk Trading |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Pronto 250 EC | 7602 | 7 days | Meridian Agritech Co |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Scope 250 EC | 7942 | 7 days | Villa Crop Protection |
| Tomatoes | Early blight | difenoconazole | EC | 250 g/l | Score | 5132 | 7 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|------------------------------|-----|---------------|-----------------------|------|---------|---|
| Tomatoes | Late blight | dimethomorph/mancozeb | WG | 90/600 g/kg | Acrobat WG | 6526 | 5 | BASF SA |
| Tomatoes | Early blight; Late blight | fenamidone/mancozeb | WG | 100/500 g/kg | No-Blite | 6681 | 15 days | Bayer |
| Tomatoes | Late blight | fluopicolide/propamocarb-HCL | SC | 62,5/62,5 g/l | Infinito 687,5 SC | 8470 | 7 days | Bayer |
| Tomatoes | Early blight; Late blight | folpet | SC | 500 g/l | Folpan 500 SC | 4662 | 3 days | Adama SA |
| Tomatoes | Early blight; Late blight | folpet | SC | 500 g/l | Valeo 500 SC | 9086 | 3 days | Meridian Agritech Co |
| Tomatoes | Early blight; Late blight | folpet | WG | 800 g/kg | Folpan 80 WDG | 5333 | 3 days | Adama SA |
| Tomatoes | Post harvest decay | guazatine | SL | 210 g/l | Megacide | 7126 | | ICA International Chemicals |
| Tomatoes | Botrytis rot | iprodione | SC | 255 g/l | Iprodione 255 | 7340 | 3 days | Erintrade t/a RT Chemicals |
| Tomatoes | Early blight; Grey rot | iprodione | SC | 255 g/l | Rovral Flo | 1046 | 3 days | FMC Chemicals |
| Tomatoes | Botrytis rot | iprodione | SC | 500 g/l | IproFlo 500 SC | 8213 | 3 days | ICA International Chemicals |
| Tomatoes | Botrytis rot; Early blight | iprodione | SC | 500 g/l | Iprone 500 SC | 8452 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Botrytis rot | iprodione | SC | 500 g/l | Pickle 500 SC | 9141 | 3 days | Ag-Chem Africa |
| Tomatoes | Botrytis | iprodione | SC | 500 g/l | Prodione | 7222 | 3 days | Nulandis |
| Tomatoes | Botrytis rot | iprodione | SC | 500 g/l | Roflo | 9573 | 3 days | Wentek Chemicals |
| Tomatoes | Late blight | iprovalicarb/propineb | WG | 90/600 g/kg | Melody Duo 69 WG | 6714 | 3 | Bayer |
| Tomatoes | Late blight | iprovalicarb/propineb | WP | 90/600 g/kg | Melody Duo 69 WP | 8829 | 3 days | Bayer |
| Tomatoes | Powdery mildew | kresoxim-methyl | SC | 500 g/l | Ardent 50 SC | 7284 | 14 days | Adama SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 420 g/l | Pennfluid | 7733 | 3 days | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 455 g/l | Crater 455 SC | 7303 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 455 g/l | Multizeb 455 SC | 9174 | 3 days | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 455 g/l | Newzeb 455 SC | 9175 | 3 days | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 480 g/l | Newzeb 480 SC | 9178 | 3 days | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | SC | 480 g/l | Unizeb 480 SC | 9179 | 3 days | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WG | 750 g/kg | Dithane 750 WG Neotec | 4213 | 3 days | Dow Agrosience SA |
| Tomatoes | Early blight, Late blight, Septoria leaf spot | mancozeb | WG | 750 g/kg | Newzeb 750 WDG | 8811 | 3 days | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WG | 750 g/kg | Penncozeb WG | 4655 | 3 days | Total SA |
| Tomatoes | Early blight, Late blight, Septoria leaf spot | mancozeb | WG | 750 g/kg | Villa Unizeb 750 WDG | 8812 | 3 days | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 750 g/kg | Cozeb 750 WDG | 8964 | 3 days | Crop Assure |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|----------|---|-----------------------|-----|--------------|------------------------|------|--------|---|
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Cozeb 800 WP | 7098 | 3 days | Universal Crop Protection |
| Tomatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | Dithane M-45 | 2741 | 3 days | Kombat |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP | 2914 | 3 days | Dow Agrosience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Dithane M-45 800 WP NT | 7484 | 3 days | Dow Agrosience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Farmag Mancozeb | 4754 | 3 days | Castle Ag-Chem |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7352 | 3 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 7381 | 3 days | Ag-Chem Africa |
| Tomatoes | Early blight; Late blight | mancozeb | WP | 800 g/kg | Mancozeb 800 WP | 9169 | 3 days | Meridian Agritech Co |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Newzeb 800 WP | 8167 | 3 days | Crop Assure |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Sancozeb 800 WP | 3459 | 3 days | Dow Agrosience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Tozeb WP | 8526 | 3 days | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Tridex | 5323 | 3 days | Total SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Tsumeb | 4797 | 3 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Ventum 800 WP | 8691 | 3 days | Nulandis |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Villa Unizeb 800 WP | 8056 | 3 days | Villa Crop Protection |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb | WP | 800 g/kg | Vondozeb | 2177 | 3 days | Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | Crater MX 700 WP | 8427 | 7 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Tomatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Kickback 700 WP | 7105 | 7 days | Bitrad Consulting |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | Mancolax 700 WP | 7382 | 7 day | Gouws & Scheepers (Plaaskem) |
| Tomatoes | Early blight; Late blight; Leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7462 | 7 days | Universal Crop Protection |
| Tomatoes | Early blight; Late blight; Leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | Metazeb 700 WP | 7463 | 7 days | Villa Crop Protection |
| Tomatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Milor 700 WP | 5884 | 7 days | Rotam RSA |
| Tomatoes | Late blight | mancozeb/metalaxyl | WP | 600/100 g/kg | Rolim 700 WP | 7609 | 7 days | Tsunami Plant Protection/t/a Arysta Lifescience |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb/metalaxyl | WP | 600/100 g/kg | Sanlaxyl 700 WP | 6100 | 7 days | Dow Agrosience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | mancozeb/metalaxyl- m | WG | 640/40 g/kg | Ridomil Gold Pepite | 7191 | 7 days | Syngenta SA |
| Tomatoes | Late blight | mandipropamid | SC | 250 g/l | Revus | 8617 | 3 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|--------------|---|------------------------------|-----|-----------------|---------------------|------|---------|------------------------------|
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/procymidone/zinc oxide | SC | 325/125/4,7 g/l | Barrier 450 SC | 7604 | 3 days | Gouws & Scheepers (Plaaskem) |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | Manager SC | 3538 | 3 days | Applied Chemical Products |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | Mangle SC | 5985 | 3 days | Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | maneb/zinc oxide | SC | 435/4,7 g/l | Vandal | 8462 | 3 days | Arysta Lifescience SA |
| Tomatoes | Early blight; Late blight; Septoria leaf spot | metiram | WG | 700 g/kg | Polyram WG | 5268 | 3 days | BASF SA |
| Tomatoes | Early blight; Late blight | organic plant acids | SL | 19 g/l | Kanguard 940 | 7421 | 1 day | Kannar CC |
| Tomatoes | Late blight | potassium phosphite | SL | 600 g/l | Fosfonex 400 SL | 9740 | 21 days | In-line Trading 112 |
| Tomatoes | Botrytis rot; Early blight | procymidone | SC | 250 g/l | Sumiselex SC | 6377 | 3 days | Philagro South Africa |
| Tomatoes | Botrytis rot; Early blight | procymidone | SC | 500g/l | Hit 500 SC | 7575 | 3 days | Dow Agrosience SA |
| Tomatoes | Early blight; Late blight | propineb | WP | 700 g/kg | Antracol 70 WP | 2065 | 3 days | Bayer |
| Tomatoes | Early blight | tebuconazole | EC | 250 g/l | Ardent | 9779 | 7 days | DNA Crop Protection |
| Tomatoes | Early blight | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 7 days | Sharda International Africa |
| Tomatoes | Early blight | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 7 days | Erintrade t/a RT Chemicals |
| Tomatoes | Early blight | tebuconazole | EW | 0,25 g/l | Orius 200 EW RTU | 8302 | 7 days | Makhro-Agro SA |
| Tomatoes | Early blight | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 7 days | Makhro-Agro SA |
| Tomatoes | Early blight | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 7 days | Adama SA |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | 7 days | Meridian Agritech Co |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 7 days | Cedar Falls Properties 130 |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 7 days | Bayer |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 7 days | Adama SA |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 7 days | Cheminova |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | | ICA International Chemicals |
| Tomatoes | Early blight | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 7 days | Arysta Lifescience SA |
| Tomatoes | Late blight | zoxamide | SC | 240 g/l | Zoxium 240 SC | 7908 | 3 days | Klub M5 |
| Tree nuts | Anthraco-nose; Blossom blight; Husk spot | boscalid/pyraclostrobin | WG | 252/128 g/kg | Bellis | 7817 | | BASF SA |
| Tree nuts | Alternaria; Botrytis fruit rot | cyprodinil | WG | 500 g/kg | Chorus | 5383 | 7 days | Syngenta SA |
| Tree nuts | Husk spot | difenoconazole | EC | 250 g/l | Score | 5132 | 45 days | Syngenta SA |
| Tumeric | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |
| Turf grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL | 6353 | | Syngenta SA |
| Turf grasses | Damping off | fludioxonil/metalaxyl-M | FS | 25/10 g/l | Celest XL White | 7480 | | Syngenta SA |
| Turnip | Root rot | metalaxyl-M (mefenoxam) | SL | 480 g/l | Ridomil Gold 480 SL | 8962 | 14 days | Syngenta SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|---|---|-----|-------------------------|---------------------------|-------|-------|-------------------------------|
| Various | Bacteria; Fungi; Viruses | benzalkonium chloride/poly hexamethylenbiguinaide hydrochloride | SL | 80/20 g/l | Des-O-Germ | 8513 | | Des-O-Germ |
| Various | Bacteria; Fungi; Viruses | benzalkonium chloride/poly hexamethylenbiguinaide hydrochloride | SL | 80/20 g/l | Des-O-Germ | 8513 | | Des-O-Germ |
| Various | Pruning wounds | Busan 1009/8-hydroxyquinoline sulphate | PA | 10/10 g/kg | Steriseal | 4231 | | Agro-Serve t/a Efekto |
| Various | Seed decay | captab | FS | 500 g/l | Merpan SC | 4668 | | Adama SA |
| Various | Seedling diseases | captab | FS | 500 g/l | Royalcap FS | 3152 | | Chemtura |
| Various | Soil pathogens | captab | WP | 500 g/kg | Captab WP | 6758 | | Universal Crop Protection |
| Various | Soil pathogens | captab | WP | 500 g/kg | Fungi-Nil 500 WP | 7918 | | Agro-Serve t/a Efekto |
| Various | Soil pathogens | captab | WP | 500 g/kg | Thor 500 WP | 7691 | | Ag-Chem Africa |
| Various | Soil pathogens | chloropicrin | FU | 855 g/kg | PIC Plus Soil Fumigant | 9554 | | Trical Crop Protection Africa |
| Various | Soil borne diseases | chloropicrin/1,3 dichloropropene | AL | 465/850 g/kg | Telopic | 7164 | | Dow Agrosience SA |
| Various | Bacterial wilts; Soil-borne fungal diseases | chloropicrin/dichloropropene (1,3) | FU | 596/390 g/kg | Tri-Form 60 | 9839 | | Trical Crop Protection Africa |
| Various | Sclerotinia | Coniothyrium minitans | WG | 1 x 10(12) spores/kg | Contans WG | 10157 | | Bayer |
| Various | Soil pathogens | copper hydroxide | SC | 538 g/l | StopBac | 8797 | | Plaaskem |
| Various | Soil pathogens | copper hydroxide | SC | 538 g/l (350 g/l Cu eq) | CungFu 538 SC | 7526 | | Nulandis |
| Various | Damping off; Soil pathogens | copper hydroxide | WP | 770 g/kg | Champion Wetttable powder | 7081 | | Nufarm Agriculture |
| Various | Damping off; Soil pathogens | copper hydroxide | WP | 770 g/kg | Funguran-OH | 4445 | | Agri Registrations CC |
| Various | Soil borne diseases | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | | Universal Crop Protection |
| Various | Soil borne diseases | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | | Villa Crop Protection |
| Various | Soilborne disease | copper oxychloride | WP | 850 g/kg | Virikop | 527 | | Agro-Serve t/a Efekto |
| Various | Soil pathogens | dazomet | GE | 980 g/kg | Basamid Granular | 277 | | Mitsui & Co Europe Plc |
| Various | Damping off | dichlorophen | EC | 200 g/l | Xanbac D 200 EC | 2097 | | Nulandis |
| Various | Seedling diseases | fludioxonil | FS | 100 g/l | Celest | 6173 | | Syngenta SA |
| Various | Soil pathogens | furfural | EC | 990 g/l | Protect | 7534 | | Illovo Sugar |
| Various | Soil pathogens | metam-potassium | SL | 690 g/l | Tamifume K 690 | 7704 | | D&J Agro Pesticides |
| Various | Soil pathogens | metam-sodium | SL | 510 g/l | Ag-Fume | 7365 | | Ag-Chem Africa |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | Herbifume 510 SL | 138 | | Gouws & Scheepers (Plaaskem) |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------------------------|---|---------------------------------------|-----|-------------------|-----------------------|-------|-------|---|
| Various | Soil pathogens | metam-sodium | SL | 510 g/l | Nemasol | 6296 | | D&J Agro Pesticides |
| Various | Soil pathogens | metam-sodium | SL | 510 g/l | Raisan 51 | 8588 | | Nulandis |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | Vapam | 7858 | | Universal Crop Protection |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | Vault 510 SL | 9144 | | Universal Crop Protection |
| Various | Soil fungi | metam-sodium | SL | 510 g/l | Wabek 510 SL | 9145 | | Villa Crop Protection |
| Various | Soil pathogens | propamocarb-HCl | SL | 722 g/l | Basic N | 6680 | | RT Chemicals |
| Various | Soil pathogens | propamocarb-HCl | SL | 722 g/l | Previcur-N | 3394 | | Bayer |
| Various | Soil pathogens | propamocarb-HCl | SL | 722 g/l | Proplant | 5831 | | Arysta Lifescience SA |
| Various | Seedborne diseases | thiram | DS | 500 g/kg | TMTD 50 DS | 6465 | | Almond Agro Chemicals |
| Various | Soil pathogens | thiram | WP | 750 g/kg | Thiram 75 WP | 6687 | | Arysta Lifescience SA |
| Various | Soil pathogens | thiram | WP | 750 g/kg | Thiram WP | 4948 | | Dow Agroscience SA |
| Various | Damping off | thiram | WS | 800 g/kg | Seedcare Thiram 80 WG | 5696 | | D&J Agro Pesticides |
| Various | Damping off | tolclofos-methyl | WS | 500 g/kg | Rizolex WP | 6376 | | Philagro South Africa |
| Various | Soil pathogens | Trichoderma fertile | WP | 2x10 (9) spores/g | Trichoplus | 7161 | | BASF SA |
| Various | Soil pathogens | trichoderma harzianum | SP | 2x10(9) spores/g | Tri-Cure SP | 9425 | | Natrol |
| Various | Pruning wounds | Trichoderma harzianum | WP | 2x10 (9) spores/g | Eco-77 | 7495 | | Plant Health Products |
| Various | Soil pathogens | Trichoderma harzianum | WP | 2x10(9) spores/g | Eco-T | 6938 | | Plant Health Products |
| Various | Soil pathogens | Trichoderma harzianum | WP | 2x10(9) spores/g | Tri-Cure WP | 8295 | | Natrol |
| Various | Root diseases | trichoderma harzianum | | 2x10(9) spores/g | Eco-T Ezi-Flo | 9276 | | Plant Health Products |
| Various (deciduous fruit) | Pruning wounds & die back | 8-hydroxyquinoline sulfate/octhilmone | PA | 5/5 g/kg | Neocil-Plus | 3876 | | Algro-Chem |
| Various (vegetables) | Seed decay; Seedling diseases | captan | FS | 500 g/l | Captan FS | 5981 | | Volcano Agroscience /ta Arysta Lifescience SA |
| Various seedlings | Seedling diseases | fludioxonil | FS | 100 g/l | Celest | 6173 | | Syngenta SA |
| Vegetable seedlings | Damping off | metalaxyl-M (mefenoxam) | FS | 350 g/l | Apron XL | 6837 | | Syngenta SA |
| Vegetables | Fusarium; Pythium; Rhizoctoria root rot | trichoderma harzianum | | 2x10(9) spores/g | Rootguard | 10242 | | N Laboratories |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 5809 | | Universal Crop Protection |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | Copper Oxychloride WP | 6231 | | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|---------|--|--------------------------------------|-----|----------------|---------------------------|-------|---------------|---|
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | Coprox Super | 5804 | | Arysta Lifescience SA |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | Coprox WP | 4720 | | Tsunami Plant Protection/t/a Arysta Lifescience |
| Walnuts | Bacterial blight | copper oxychloride | WP | 850 g/kg | Farmag Copper Oxychloride | 5000 | | Castle Ag-Chem |
| Walnuts | Bacterial blight | cuprous oxide | WG | 860 g/kg | Nordox 86% WG | 8077 | 14 days | Avima |
| Walnuts | Bacterial blight | cuprous oxide | WP | 860 g/kg | Nordox 86% WP | 8078 | 14 days | Avima |
| Wheat | Brown rust; Eye spot; Powdery mildew; Speckled leaf and glume blotch; Stem rust; Yellow rust | azoxystrobin | SC | 250 g/l | Obstructo 250 SC | 9323 | | ICA International Chemicals |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | azoxystrobin/cyproconazole | SC | 200/80 g/l | Amistar Xtra | 8567 | 63 days | Syngenta SA |
| Wheat | Powdery mildew; Speckled leaf blotch | azoxystrobin/cyproconazole | SC | 200/80 g/l | Discovery 280 SC | 10325 | 63 days | Cedar Falls Properties 130 |
| Wheat | Brown rust; Eyespot; Speckled leaf blotch, Stem rust; Yellow rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Az-Well 250 SC | 10078 | 60 days | ICA International Chemicals |
| Wheat | Brown rust; Eyespot; Powdery mildew; Speckled leaf and glume blotch; Stem rust; Yellow rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Estricon 250 SC | 9433 | 60 days; No F | Crop Assure |
| Wheat | Brown rust; Eyespot; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | azoxystrobin/epoxiconazole | SC | 125/125 g/l | Improve 250 SC | 9311 | 60 days | Villa Crop Protection |
| Wheat | Glume blotch | azoxystrobin/prochloraz/tebuconazole | EC | 56/200/100 g/l | Almagor 360 EC | 10077 | 70 days | Adama SA |
| Wheat | Glume blotch; Powdery mildew | azoxystrobin/tebuconazole | SC | 120/200 g/l | Custodia 320 SC | 9342 | 70 days | Adama SA |
| Wheat | Eyespot; Powdery mildew; Speckled leaf blotch | azoxystrobin/tebuconazole | SC | 200/125 g/l | Katana 325 SC | 9465 | 77 days | Anasac SA |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | Benomilo 50 WP | 7839 | | Makhro-Agro SA |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | Benomyl | 7291 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | Benomyl 500 WP | 6909 | | Villa Crop Protection |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | Benomyl 500 WP | 7384 | | Universal Crop Protection |
| Wheat | Loose smut | benomyl | WP | 500 g/kg | Farmag Benomyl 500 | 4589 | see label | Castle Ag-Chem |
| Wheat | Leaf rust; Powdery mildew; Stem rust | bixafen/prothioconazole | EC | 75/150 g/l | Aviator Xpro | 10089 | 42 days | Bayer |
| Wheat | Flag smut; Stinking smut | captab | FS | 500 g/l | Captan FS | 5981 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Damping off; Flag smut; Seed decay; Stinking smut | captab | FS | 500 g/l | Merpan SC | 4668 | | Adama SA |
| Wheat | Stinking smut | captab | FS | 500 g/l | Royalcap FS | 3152 | | Chemtura |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--|---------------------------|-----|-------------|---------------------------|-------|--------------------|-----------------------------|
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Duett | 5791 | 60 days; No f | BASF SA |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Endura Plus | 9131 | 60 days; No f | ICA International Chemicals |
| Wheat | Brown rust; Eye spot; Glume blotch; Speckled leaf blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Epic Xtra | 10085 | 60 days; No f | Meridian Agritech Co |
| Wheat | Eye spot; Glume blotch; Speckled leaf blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Solo | 9321 | 60 days; No f | Arysta Lifescience SA |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/epoxiconazole | SC | 125/125 g/l | Soprano C | 8079 | 60 days; No f | Adama SA |
| Wheat | Eye spot; Glume blotch; Leaf rust | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 56 days | Meridian Agritech Co |
| Wheat | Eye spot; Glume blotch; Leaf rust | carbendazim/flusilazole | SC | 125/250 g/l | Clout CM | 8281 | 56 days; No F | Meridian Agritech Co |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | Coloso | 9284 | 56 days; No F | Arysta Lifescience SA |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusilazim 375 SC | 8400 | 56 days; No F | Universal Crop Protection |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | Sparta SC | 8403 | 56 days; No F | Villa Crop Protection |
| Wheat | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | Flusilazim Extra 375 SC | 9500 | 56 days | Universal Crop Protection |
| Wheat | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | Sparta Plus 375 SC | 9499 | 56 days | Villa Crop Protection |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flusilazole | SC | 125/250 g/l | Flusicarb 375 SC | 9409 | 56 days; No F | CropASURE |
| Wheat | Eye spot | carbendazim/flusilazole | SC | 250/125 g/l | Flusicarb Extra 375 SC | 9562 | 56 days | CropASURE |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/flutriafol | SC | 150/94 g/l | Early Impact | 5175 | 56 days; No F | Cheminova |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/propiconazole | SC | 125/125 g/l | Propazim 250 SC | 7530 | 56 days | Villa Crop Protection |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/propiconazole | SC | 125/125 g/l | Propiconazole Plus 250 SC | 7535 | 56 days | Universal Crop Protection |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | carbendazim/tebuconazole | SC | 133/167 g/l | Folicur C 300 SC | 4602 | 77 days; 77 days F | Bayer |
| Wheat | Eye spot; Leaf rust, Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Rambo | 7292 | 56 days | Bitrad Consulting |
| Wheat | Eye spot; Leaf rust; Powdery mildew | carbendazim/triadimefon | SC | 200/165 g/l | Ranchero 365 SC | 6331 | 56 days | Rotam RSA |
| Wheat | Loose smut; Stinking smut | carboxin/thiram | FS | 200/200 g/l | Anchor Red | 7301 | | Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | carboxin/thiram | FS | 200/200 g/l | Vitavax Neutral | 3695 | | Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | carboxin/thiram | FS | 200/200 g/l | Vitavax Neutral | 7498 | | Arysta Lifescience SA |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--|---|-----|--------------------|----------------------|-------|--------------------|--|
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Stem rust; Yellow rust | cyproconazole/propiconazole | EC | 80/250 g/l | Artea | 6820 | 63 days | Syngenta SA |
| Wheat | Eyespot; Speckled leaf blotch | cyprodinil | WG | 750 g/kg | Unix | 4906 | 42 days | Syngenta SA |
| Wheat | Loose smut; Stinking smut | difenoconazole | FS | 30 g/l | Dividend 030 FS | 6390 | | Syngenta SA |
| Wheat | Eye spot; Leaf Rust; Powdery mildew; Speckled leaf blotch and glume blotch; Yellow rust | epoxiconazole | SC | 125 g/l | Endura 125 SC | 8905 | 60 days; No F | ICA International Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch | epoxiconazole | SC | 125 g/l | Epic 125 SC | 7963 | 60 days; No F | Meridian Agritech Co |
| Wheat | Leaf rust | epoxiconazole | SC | 125 g/l | EpoX SC | 8147 | 60 days; No F | Villa Crop Protection |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Yellow rust | epoxiconazole | SC | 125 g/l | EpoXee 125 SC | 9572 | 60 days; No F | Wentek Chemicals |
| Wheat | Leaf rust | epoxiconazole | SC | 125 g/l | Epoxiconazole 125 SC | 8148 | 60 days; No F | Universal Crop Protection |
| Wheat | Eye spot; Powdery mildew; Speckled leaf blotch & glume blotch; Yellow rust | epoxiconazole | SC | 125 g/l | Rubric 125 SC | 8873 | 60 days; No F | Cheminova |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | epoxiconazole/fluxapyroxad/pyraclostrobin | EC | 41,6/41,6/66,6 g/l | Ceriox | 9801 | 90 days | BASF SA |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus | 8048 | 60 days | BASF SA |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Abacus Advance | 9132 | 60 days | BASF SA |
| Wheat | Brown rust; Speckled leaf blotch and Glume blotch; Powdery mildew; Stem rust | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Calculus 125 SE | 10314 | 60 days | Cedar Falls Properties 130 |
| Wheat | Leaf rust; Powdery mildew | epoxiconazole/pyraclostrobin | SE | 62,5/62,5 g/l | Paradox | 10216 | 60 days | Meridian Agritech Co |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | epoxiconazole/thiophanate-methyl | SC | 187/310 g/l | Duett Ultra | 9278 | 60 days | BASF SA |
| Wheat | Leaf rust; Loose smut; Stinking smut; Take-all | fluquinconazole | FS | 167 g/l | Galmano 167 FS | 9363 | 42 days | Bayer |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Yellow rust | flutriafol | SC | 125 g/l | Impact | 4088 | 42 days | Cheminova (Disa Bio-Technologies CC) |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | flutriafol | SC | 250 g/l | Impact 250 SC | 9064 | 42 days | Cheminova |
| Wheat | Glume blotch; Yellow rust | flutriafol/tebuconazole | SC | 75/225 g/l | Impact Gold 300 SC | 9312 | 77 days | Cheminova |
| Wheat | Loose smut; Stinking smut | flutriafol/thiabendazole | FS | 25/25 g/l | Vincit F | 3799 | | Cheminova |
| Wheat | Yellow rust | hexaconazole | SC | 50 g/l | Richter | 6978 | 88 days; 28 days F | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Seed decay: Damping off; Seed decay; Stinking smut | mancozeb | DS | 800 g/kg | Ifax 800 DS | 270 | | Villa Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | picoxystrobin | SC | 250 g/l | Academy 250 SC | 10034 | 35 days | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--|-------------------------------|-----|-------------|----------------------|-------|--------------------|--|
| Wheat | Leaf rust; Powdery mildew; Speckled leaf & glume blotch; Yellow rust | picoxystrobin | SC | 250 g/l | Acanto 250 SC | 8233 | 35 days | Du Pont de Nemours |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | picoxystrobin | SC | 250 g/l | Faculty 250 SC | 10032 | 35 days | Universal Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | picoxystrobin | SC | 250 g/l | Pinchot 250 SC | 10092 | 35 days | Crop Asure |
| Wheat | Brown rust; Eye spot; Powdery mildew | picoxystrobin/prothioconazole | EC | 150/100 g/l | Academy Super 250 SC | 10214 | 35 days | Villa Crop Protection |
| Wheat | Brown rust; Eye spot; Powdery mildew | picoxystrobin/prothioconazole | EC | 150/100 g/l | Faculty Top 250 SC | 10213 | 35 days | Universal Crop Protection |
| Wheat | Eye spot; Speckled leaf blotch & Glume blotch | prochloraz | EC | 450 g/l | Pakua 450 EC | 7933 | 42 days | Ag-Chem Africa |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | Admiral 250 EC | 9358 | 40 days | Cedar Falls Properties 130 |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 250 g/l | Ag-Propiconazole | 8319 | 40 days | Ag-Chem Africa |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | Bumper 250 EC | 6034 | 40 days | Adama SA |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Speckled leaf blotch & glume blotch; Powdery mildew; Yellow rust | propiconazole | EC | 250 g/l | Makhrozole 250 EC | 7974 | 40 days | Makhro-Agro SA |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 250 g/l | Ppconazole 250 EC | 8627 | 40 days | Crop Asure |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 250 g/l | Propicon 250 EC | 7547 | 40 days | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | Propiconazole 250 EC | 7306 | 40 days | Universal Crop Protection |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | propiconazole | EC | 250 g/l | Propizole 250 EC | 7561 | 40 days | Villa Crop Protection |
| Wheat | Eye spot; Glume blotch; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | propiconazole | EC | 250 g/l | Tilt | 6668 | 40 days | Syngenta SA |
| Wheat | Eye spot; Karnal bunt; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Yellow rust | propiconazole | EC | 500 g/l | Propicon 500 EC | 7506 | | Volcano Agrosience /ta Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | prothioconazole | FS | 100 g/l | Redigo | 8616 | | Bayer |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | prothioconazole | SC | 480 g/l | Projetron 480 SC | 10050 | 77 days; 77 days F | Universal Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--|---------------------------------------|-----|----------------|---------------------|-------|--------------------|-----------------------------|
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | prothioconazole | SC | 480 g/l | Santana 480 SC | 10049 | 77 days; 77 days F | Villa Crop Protection |
| Wheat | Brown rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust | prothioconazole | SC | 480 g/l | Proley 480 SC | 10094 | 77 days | Crop Asure |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Stem rust | prothioconazole/tebuconazole | EC | 125/125 g/l | Prosaro 250 EC | 8510 | 77 days; 77 days F | Bayer |
| Wheat | Glume blotch; Leaf rust; Powdery mildew | spiroxamine/tebuconazole | EW | 250/133 g/l | Folicur Plus 383 EW | 7428 | 80 days | Bayer |
| Wheat | Leaf rust; Powdery mildew; Speckled leaf blotch; Yellow rust | spiroxamine/tebuconazole/triadim enol | EC | 150/167/43 g/l | Prosper Trio | 9083 | 56-80 days | Bayer |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EC | 250 g/l | Arden | 9779 | 77 days | DNA Crop Protection |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EC | 250 g/l | Tebuconazole 250 EC | 8413 | 77 days | Sharda International Africa |
| Wheat | Eye spot; Leaf rust; Speckled leaf blotch & Glume blotch; Yellow rust | tebuconazole | EC | 250 g/l | TebuDew | 7871 | 77 days | Erintrade t/a RT Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & glume blotch; Stem rust; Stripe rust | tebuconazole | EW | 200 g/l | Makhroteb 200 EW | 8149 | 77 days | Makhro-Agro SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 200 g/l | Orius 200 EW | 7479 | 77 days; 77 days F | Adama SA |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Yellow rust | tebuconazole | EW | 250 g/l | Corona 250 EW | 7603 | 77 days | Meridian Agritech Co |
| Wheat | Eye spot; Glume blotch; Leaf rust; Powdery mildew; Speckled leaf blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Curfew 250 EW | 9327 | 77 days; 77 days F | Cedar Falls Properties |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Folicur 250 EW | 3857 | 77 days; 77 days F | Bayer |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Orius 250 EW | 6832 | 77 days; 77 days F | Adama SA |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Riza EW | 8882 | 77 days; 77 days F | Cheminova |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Tebuconazole 250 EW | 7564 | 77 days | Universal Crop Protection |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | TebuCure 250 EW | 7992 | 77 days; 77 days F | ICA International Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Tebuzole 250 EW | 7551 | 77 days | Villa Crop Protection |

| Crop | Problem | Active/s | F/T | Conc | Product name | L No | P.H.I | Company name |
|-------|--|---------------|-----|---------|-------------------|------|--------------------|-----------------------|
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch & Glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Tenazole 250 EW | 8558 | 77 days; 77 days F | Arysta Lifescience SA |
| Wheat | Loose smut; Stinking smut | tebuconazole | FS | 60 g/l | Ingwe 6 FS | 7567 | | Crompton Chemicals |
| Wheat | Loose smut; Stinking smut | tebuconazole | FS | 60 g/l | Orius 6 FS | 7418 | | Adama SA |
| Wheat | Loose smut; Stinking smut | tebuconazole | WS | 20 g/kg | Ingwe 2 WS | 7566 | | Crompton Chemicals |
| Wheat | Eye spot; Leaf rust; Powdery mildew; Speckled leaf blotch and glume blotch; Stem rust; Yellow rust | tebuconazole | EW | 250 g/l | Tbconazole 250 EW | 8814 | 77 days | Crop Asure |
| Wheat | Leaf rust | triadimefon | SC | 250 g/l | Repute | 6824 | 56 days | Bitrad Consulting |
| Wheat | Loose smut; Stinking smut | triadimenol | FS | 150 g/l | Badger 15 FS | 7565 | | Chemtura |
| Wheat | Loose smut; Stinking smut | triadimenol | FS | 150 g/l | Baytan 150 FS | 1697 | | Bayer |
| Wheat | Loose smut; Stinking smut | triadimenol | FS | 150 g/l | Shavit | 5493 | | Adama SA |
| Wheat | Loose smut; Powdery mildew; Speckled leaf blotch; Stinking smut; Stripe rust (yellow rust) | triticonazole | FS | 200 g/l | Flite | 4965 | 180 | BASF SA |

COPYRIGHT AVCHASA 2017